




GENERAL FALKIRK CATALOGUE

GENERAL CATALOGUE
No. 123



571069
6500

THE FALKIRK IRON CO., LTD.
 General Ironfounders ∴ Enamellers
 and Sanitary Engineers.



VIEW OF WORKS, FALKIRK.

		Telegrams:	Telephones:
LONDON	- Craven House, Kingsway, W.C.,	"Castings"	No. 9482 Gerrard
LIVERPOOL	- 22 and 24 South Castle Street,	"Castings"	No. 4506 Bank
EDINBURGH,	22 Picardy Place, - -	"Castings"	No. 1298
GLASGOW	- 32 and 34 Bothwell Street, -	"Castings"	No. 2302 Central
Works	- FALKIRK	"Castings"	No. 15

List of Manufactures.

Cooking Apparatus for Coal, Gas or Steam.	Lavatory Stands.
Electric Cooking Apparatus.	Enamelled Advertising Plates.
Portable Stoves.	Tinned and Enamelled Hollow-ware.
Ranges.	Fry Pans and Girdles.
Steamer Hearths.	Three-legged Pots.
Chimney Pieces.	Cart Bushes.
Dog Grates.	Rain Water and Soil Pipes and Fittings.
Electric Fires.	Furnace Pans and Fittings.
Heating Stoves.	Fire Escape Stairs.
Interiors.	Spiral Stairs.
Mantel Grates.	Verandahs, Porches, &c.
Register Grates.	Gates and Railings.
Kerbs.	Stable Fittings.
Portable Boilers.	Theatre Seat Standards.
Feeding Troughs.	Plough Fittings.
Porcelain Enamelled Baths.	General Castings.
	Castings for Electrical Engineers.

INDEX.

A	Page.	D	Page.	G—Continued.	Page.
Aberdeen Pulley Wheels ...	102-3	Dampers and Frames ...	20	Garden Grates ...	59
Airbricks ...	70-72	Danish Pans ...	110	" Grates and Frames ...	55
" Louvre ...	72	Deadlights ...	76-77	" Rollers ...	1, 2
Ash Grates and Frames... ..	55	Deck Coamings ...	74	" Seats ...	3-5
B		Direction Posts... ..	128	" Vases and Pedestals ...	6
Bake Kettles ...	111	Division Standards ...	123-124	Gas Portable Boiler ...	16
Bake Plates ...	109	Dog Troughs ...	11	Gin Wheels ...	101
Bakers' Oven Doors ...	21	Door Hangers ...	104	Girdles ...	112
Barrow Wheels... ..	99	Door Knockers... ..	35	Glossing Irons ...	33
Bar Weights ...	107	Door Porters ...	35	Gratings ...	65-69, 73
Bearing Bars ...	25	Doorstep Gratings ...	73	Grave Crosses ...	143-144
Bed Sockets ...	135-136	Door Ventilators ...	70	Grease Box Covers ...	56
Billiard Table Irons ...	33	Dormer Casements ...	75	Grindstone Troughs ...	47
Boghole Doors and Frames ...	48	Drain Grates and Frames ...	55	Grubber Wheels ...	98
Boilers or Furnace Pans ...	17	Drain Grates ...	56, 59-62	Guard Posts ...	124
" Portable ...	12-14	Drying Horses'... ..	80-82	Gulley Traps ...	54
Boot Lasts ...	106	Dumb Bells ...	107	Gutters, H.R., &c. ...	166-207
Bottom Grates ...	27	Dutch Stoves ...	110		
Box Gutters ...	202-203	E		H	
Boundary Wall Gutters ...	205-207	Electrical Boxes ...	120-122	Halter Balls ...	158
Box Iron Heaters ...	34	Enamelled Plates ...	129-133	Hand Hole Frames and Covers ...	53
Brackets, Cantilever ...	94-95			Hart's Trap Gratings ...	63
" Cistern ...	91	F		Hatters Irons ...	33
" Shelf... ..	96-97	False Bottoms ...	26	Hat and Umbrella Stands ...	36
" W.C. Seat ...	92	Fan Blower Gratings ...	62	Hayracks ...	157
"Bradley" Forge Backs ...	47	Fanner Wheels and Pinion ...	104	Hearth Plates ...	130, 131
Buchan Trap Covers ...	56	Feeding Troughs ...	11	Horse Pots ...	56
Bushes, Cart ...	115-118	Fire Brick Contractors ...	29	Hotplates ...	22
C		Fire Cheeks ...	27	Hotplate Front Doors ...	21, 22
Camp Ovens ...	109	Fire Plug Covers ...	58	Hot Water Pipe Bearers ...	103
Cantilever Brackets ...	94-95	Flat Scale Weights ...	107	H.R. Gutters ...	166-8
Cart Bushes ...	115-118	Flue Cleaning Doors ...	20	" " Beaded ...	168
Cassandra Plates ...	109	Flue Cover Plates ...	27	I	
Cast Iron Letters ...	133	Flue Mouth Gratings ...	27	Inspection Box... ..	53
Cattle Troughs ...	16	Foot Irons ...	53	K	
Channel Grates and Frames ...	55	Foot Scrapers ...	8, 9	Kiln Plates ...	69
Chequered Plates ...	64	Forecastle Ventilators ...	74	Kinnaird Dampers ...	29
Cistern Brackets ...	91	Forge Backs ...	47	Kitchen Sinks ...	83-87
Cisterns ...	89-90	Fountain ...	106	Knockers, Door ...	35
Clothes Posts ...	7	Front Bars ...	27	L	
" " Sockets ...	7	Frying Pans ...	112	Lamp Pillars ...	127
" Rack End ...	105	Furnace Bars ...	23, 25	Large Socket R.W. Pipes ...	174
Coal Bunker Covers ...	48	" Dampers ...	20	Laundry Stove and Drying Horses ...	80
" Chute ...	48	" Doors ...	18-22	Lavatory Bowls ...	88
" Plates ...	48	" Grates ..	18, 19	L.C.C. Pipes and Connections ..	179-181
" Savers ...	28	" Lintels ...	22	Lead Melting Pots ...	46
Coamings or Deck Pipes ...	74	" Pans ...	17	Lead Ladles ...	46
Coffee Roasters ...	107	G		Letters, Cast Iron ...	133
Connections for R.W. Goods ...	159-174	Gate Pillars ...	125	London Pulley Wheels ...	102
" " Soil Pipes ...	175-183	Gate Rollers ...	104	Louvre Air Bricks ...	72
Continuous Rooflights ...	77	Gate Stops ...	126	Louvre Ventilators ...	69
Convenient Bends ...	160	Gate Bording ...	10		
Corner Hay Racks ...	157	Garden Bording ...	10		
" Mangers ...	156	Garden Engine Wheels ..	103		
Counter Divisions ...	68				
" Standards ...	41				
Crowding Barrow Wheels ...	100				

INDEX.

M	
	Page.
Mallets, Stob	10
Manger Pots	112
Mangers	152-156
Manhole Frames and Covers ...	49-53
Manhole Foot Irons	53
Mare Pots	56
Memorial Tablets	144
Mortars and Pestles	113-114
Motor Symbols and Direction Posts	128

N	
Nameplates	133
Navy's Barrow Wheels	99

O	
O.G. Gutters	171-173
Ornamental Gutters	190-201

P	
Park Notice Plates	10
Park Notice	143
Partition Brackets	96
Pew Pans	38
Pig Troughs	11
Pipes, R.W.	161-165
Pitch Pots	111
Pitch Kettles	111
Plough Wheels	98
Plumbers' Solder Pots	46
Pole Bases	210-212
Pole Caps	209
Pole Collars	209
Pole Finials	208
Portable Boilers	12-14
" Boiler Fittings	15
" " Gas	16
Posts, Clothes	7
Poultry Troughs	11
Pudding Pans	111
Pulley Wheels	102-103

Q	
Quadrants for Ventilators	77

R	
Rail Drain Box	53
Railing Bars and Heads	137
Rain Water Goods	159-207
Rain Water Heads	184-188
Range Bars	27

R—Continued.	
	Page.
Range Boilers	30-32
Rammer Heads	10
Revolving Seat Standards	42
Ring Weights	107
Rollers, Garden	1-2
Rooflights	75-77
Roof Plates	160

S	
Sad Irons	33
Sad Iron Stands	28
Saloon Seat Standards	42
Sand Backs	63
Sanitary Connections	178
Sashweights	119
School Seat Standards	43
Scrapers, Foot	9
Seat Stands	41
Sewer Grates and Frames	55
Sheep Troughs	11
Sheep Truck Wheels	98
Shelf Brackets	96-97
Sherringham's Ventilators	69
Shetland Pans	111
Sinks and Fittings	83-87
Sink Traps	56
Skid Irons	105
Skillet Pans	111
Skylights	75, 76
Sliding Door Hangers	104
Sliding Ventilators	71, 72
Smiths' Troughs	46
Soap Pots	110
Soil Pipes and Connections	175-183
Solder Pots	46
Soot Doors	20
Spittoons	35
Stable Fittings	146-158
Stable Gutters	158
Stable Windows	157
Stair Nosings	73
Standards, Lavatory	93
" Seat	93
" Sink	93
Stands for "Primus" Stove	34
Stob Mallets	10
Stop Cock Covers	57, 58
Street Gutters	126
" Nameplates	133
" Tobies	58
Supply Cisterns	89-90
Surface Boxes	58
Sweep's Balls	105
Switch Boxes and Blocks	120-122

T	
Tables	39-40
Table Stands	41
Tailors' Irons	33
Tallies	144-145
Theatre Seat Standards	44-45
Three-Legged Pots	108
Throwing Hammers	10
Tie Plates	105
Tinsmith Stakes	106
Tomb Railings... ..	138-142
Torpedo Ventilators	69
Treacle Taps	107
Troughs, Cattle	16
Troughs, Poultry, &c.	11
Truck Wheels	98, 100
Tue Irons	47

U	
Umbrella Stand	37-38
Urinals	88

V	
Valley Gutters	204-206
Valve Wheels	101
Vases and Pedestals	6
Vent. Box for Manhole Frames ...	51
Ventilating Grates	58
Ventilating Gratings	65-69, 73

W	
Wall Guards	125
Wall Ties	105
Washing Troughs	78-79
Water Deck Pipes or Coamings ...	74
Water Tue Irons	47
W.C. Seat Brackets	92
Wigan Pans	111
Wine Post Sockets	7
Wire Strainers	105
Wheels	98-104
Whip Pulley Wheels	101

Y	
Yetling Pan	111

Garden Rollers.

**Suitable for Lawns, Drives, Bowling Greens,
Golf Courses, Cricket Fields, Gravel Paths, &c.**



No. 3, with Solid Ends.

Double cylinder, rounded outer edges, turned bearings, malleable iron shafts, and wood handles. As the axle does not project beyond the cylinder ends, lawns may be rolled close up to the walls, and tennis courts right up to the net.

Well finished, strongly mounted, neatly painted.

Sizes	16	18	20	22	24	26	30 in. dia.
"	18	20	22	24	26	28	32 „ long.
Weight about	2½	3	3½	4	4¾	6	7½ cwt.
PRICES	77/	88/	100/	120/	135/	180/	260/ each.

Water or Sand-Ballast Rollers.

Suitable for Lawns, Drives, Bowling Greens,
Golf Courses, Cricket Fields, Gravel Paths, &c.



No. 4, with Water or Sand Jacket.


Double cylinder, rounded outer edges, turned bearings, malleable iron shafts,
and wood handles. Well finished. Strongly mounted. Neatly painted.

Weight can be increased or diminished at will, and adjusted to
suit the immediate conditions of the ground—a most desirable
improvement, the advantages of which will be obvious.

Sizes	20	22	24	26	ins. diar.
"	22	24	26	28	ins. long.
Approx. Weight, Empty	4	5	5½	7½	cwts.
" " Full	5½	6½	7½	10	"
PRICES,	170/	190/	200/	280/	each.

Prices include Water Funnel.

Garden Seats.



No. 51 Wrot-iron Garden Seat.

6 ft. 0 in. long.

Painted Green 90/ each.

No. 14 Garden Seat.

Ironwork grained oak; woodwork yellow
pine, painted and grained oak; 8 ft. long.

With Arm Rests 165/ each.
Without Arm Rests 155/ "

CASTINGS ONLY—

Prepared to receive woodwork, fine cast,
unpainted. Three supports to a set.

With Arm Rests 45/ per set.
Without Arm Rests 37/ "



No. 18 Garden Seat.

Ironwork grained oak; woodwork yellow
pine, painted and grained oak; 8 ft. long,
including three standards, the centre one
without arm rest.

With Arm Rests 155/ each.
Without Arm Rests 145/ "

CASTINGS ONLY—


Prepared to receive woodwork, fine cast,
unpainted. Three supports to a set.

With Arm Rests 40/ per set.
Without Arm Rests 32/ "



Garden Seats.

No. 15




No. 15 Garden Seat.


Ironwork Painted Green.

WOODWORK—	4 ft. 0 in.	5 ft. 0 in.	6 ft. 0 in.	
Yellow Pine, Painted and Grained Oak	52/	54/	56/	ea.
White Pine do. ...	44/	46/	48/	..
White Pine, Stained and Varnished ...	40/	42/	44/	..
Pitch Pine, Varnished	44/	46/	48/	..
Arms Painted and Bronzed,				2/ extra.
CASTINGS ONLY—				
Prepared to receive Woodwork, Fine Cast, Unpainted	11/6			per pair.
Bolts and Nuts ...	2/			per set.


No. 16



No. 2



No. 9




IRONWORK PAINTED GREEN—	No. 16			No. 2		No. 9			
	4 ft. 0 in.	5 ft. 0 in.	6 ft. 0 in.	4 ft. 0 in.	5 ft. 0 in.	5 ft. 0 in.	6 ft. 0 in.	7 ft. 0 in.	
Woodwork Yellow Pine, Painted and Grained Oak	50/	52/	54/	38/	40/	85/	88/	92/	ea.
.. White Pine, ..	42/	44/	46/	29/	30/	—	—	—	..
.. .. Stained and Varnished	38/	40/	42/	—	—	—	—	—	..
.. Pitch Pine Varnished ...	42/	44/	46/	—	—	—	—	—	..
Arms Painted and Bronzed ...	2/			2/		4/6 extra.			
CASTINGS ONLY—									
Prepared to receive Woodwork, Fine Cast, Unpainted	11/			10/		22/			per pair.
Bolts and Nuts ...	2/			2/		—			per set.

Garden Seats

No. 3




No. 7




IRONWORK PAINTED GREEN—	No. 3			No. 7 with Arm Rests			No. 7 without Arm Rests			
	4 ft. 0 in.	5 ft. 0 in.	6 ft. 0 in.	5 ft. 0 in.	6 ft. 0 in.	8 ft. 0 in.	5 ft. 0 in.	6 ft. 0 in.	8 ft. 0 in.	
Wood Work Yellow Pine, Painted and Grained Oak	48/	50/	52/	70/	73/	79/	66/	69/	75/	ea.
.. White Pine, Stained and Varnished	37/	39/	41/	60/	63/	69/	56/	59/	65/	..
Arms Painted and Bronzed, ...	2/			2/			2/			extra
CASTINGS ONLY—										
Prepared to receive Woodwork, Fine Cast, Unpainted	10/6			20/			17/			per pair
Bolts and Nuts ...	2/			2/			2/			per set


No. 20



No. 1



No. 12



No. 20 GARDEN SEAT—Ironwork painted green.

WOODWORK—	5 ft. 0 in.		6 ft. 0 in.		4 ft. 0 in.		5 ft. 0 in.	
	5 ft. 0 in.	6 ft. 0 in.	4 ft. 0 in.	5 ft. 0 in.	4 ft. 0 in.	5 ft. 0 in.	4 ft. 0 in.	5 ft. 0 in.
Yellow Pine, Grained Oak	115/	120/	31/	33/	each			
White Pine, Stained and Varnished	96/	100/	27/	28/	..			
Arms Painted and Bronzed	3/		2/		extra.			


CASTINGS ONLY—Prepared to receive Woodwork, Fine Cast, Unpainted, 21/ per pair 6/6 per pair

No. 12 GARDEN SEAT—Ironwork grained oak, woodwork yellow pine, painted and grained oak.

8 ft. 0 in. long, ... 160/ each
Arms Painted and Bronzed, 3/ extra

CASTINGS ONLY—Prepared to receive Woodwork, Fine Cast, Unpainted, three Supports to a Set 30/ per set

Vases. Supplied with or without Pedestals.



No. 6.—Vase.

Size of Vase 17 in. diam. extreme × 24½ in. high.
 „ Pedestal 15 „ square at base × 24 „
 Vase 35/ each.
 Pedestal 38/ ..




Tazza Pattern.

Can also be supplied with round base to vase.
 Vase ... 15½ in. diam. × 10½ 12 in. high.
 Pedestal 9 × 9 × 12 in. high 16/ 17/ each
 11/ 11/ ..



No. 15.—Vase.

14½ in. high.
 55/ each.




No. 7.—Vase.

Size of Vase 17 in. diam. extreme × 24½ in. high.
 „ Pedestal 14½ „ at base × 24 „
 Vase 32/ each.
 Pedestal 50/ ..



No. 17.—Vase.

Size of Vase 25 in. diam. extreme × 19 in. high.
 „ Pedestal 18½ „ square at base × 26½ „
 Vase 60/ each.
 Pedestal 75/ ..



No. 8.—Vase.

Size of Vase 14½ in. diam. extreme × 20½ in. high.
 „ Pedestal 15 „ square at base × 24 „
 Vase 28/ each.
 Pedestal 38/ ..



No. 18.—Vase.

Size of Vase 25 in. diam. extreme × 19 in. high.
 „ Pedestal 18½ „ square at base × 26½ „
 Vase 60/ each.
 Pedestal 75/ ..


Clothes Posts.

No. 1




Cast Iron Clothes Post.
 7 ft. 6 in. extreme
 14/ each.


No. 2




Cast Iron Clothes Post.
 7 ft. 5 in. extreme
 12/ each.




Socket
 (Light Pattern).
 12 in. deep.
 For Nos. 1 and 2
 Clothes Posts,
 5/6 each.



Wine Post Socket.
 12 in. deep.
 5 in. × 5 in. inside at top,
 10/6 each.




Socket
 (Heavy Pattern)
 12 in. deep.
 For Nos. 1 and 2
 Clothes Posts,
 6/ each.




No. 4 Socket.
 18½ in. 6 in. deep.
 4 in × 4 in. 4 in × 4 in.
 at top.
 12/6 5/6 each.

No. 3




Cast Iron Clothes Post.
 6 ft. 9 in. extreme
 9/ each.

No. 5



Wrot. Iron Clothes Post.
 With Cast Iron Head.
 7 ft. 0 in. extreme
 13/ each.



Cast Iron Base
 for same
 8 in. × 8 in.
 3/4 each.

Foot Scrapers.

No. 1A



SIZE $7 \times 7\frac{1}{4}$ in. high.
11d each.

No. 8A



SIZE $6 \times 5\frac{1}{4}$ in. high.
11d each.

No. 29A



SIZE $9 \times 6\frac{1}{2}$ in. high.
1/1 each.

No. 30A



SIZE $8\frac{1}{2} \times 6\frac{1}{4}$ in. high.
1/ each.

No. 5B



2/ each.

No. 1B




1/8 each.

No. 3B




2/ each.

No. 1



SIZE ... $10\frac{1}{4} \times 13$ in.
4/ each.

No. 11




SIZE ... $13 \times 9\frac{1}{2}$ in.
7/ each.

No. 8




SIZE ... $8\frac{1}{2} \times 10\frac{1}{4}$ in.
2/6 each.

No. 34




SIZE ... $10\frac{3}{4} \times 14\frac{3}{4}$ in.
4/4 each.

No. 35




SIZES ... $10\frac{1}{2} \times 13\frac{1}{2}$ $13 \times 18\frac{1}{2}$ in.
With Pan 4/ 6/ each.
Without Pan 2/8 4/ "

No. 36




SIZES ... $10\frac{1}{2} \times 13\frac{1}{2}$ $13\frac{1}{2} \times 18\frac{1}{2}$ in.
With Pan 4/6 6/6 each.
Without Pan 3/ 4/ "

No. 64



SIZE ... $15 \times 9\frac{3}{4}$ in.
6/6 each.



No. 37—Channel Scraper.

SIZES 13×19 16×25 16×31 19×37 25×43 25×52 in.
4/4 7/ 8/6 10/ 16/6 20/6 each

No. 37A—Channel Scraper.

Similar to No. 37.

SIZES 16×24 16×30 16×36 16×42 15×48 in.
6/6 8/ 9/6 12/6 15/6 each

Foot Scrapers

No. 30



SIZE, ... $15\frac{3}{4} \times 12$ in.
4/ each.

No. 61



SIZE, ... $14 \times 8\frac{1}{2}$ ins.
3/10 each.

No. 29




SIZE, ... $16\frac{1}{4} \times 10\frac{1}{2}$ in.
3/10 each.

No. 60




SIZE, ... $11\frac{1}{2} \times 11\frac{1}{2}$ ins.
3/8 each.

No. 63




SIZE, ... $15 \times 10\frac{1}{2}$ in.
7/6 each.

No. 68




With Brushes.
SIZES, 11×11 11×14 11×18 in.
11/6 12/ 12/6 each

No. 62




SIZE, ... $17\frac{1}{2} \times 9\frac{1}{2}$ in.
6/6 each.

No. 66



With Brushes.
SIZE, ... $13\frac{3}{4} \times 12$ in.
13/6 each.

No. 52




With Brushes.
SIZES, ... $10\frac{1}{2} \times 13\frac{1}{2}$ $13\frac{1}{2} \times 18\frac{1}{2}$ ins.
With Pan 14/ 15/ each.
Without Pan 12/6 13/6 "

No. 50



With Brushes.
SIZES, ... 12×18 16×24 in.
With Pan, ... 35/ 37/ each.
Without Pan, ... 33/ 35/ "

No. 54




With Brushes.
SIZES, ... 12×12 12×15 12×18 in.
With Pan ... 13/6 14/ 14/6 each.
Without Pan 12/ 12/6 13/ "

Garden Bordering, Rammer Heads, &c.

STOB MALLETS.


No. 1



Weights ... 8, 10, 12 lb

PRICE ... **23/** per cwt.


No. 2



Weights ... 10, 12, 14, 16 lb.

23/ per cwt.


No. 3



Weights ... 8, 10, 12, 14, 16, 18, 20 lb.

23/ per cwt.


Rammer Heads.



ROUND.

Weights 6, 7, 8, 10, 12, 14, 15, 16, 18, 19 lb.

PRICES **23/** per cwt.



SQUARE.

Weights 6, 10, 14, 16 lb.

23/ per cwt.


Throwing Hammers.



Weights ... 10, 12, 14, 16 lb

PRICES ... **24/** per cwt.

Garden Bordering.



No. 5

6½ in. high. Connecting Bars.
In lengths of 12, 24, 36 in.
10½d. per foot. **8d.** each.

Garden Bordering.



No. 6

16x9 18½x12½ 18x15 18x18 in. high
9d. 1/1 1/2½ 1/3½ each.



No. 1
Park Notice.


8 x 10 in.
PRICE **30/** per dozen.



No. 2
Park Notice.


8½ x 4¼ in.
PRICE **19/** per dozen.

Feeding Troughs.




No. 0—ROUND-END POULTRY TROUGH

Sizes	9	12	18	24	30	36	42	48x5½ in.
Painted	1/2	1/6	2/	2/6	2/8	3/2	3/8	5/ each
Glass Enamelled	2/10	3/	4/	4/8	5/6	7/	8/	9/6 ..
Porcelain	4/6	4/10	6/	7/6	9/	10/	12/6	15/ ..




No. 1—POULTRY TROUGH

Size	24 in. long x 6 in. wide.
Painted	4/ each
Glass Enamelled	6/6 ..
Porcelain	10/ ..




No. 4—SQUARE-END POULTRY TROUGH

Sizes	12	18	24	36	48x6½ in.
With	1	2	2	3	4 divisions
Painted	2/8	3/4	4/	5/6	6/8 each
Glass Enamelled	4/6	5/4	7/	9/6	12/6 ..
Porcelain	6/6	8/6	10/6	14/	16/6 ..




No. 2—ROUND POULTRY TROUGH

12 in. diar.	
Painted	1/8 each
Glass Enamelled	4/ ..
Porcelain	6/6 ..



No. 3—CORNER POULTRY TROUGH

12 in. diar.	
Painted	1/8 each
Glass Enamelled	4/ ..
Porcelain	6/6 ..




No. 7—OBLONG DOG TROUGH

Sizes	6x4½	9x5	12x5½	14	16	18x6 in.
Painted	1/3	1/6	2/	2/2	2/6	3/ each
Glass Enamelled	2/6	3/	3/6	4/	4/6	5/ ..
Porcelain	4/	5/	5/6	6/	6/6	7/ ..




No. 6—ROUND DOG TROUGH.

Sizes	10	12 in. diar.
Painted	2/	2/10 each
Glass Enamelled	4/6	5/6 ..
Porcelain	7/	10/ ..




No. 5—SQUARE DOG TROUGH

Sizes	10x8x6	12x10x8	18x10x8 in.
Painted	3/6	5/	7/ each
Glass Enamelled	5/	6/6	9/6 ..
Porcelain	6/6	8/6	11/6 ..



SHEEP TROUGH

Sizes	24	30	36	42	48x10½ in.
With	2	2	3	3	4 divisions
Painted	7/	8/	9/6	11/6	14/ each
Glass Enamelled	10/	12/	15/	17/6	20/6 ..
Porcelain	14/	16/6	21/	25/6	30/ ..




No. 2—PIG TROUGH, with or without Divisions

Sizes	24	30	36	42	48	54	60	72x10 in.
Divisions	2	2	3	3	4	4	5	6
Painted	7/	7/6	9/	9/6	11/6	13/	14/6	17/ each
Glass Enamelled	10/	12/	14/6	17/	19/6	21/	26/	30/ ..
Porcelain	14/	16/6	21/	25/	27/	32/	37/	43/ ..




ROUND SHEEP TROUGH

13 in. diar.	
Painted	2/8 each.
Glass Enamelled	5/ ..
Porcelain	8/ ..




No. 5—PIG TROUGH.

Sizes	24	30	36	42	48	54	60	72x10 in.
Division	2	2	3	3	4	5	5	6
Painted	6/6	7/6	9/	10/6	12/6	13/6	14/	16/6 each
Glass Enamelled	10/	12/	14/6	18/	20/	21/6	25/6	29/ ..
Porcelain	14/	17/	21/	26/	28/	32/	40/	45/ ..



No. 4—SINGLE NORFOLK PIG TROUGH

Sizes	24	30	36	42	48	60	72x11 in.
Divisions	2	2	3	3	4	5	6
Painted	12/6	14/6	17/	20/6	23/6	27/8	33/6 each
Glass Enamelled	19/	21/	26/	30/	32/	42/	55/ ..
Porcelain	24/	27/	36/	40/	43/	57/	77/ ..




No. 1—ROUND PIG TROUGH, with Revolving Top.

Sizes	24	32 in. diar.
With	8	8 or 10 divisions.
Painted	18/	33/ each



No. 2—HOPPER PIG TROUGH.


Sizes	27	30	33	36 in. diar.
With	6	8	8	10 divisions.
Painted	20/	23/4	26/8	31/ each
27 in. can be supplied with 8 divisions, if required.				



No. 3—DOUBLE NORFOLK PIG TROUGH.

Sizes	24	30	36	42	48x10 in.
Divisions	8	10	12	14	16
Painted	8/	9/6	11/	14/6	17/ each
Glass Enamelled	15/	17/	19/6	25/	27/ ..
Porcelain	24/	26/	32/	36/6	42/ ..

Portable Boilers.



No. 1. On Feet.

Sizes 6 to 12 gallons always supplied with Flat Rim to Inside Pan as illustration on page 14.

SUPPLIED
On Feet as No. 1. On Wheels as No. 2.
On Base as No. 3. On Rollers as No. 4.

IMPERIAL MEASURE.

NOZZLES SUIT PIPING AS FOLLOWS—

6 and 8 galls.	...	4½ ins. diameter.
10 to 25 "	...	5 " "
30 to 80 "	...	6 " "

6 and 8 gallon sizes can also be supplied with nozzles to take 4 in. pipe, but this size is not sent unless specially ordered.

For Illustrations and Prices of Covers and Steam Escape Pipes, &c., see page 15.

For Overall Sizes and sizes of Inside Pans, see page 14.

No. 1 and No. 3.			
Gallons Imperial	With Plain Boiler	Galvanized, Barffed or Glass Enamelled Boiler	Porcelain Enamelled Boiler
6	29/6	33/3	39/9
8	33/	37/9	43/3
10	38/3	44/3	52/6
12	41/6	49/	59/9
15	45/	54/3	69/3
17	48/	57/6	74/6
20	50/3	62/6	78/
22	52/	65/6	86/
25	57/	72/9	92/6
30	62/6	78/6	102/
40	67/6	87/9	121/3
45	75/9	96/9	134/9
50	82/3	105/6	146/6
60	97/	125/	176/9
70	108/3	140/9	225/
80	121/3	159/	252/

Draw-off Cocks $\frac{5}{8}$ $\frac{3}{4}$ $\frac{7}{8}$ 1 in.
9/3 10/6 13/3 17/3 extra.



No. 3. On Base.

No. 3—Sizes 6 to 12 gallons always sent with Flat Rim as illustration on page 14, unless specially ordered with Upright Rim.

Portable Boilers.



No. 2. On Wheels.

SUPPLIED
On Feet as No. 1. On Wheels as No. 2.
On Base as No. 3. On Rollers as No. 4.

IMPERIAL MEASURE.

NOZZLES SUIT PIPING AS FOLLOWS—

6 and 8 galls.	...	4½ ins. diameter.
10 to 25 "	...	5 " "
30 to 80 "	...	6 " "

6 and 8 gallon sizes can also be supplied with nozzles to take 4 in. pipe, but this size is not sent unless specially ordered.

For Illustrations and Prices of Covers and Steam Escape Pipes, &c., see page 15.

For Overall Sizes and sizes of Inside Pans see page 14.

No. 2 and No. 4.			
Gallons Imperial	With Plain Boiler	Galvanized, Barffed or Glass Enamelled Boiler	Porcelain Enamelled Boiler
6	42/6	46/3	52/9
8	46/	50/9	56/3
10	51/3	57/3	65/6
12	54/6	62/	72/9
15	58/	67/3	82/3
17	61/	70/6	87/6
20	63/3	75/6	91/
22	65/	78/6	99/
25	70/	85/9	105/6
30	75/6	91/6	115/
40	80/6	100/9	134/3
45	93/	114/	152/
50	99/6	122/9	163/9
60	114/3	142/3	194/
70	125/6	158/	242/3
80	138/6	176/3	269/3

Draw-off Cocks $\frac{5}{8}$ $\frac{3}{4}$ $\frac{7}{8}$ 1 in.
9/3 10/6 13/3 17/3 extra.



No. 4. On Rollers.

Sizes 6 to 12 gallons always sent with Flat Rim to Inside Pan, as illustration on page 14.

Portable Boilers.



No. 3. On Base, with Flat Rim.

Sizes 6 to 12 gallons always sent as this illustration, but No. 3 can be supplied also in these sizes with Upright Rim to Inside Pan.

Gallons Imperial	Overall Sizes		Height from Ground to Nozzle				Inside Sizes of Pans	
	Nos. 1, 2 and 4	No. 3	No. 1	No. 2	No. 3	No. 4	Diar.	Depth
6	Back to Width Front 20 x 28	Back to Width Front 20 x 24 1/2	23 1/2	23 1/2	26 1/2	23 1/2	15	11 1/2
8	22 1/2 x 29 1/2	22 1/2 x 27	24 1/2	24 1/2	26 1/2	24	16 1/2	12 1/2
10	23 3/4 x 33	23 3/4 x 30	26 1/2	26	26 1/2	26 1/2	18 1/2	13 1/2
12	24 x 32 1/2	24 x 30	28 1/2	28	28 1/2	28 1/2	18 1/2	15 1/2
15	26 1/2 x 34 1/2	26 1/2 x 32 1/2	30 3/4	30 1/2	30 1/2	30 1/2	25	15 1/2
17	26 1/2 x 34 1/2	26 1/2 x 32 1/2	30 3/4	30 1/2	30 1/2	30 1/2	25	17
20	27 1/2 x 34 1/2	27 1/2 x 33 1/2	34 1/4	34	34	34	26	20 1/2
22	28 x 35	28 x 33 3/4	34 1/2	34	34	34 1/2	26 3/4	21 1/2
25	28 1/2 x 34 1/2	28 1/2 x 34	34 1/2	34	34	34 1/2	27	23
30	31 1/2 x 41 3/4	31 1/2 x 39 1/2	35 1/2	35 1/2	35 1/2	36 3/4	30	21 1/2
40	31 3/4 x 41 3/4	31 3/4 x 39 3/4	35 1/2	35 1/2	35 1/2	36 3/4	30 1/2	24 1/2
45	32 1/2 x 41 3/4	32 1/2 x 39 3/4	35 1/2	35 1/2	35 1/2	36 3/4	30 3/4	26
50	33 x 42	33 x 40 1/2	38 1/2	38 1/2	38 1/2	40	31 3/4	29 1/2
60	38 1/2 x 46 1/2	38 1/2 x 45 3/4	41 1/2	41 3/4	41	45	37	27 1/2
70	39 x 46 3/4	39 x 46	44 1/2	44 3/4	44	46	37 3/4	31 1/2
80	40 x 46 3/4	40 x 46	44 1/2	44 3/4	44	46	38 1/2	33 1/2

The Sizes 6 to 12 gallons refer to Inside Pans with flat rim.

The Sizes of Portable Boilers 6 to 12 gallons with upright rims are as under:—

Gallons Imperial	Overall Sizes		Height from Ground to Nozzle	Inside Size of Pan	
	Width.	Back to Front		Diar.	Depth.
6	20 3/4	26 3/4	26 1/2	19	12
8	20 3/4	26 3/4	26 1/2	19	13 1/2
10	22 3/4	29	26 1/2	21 1/2	14 3/4
12	22 3/4	29	26 1/2	21 1/2	15 3/4

No. 5 Portable Boiler.

Size	8 gallons.
With Plain Boiler	33/ each.
With Galvanized, Barfed, or Glass Enamelled Boiler	37/9 "
With Porcelain Enamelled Boiler	43/3 "
Galvanized Hinged Cover, with Brass Hinges as shown,	11/9 extra.

For Price of Pipe with Damper and Steam Escape Pipe, see next page.



No. 5.

REVISED PRICES

Portable Boilers.

*See leaflet for details
223 x 44 = 1/2 0/1
+ Trade 0/1*



No. 1. On Feet.

Sizes 6 to 12 gallons always supplied with Flat Rim to Inside Pan as illustration on page 3.

SUPPLIED
On Feet as No. 1. On Wheels as No. 2.
On Base as No. 3. On Rollers as No. 4.

IMPERIAL MEASURE.

Nozzles suit Piping as follows:—

6 and 8 galls.	4 1/2 ins. diameter.
10 to 25 "	5 " "
30 to 80 "	6 " "

6 and 8 gallon sizes can also be supplied with nozzles to take 4 in. pipe, but this size is not sent unless specially ordered.

For Illustrations and Prices of Covers and Steam Escape Pipes, &c., see page 4.

For Overall Sizes and sizes of Inside Pans, see page 3.

No. 1 and No. 3.

Gallons Imperial	With Plain Boiler	Barfed Boiler	Galvanized or Glass Enamelled Boiler	Porcelain Enamelled Boiler.
6	87/3	95/3	98/3	110/
8	98/	109/	111/6	122/
10	111/6	125/	127/6	137/6
12	121/6	136/9	141/	151/
15	134/	153/6	158/3	167/6
17	149/6	171/	177/6	187/6
20	157/	182/	189/6	200/
22	162/	190/	197/6	207/6
25	169/	200/6	208/6	217/6
30	216/	253/9	265/6	275/
40	234/	285/6	299/9	310/
45	257/	314/6	331/	340/
50	273/	337/	356/	365/
60	324/	400/6	423/	—
70	351/	440/	468/	—
80	396/	498/	531/	—


Draw-off Cocks	25/	29/	36/	47/ extra.
----------------	-----	-----	-----	------------



No. 3. On Base.

No. 3—Sizes 6 to 12 gallons always sent with Flat Rim as illustration on page 3, unless specially ordered with Upright Rim.

Portable Boilers.



No. 2. On Wheels.

SUPPLIED
 On Feet as No. 1. On Wheels as No. 2.
 On Base as No. 3. On Rollers as No. 4.

IMPERIAL MEASURE

Nozzles suit Piping as follows:—

6 and 8 galls.	4½ ins. diameter.
10 to 25 "	5 " "
30 to 80 "	6 " "

6 and 8 gallon sizes can also be supplied with nozzles to take 4 in. pipe, but this size is not sent unless specially ordered.

For Illustrations and Prices of Covers and Steam Escape Pipes, &c., see page 4.


For Overall Sizes and sizes of Inside Pans see page 3.

No. 2 and No. 4.

Gallons Imperial	With Plain Boiler	Barfed Boiler	Galvanized or Glass Enamelled Boiler.	Porcelain Enamelled Boiler.
6	123/3	131/3	134/3	146/
8	134/	145/	147/6	158/
10	147/6	161/	163/6	173/6
12	157/6	172/9	177/	187/
15	170/	189/6	194/3	203/6
17	185/6	207/	213/6	223/6
20	193/	218/	225/6	236/
22	198/	226/	233/6	243/6
25	205/	236/6	244/6	253/6
30	252/	289/9	301/6	311/
40	270/	321/6	335/9	345/
45	304/	361/6	378/	387/
50	320/	384/	403/	412/
60	371/	447/6	470/	—
70	398/	487/	515/	—
80	443/	545/	578/	—


Draw-off Cocks	$\frac{5}{8}$ 25/	$\frac{3}{4}$ 29/	$\frac{7}{8}$ 36/	1 in. 47/ extra.
----------------	-------------------	-------------------	-------------------	------------------

Sizes 6 to 12 gallons always sent with Flat Rim to inside Pan, as illustration on page 3.



No. 4. On Rollers.

Portable Boilers.



No. 3. On Base, with Flat Rim.

Sizes 6 to 12 gallons always sent as this illustration, but No. 3 can be supplied also in these sizes with Upright Rim to Inside Pan.

Gallons Imperial	Overall Sizes.		Height from Ground to Nozzle				Inside Sizes of Pans.	
	Nos. 1, 2 and 4.	No. 3	No. 1	No. 2	No. 3	No. 4	Diar.	Depth
6	Back to Width Front 20 × 28	Back to Width Front 20 × 24½	23½	23½	26½	23½	15	11½
8	22½ × 29½	22½ × 27	24½	24½	26½	24½	16½	12½
10	23½ × 33	23½ × 30	26½	26	26½	26½	18½	13½
12	24 × 32½	24 × 30	28½	28	28½	28½	18½	15½
15	26½ × 34½	26½ × 32½	30	30½	30½	30½	25	15½
17	26½ × 34½	26½ × 32½	30	30½	30½	30½	25	17
20	27½ × 34½	27½ × 33½	34½	34	34	34½	26	20½
22	28 × 35	28 × 33½	34½	34	34	34½	26½	21½
25	28½ × 34½	28½ × 34	34½	34	34	34½	27	23
30	31½ × 41½	31½ × 39½	35½	35½	35½	36½	30	21½
40	31½ × 41½	31½ × 39½	35½	35½	35½	36½	30½	24½
45	32½ × 41½	32½ × 39½	35½	35½	35½	36½	30½	26
50	33 × 42	33 × 40½	38½	38½	38½	40	31½	29½
60	38½ × 46½	38½ × 45½	41½	41½	41½	45	37	27½
70	39 × 46½	39 × 46	44½	44½	44	46	37½	31½
80	40 × 46½	40 × 46	44½	44½	44	46	38½	33½

The Sizes 6 to 12 gallons refer to Inside Pans with flat rim.

The Sizes of Portable Boilers 6 to 12 gallons with upright rims are as under:—

Gallons Imperial.	Overall Sizes.	Height from Ground to Nozzle.	Inside Size of Pan.	
6	Width Back to Front 20½ × 26½	26½	Diar. 19	Depth 12
8	20½ × 26½	26½	19	13½
10	22½ × 29	26½	21½	14½
12	22½ × 29	26½	21½	15½


No. 5 Portable Boiler.

Size	8	gallons.
With Plain Boiler	93/	each.
With Barfed Boiler	109/	"
With Galvanized or Glass Enamelled Boiler	111/6	"
With Porcelain Enamelled Boiler	122/	"
Galvanized Hinged Cover with Brass Hinges as shown	27/6	extra.

For Price of Pipe with Damper and Steam Escape Pipe, see next page.




Portable Boiler Fittings.



Smoke Pipes and Connections.


Sizes	4	4½	5	6	ins.
Smoke Pipe with Damper, Bend, and Cleaning Door 66 in. long	—	—	66/9	—	each.
Smoke Pipe with Damper, Bend, and Cleaning Door 60 in. long	—	—	62/3	—	"
Smoke Pipe with Damper, Bend, and Cleaning Door 48 in. long	—	—	57/	—	"
Smoke Pipe with Damper, Bend, and Cleaning Door 36 in. long	—	—	49/9	—	"
Loose Bend with Soot Door	9/2	11/4	13/8	17/2	"
Loose Bend without Soot Door	5/3	7/4	9/8	12/3	"
Loose Damper and Frame	9/3	10/	10/9	12/9	"
Cowl with socket	9/3	11/4	13/8	18/6	"
Smoke Pipe with Galvanized Steam Escape Pipe 24 ins. long	28/3	29/6	30/6	32/	"
Wall Box for 5 in. Pipe	—	—	13/6	—	"
Smoke Pipe, in 6 ft lengths	<i>Prices on application</i>				

Galvanized Sheet Iron Lift-off Cover with two Handles.



Sizes, Galls. Imperial	6	8	10	12	15	17	20	22	25	30	40	45	50	60	70	80
Prices	11/9	13/	14/6	15/6	18/6	19/6	20/9	21/6	22/6	24/6	27/	30/	31/6	33/6	36/	39/ each.
Galvanized Sheet-iron Bound Hinged Flat Cover, with One Handle, Sheet-iron Hinges, Back Part fitted to Pan,	21/	22/	23/	25/	29/	30/9	32/6	33/3	34/	36/	40/	42/	45/	49/	52/	60/ "
If with Brass Hinges,	5/6 extra.															


Portable Boiler Fittings.



Smoke Pipes and Connections.

SIZES	4	4½	5	6	ins.
Smoke Pipe with Damper, Bend, and Cleaning Door 66 in. long	—	—	21/	—	each.
Smoke Pipe with Damper, Bend, and Cleaning Door 60 in. long	—	—	19/6	—	"
Smoke Pipe with Damper, Bend, and Cleaning Door 48 in. long	—	—	16/	—	"
Smoke Pipe with Damper, Bend, and Cleaning Door 36 in. long	—	—	13/	—	"
Loose Bend with Soot Door	3/4	4/2	5/	6/3	"
Loose Bend without Soot Door	1/11	2/8	3/6	4/6	"
Loose Damper and Frame	4/	4/4	4/8	5/6	"
Cowl with socket	3/5	4/2	5/	6/9	"
Smoke Pipe with Galvanized Steam Escape Pipe 24 ins. long	9/	10/	11/	12/	"
Wall Box for 5 in. Pipe	—	—	5/6	—	"
Smoke Pipe, in 6 ft. lengths.	<i>Prices on application</i>				

Galvanized Sheet Iron Lift-off Cover, with 2 Handles.



SIZES, Galls. Imperial	6	8	10	12	15	17	20	22	25	30	40	45	50	60	70	80
PRICES	5/	5/	5/	5/6	7/3	7/6	8/	8/9	9/3	10/	11/3	12/	12/6	14/3	16/	18/ each.
Galvanized Sheet-iron Bound Hinged Flat Cover, with One Handle, Sheet-iron Hinges, Back Part fitted to Pan,	10/	10/	10/	11/	14/3	15/	16/	16/9	17/6	18/6	19/6	20/9	21/	22/6	24/3	27/6 "

Gas Portable Boiler and Cattle Troughs.



No. 10 Gas Portable Boiler.

Cast-iron stand, with galvanized steel outer casing; inner pan of copper or of cast-iron, with strong cast-iron galvanized hinged cover and escape pipes.

Sizes	10	12	gallons
With Copper Pan, well Tinned Inside	78/	84/	each.
With Spout and Brass Tap	10/	10/	extra.


With Cast-iron Pan	Plain	Barffed	Galvanized	Glass Enamelled Inside	Porcelain Enamelled Inside	each.
	10 gallons	55/	61/	61/	67/	
With Spout and Brass Tap	13/	15/6	15/6	15/6	18/	extra.

Spout is arranged to thoroughly drain inner pan.

If Cover is Porcelain Enamelled on underside, **7/** extra.


No. 1 Cattle or Water Trough.

Sizes	36	48	60	72	108 in. long by 20 in. wide by 12 in. deep.
Painted	46/	60/	78/	84/	120/ each.
Glass Enamelled	65/	87/	110/	117/	169/ ..
Porcelain	88/	110/	140/	145/	200/ ..



Sizes	36	48	60	72	108 in. long by 24 in. wide by 16 in. deep.
Painted	58/	74/	88/	110/	156/ each.
Glass Enamelled	90/	110/	130/	152/	200/ ..
Porcelain	114/	134/	165/	190/	260/ ..

With Brass Grating, Plug and Chain, $\frac{11}{4}$ $\frac{11}{6}$ in. Outlet. **4/6** **6/** each extra.




No. 2 Cattle or Water Trough.


With Ball Cock Arrangement, **39/** extra to No. 1.

Sizes as No. 1.

Boilers or Furnace Pans.



Imperial Measure.



Old Wine Measure.

SIZES, WEIGHTS, AND PRICES.

Gallons Imperial	Inside Dia. at Mouth	Dia. over Flange	Depth	Approx. Weight.	Price per Gallon,			Nominal Gallons Old Wine	Gallons Imperial	Inside Dia. at Mouth	Dia. over Flange	Depth	Approx. Weight	Price per Cwt.		
					Fine Cast	Barffed	Galvanized							Fine Cast	Barffed	Galvanized
6	In. 15 $\frac{3}{4}$	In. 18	In. 11 $\frac{1}{2}$	C. 0 Q. 0 L. 19	8$\frac{1}{2}$d.	1/1$\frac{1}{2}$	1/3$\frac{1}{2}$	35	27	In. 26 $\frac{1}{4}$	In. 28 $\frac{3}{4}$	In. 18 $\frac{1}{2}$	C. 0 Q. 0 L. 10	25/	44/	46/6
8	17 $\frac{1}{4}$	19 $\frac{1}{2}$	13 $\frac{1}{4}$	0 0 24				40	30	27 $\frac{1}{4}$	30	18	1 1 0			
10	18 $\frac{3}{4}$	21	14 $\frac{3}{4}$	0 1 2				45	37	28 $\frac{1}{2}$	31	21 $\frac{1}{2}$	1 1 20			
12	19 $\frac{3}{8}$	21 $\frac{7}{8}$	15 $\frac{3}{8}$	0 1 8				50	39	29 $\frac{1}{2}$	31 $\frac{3}{8}$	21	1 2 0			
14	20 $\frac{3}{8}$	23 $\frac{3}{8}$	16	0 1 14				60	49	31 $\frac{1}{2}$	33 $\frac{1}{2}$	22 $\frac{1}{2}$	1 2 20			
16	21 $\frac{3}{4}$	24 $\frac{3}{8}$	17	0 1 20				70	52	32	35	23 $\frac{1}{2}$	1 3 14			
18	23	25 $\frac{3}{8}$	17	0 1 26				80	62	33 $\frac{3}{8}$	36 $\frac{1}{2}$	24 $\frac{3}{8}$	2 1 8			
20	23 $\frac{3}{8}$	26 $\frac{3}{8}$	18	0 2 4				90	71	35	38 $\frac{3}{8}$	25 $\frac{1}{2}$	2 3 0			
25	24 $\frac{1}{2}$	27 $\frac{1}{2}$	19 $\frac{3}{8}$	0 2 19				100	76	35 $\frac{3}{8}$	38 $\frac{3}{4}$	27	2 3 16			
30	26	28 $\frac{1}{4}$	21 $\frac{3}{4}$	0 3 6				120	94	39 $\frac{1}{2}$	41 $\frac{3}{8}$	28 $\frac{1}{2}$	3 1 6			
35	27 $\frac{1}{2}$	30	21	1 0 4	130	103	40 $\frac{1}{2}$	44 $\frac{1}{2}$	28 $\frac{1}{2}$	3 3 0						
40	29	31 $\frac{1}{2}$	21 $\frac{3}{4}$	1 1 16	140	112	41	44 $\frac{1}{2}$	30 $\frac{3}{4}$	3 3 20						
45	30 $\frac{1}{2}$	33	23 $\frac{3}{4}$	1 1 24	150	115	41 $\frac{3}{8}$	45	31	4 0 8						
50	30 $\frac{3}{8}$	33	25	1 2 4	160	148	46	50	32 $\frac{1}{2}$	4 3 18						
60	32 $\frac{1}{4}$	34 $\frac{1}{2}$	26 $\frac{1}{2}$	1 2 14	200	161	47	50 $\frac{1}{2}$	33	5 0 14						
70	34 $\frac{3}{8}$	37	27 $\frac{1}{2}$	2 1 18	250	203	48	51 $\frac{1}{2}$	37 $\frac{1}{2}$	6 1 0						
80	36	38 $\frac{1}{2}$	28 $\frac{1}{2}$	2 2 8	300	216	48 $\frac{1}{2}$	53	38 $\frac{1}{2}$	6 2 0						
90	37 $\frac{3}{4}$	40 $\frac{1}{2}$	29 $\frac{1}{2}$	3 0 0	100	316	57	61 $\frac{1}{2}$	42 $\frac{1}{2}$	12 0 14						
	39	41 $\frac{1}{2}$	30	3 1 0									27/	47/	49/6	
														27/		
														30/		

If Oiled or Greased ... **1/6** per cwt. extra.

WITH SPOUTS.	Fine Cast.	Barffed.	Galvanized.	
6 to 25 Gallons	7/	9/6	10/	each extra.
30 to 100 "	8/6	11/6	12/	" "

WITH SPOUTS.	Fine Cast, Barffed, or Galvanized.
35 to 100 O. W. M.	5/ each extra.
120 to 300 "	7/ " "

Boilers or Furnace Pans with Grooved Rim and Cast Iron Covers.




Section of Rim

Gallons, Imperial	...	25	30	gall.
Inside diameter at mouth	...	24 $\frac{1}{2}$	26	in.
Diameter over Flange	...	29 $\frac{1}{4}$	30 $\frac{1}{2}$	"
Inside Depth of Pan	...	20 $\frac{3}{4}$	21 $\frac{3}{4}$	"
Height of Cover	...	10 $\frac{3}{4}$	10 $\frac{3}{4}$	6 in.
Approximate Weight, Pan	C. Q. L. C. Q. L. C. Q. L. C. Q. L.	1 0 10 1 0 10	1 0 26 1 0 26	
" " Cover	C. Q. L. C. Q. L. C. Q. L. C. Q. L.	0 3 2 0 2 24 0 3 2 0 2 24		
PRICE, with Cover.		10 $\frac{3}{4}$	6	10 $\frac{3}{4}$ 6 in.
Fine Cast	...	57/	55/6	59/ 57/6 ea.
Barffed	...	84/	82/	88/ 86/ "
Galvanized	...	91/	89/	96/ 94/ "
Without Cover, Fine Cast	...	37/		39/ "
Barffed	...	53/		57/ "
Galvanized	...	57/		62/ "

Furnace Doors and Grates.

No. 25 Light Furnace Door and Grate.


See special list 123A




DOOR			GRATE		
SIZES ...	7	8 in.	SIZES ...	7	8 in.
Width of Door Opening	6 ⁵ / ₈	7 ¹ / ₂ "	Width in centre	7 ⁷ / ₈	9 "
Height of "	5 ¹ / ₄	5 ¹ / ₄ "	Depth, back to front	10	10 "
Width overall	11 ¹ / ₄	12 ¹ / ₄ "	Width overall	9 ⁷ / ₈	10 ⁷ / ₈ "
Height "	6 ³ / ₈	6 ³ / ₈ "			
PRICES ...	24/8	27/4 per doz.	PRICES ...	11/8	13/8 per doz.

No. 26 Furnace Door with Malleable Turnbuckle Fastening.

SIZES ...	0	1	2	3	4	5	6
Width of Door Opening	5	6	7	8	9	10	11 in.
Height of "	4	5	5 ¹ / ₄	6 ¹ / ₄	7 ¹ / ₄	8	9 "
Width overall	9 ⁵ / ₁₆	10 ⁵ / ₁₆	11 ⁵ / ₁₆	12 ⁵ / ₁₆	13 ⁵ / ₁₆	14 ⁵ / ₁₆	15 ⁵ / ₁₆ "
Height "	4 ¹ / ₁₆	5 ¹ / ₁₆	6 ¹ / ₁₆	7 ¹ / ₁₆	8 ¹ / ₁₆	9 ¹ / ₁₆	10 ¹ / ₁₆ "
PRICES ...	30/	31/	33/	38/	40/	45/	56/ per doz.
SIZES ...	7	8	9	10			
Width of Door Opening	12	13	14	16 in.			
Height of "	9 ¹ / ₂	10	11	12 "			
Width overall	16 ⁵ / ₁₆	17 ⁵ / ₁₆	18 ⁵ / ₁₆	20 ⁵ / ₁₆ "			
Height "	10 ¹ / ₄	10 ³ / ₄	11 ³ / ₄	12 ³ / ₄ "			
PRICES ...	60/	68/	80/	96/ per doz.			
If without Turnbuckle Fastening				2/ per doz. less.			




NOTE.—Special attention is drawn to the No. 26 Furnace Door. This is arranged so that it can suit right or left hand, and by a simple arrangement, if door gets broken, another can be fitted without disturbing frame.




No. 5 Furnace Grate.

Width in Centre	8	9	10	10 ¹ / ₄	11	12 in.
Depth Back to Front	13	14	16	16	16	18 "
Width overall	12	13	14	15 ³ / ₈	15	16 "
Thickness	³ / ₄	⁷ / ₈	⁷ / ₈	1 ¹ / ₈	1	1 ¹ / ₈ "
PRICES ...	23/	34/	40/	51/	49/	64/ per doz.



Furnace Doors and Grates.

No. 20 Heavy Furnace Grate (Bellied).



Width	8	8 ⁵ / ₈	10	11 ¹ / ₄	12	14 in.
Back to Front	13	13 ⁵ / ₈	14	14	14	14 "
Width overall	11	11 ¹ / ₂	13	14 ¹ / ₄	15 ³ / ₈	17 "
Thickness of bellied part	1 ³ / ₈	1 ³ / ₈	1 ³ / ₈	1 ³ / ₈	1 ³ / ₈	1 ³ / ₈ "
" of frame	³ / ₄	³ / ₄	³ / ₄	³ / ₄	³ / ₄	³ / ₄ "
PRICE	37/	43/	45/	52/	60/	72/ per doz.

No. 30 Furnace Grate


Size	0	1	2	3	4	5	6	7	8
Width in centre	5 ¹ / ₂	6	7 ¹ / ₂	8 ¹ / ₂	9 ¹ / ₂	10	11 ¹ / ₄	12 ¹ / ₄	13 ¹ / ₄ in.
Depth, back to front	9	10 ¹ / ₄	11 ¹ / ₂	12 ³ / ₈	14	15 ¹ / ₂	18	19 ¹ / ₂	21 ³ / ₈ "
Width overall	6 ³ / ₄	9	10 ¹ / ₄	11 ¹ / ₂	13 ¹ / ₄	13 ³ / ₈	15 ¹ / ₄	16	17 "
PRICE	11/	13/	15/	21/	26/	34/	42/	52/	70/ per doz.



No. 30 Furnace Grate (Heavy Pattern).

Width in centre	8	9	10	10 ¹ / ₄	11	12 in.
Depth, back to front	13	14	16	16	16	18 "
Width overall	12	13	14	15	15	16 "
Thickness	³ / ₈	⁷ / ₈	⁷ / ₈	1 ¹ / ₈	1	1 ¹ / ₈ "
PRICE	24/	32/	40/	52/	52/	64/ per doz.

No. 31 Furnace Grate




Size	6	7	8	9	10	11	12	13	14	16
Width in centre	6	7	8	9	10	11 ¹ / ₄	12 ¹ / ₄	13	14	15 ³ / ₈ in.
Depth, back to front	10 ¹ / ₄	11 ¹ / ₂	11 ³ / ₈	13	13 ³ / ₈	14 ⁷ / ₈	16	18	20	22 "
Width overall	9	10 ¹ / ₄	11 ¹ / ₄	13	13 ³ / ₈	14 ³ / ₈	15 ³ / ₈	17	18	19 "
PRICE	13/	15/	19/6	25/4	30/6	34/6	45/	69/	80/	105/ per doz.

No. 31 Furnace Grate, Extra Sizes.

Width in centre	6	8	8	8	8 ¹ / ₈	8	9	9	10	10	10	11	12	12	12	12	14 in.
Depth, back to front	8	9	10	14	13 ¹ / ₄	16	12	14	16	15	18	15 ¹ / ₂	12	14	16	18	15 ⁷ / ₈ "
Width overall	9 ¹ / ₄	11 ³ / ₈	11 ³ / ₈	11 ³ / ₈	12 ³ / ₈	11 ³ / ₈	12 ³ / ₈	13	13 ⁵ / ₈	13 ⁷ / ₈	13 ³ / ₈	14 ³ / ₈	15 ³ / ₈	15 ³ / ₈	16	15 ³ / ₈	17 ³ / ₈ "
Thickness	1	1	1	1	⁷ / ₈	¹ / ₈	1	1	1	1	1	¹ / ₈	1	¹ / ₈	1	1	1 ¹ / ₈ "
PRICE	18/	24/6	25/6	36/	32/	40/	39/	41/	52/	50/	57/	54/	46/	56/	64/	80/	75/ per doz.


No. 21 Furnace Door, with Wrought Fittings.

Size	1	2	3	4	5	6	7
Width of Door Opening	5 ³ / ₈	6 ³ / ₈	7 ⁵ / ₈	10	10 ³ / ₈	11 ³ / ₈	12 ¹ / ₂ in.
Height of "	4 ⁵ / ₈	5 ³ / ₈	6 ¹ / ₈	7 ³ / ₈	8 ¹ / ₈	9	9 ³ / ₈ "
Width overall	10 ³ / ₈	12	13	15 ¹ / ₄	17 ¹ / ₄	18 ¹ / ₄	19 ³ / ₈ "
Height "	7 ¹ / ₈	8	9	10 ¹ / ₄	11 ¹ / ₄	12 ¹ / ₄	13 ¹ / ₂ "
PRICE	5/2	5/4	5/10	7/6	8/4	9/6	10/6 each.



No. 23 Heavy Furnace Door

With Strong Wrot. Iron Mountings.




Size	10	12	14	16	18	20
Width of Door Opening	10	12	14	16	18	20 in.
Height of "	8 ³ / ₈	10	10 ⁵ / ₈	12	13	14 "
Width overall	17 ¹ / ₂	19 ¹ / ₂	21 ¹ / ₂	24	26	28 "
Height "	10 ⁵ / ₈	12 ³ / ₈	13 ¹ / ₄	15	16	17 "
PRICE	15/	16/	17/	20/	22/	25/ each.

Dampers and Soot Doors.


No. 1 Damper and Frame (Scotch Pattern).

SIZES ...	6	7	8	9	10	11	12	
Width of Vent ...	5 ³ / ₈	7	7 ⁵ / ₈	8 ⁷ / ₈	9 ³ / ₈	10 ⁵ / ₈	12	in.
Depth ...	5 ⁷ / ₈	6 ¹ / ₈	7 ¹ / ₈	9	9 ³ / ₈	10 ¹ / ₂	12	"
Width over Frame ...	7 ¹ / ₈	9 ¹ / ₈	10 ¹ / ₂	11 ¹ / ₂	12 ¹ / ₈	13	14 ¹ / ₂	"
Depth ...	7 ¹ / ₈	8 ¹ / ₈	9 ³ / ₈	11 ¹ / ₄	12	12 ⁵ / ₈	14 ¹ / ₂	"
PRICE ...	22/	24/	29/	40/	43/	50/	56/	per doz.




No. 2 Damper and Frame (London Pattern).

SIZES ...	1	2	3	4	5	6	7	8	
Width of Vent ...	3 ¹ / ₂	3 ³ / ₈	4 ¹ / ₂	5 ¹ / ₂	7	8	9	9 ¹ / ₂	in.
Depth ...	4 ³ / ₄	6 ¹ / ₄	7 ¹ / ₄	8 ¹ / ₄	8 ¹ / ₂	10	12	13 ³ / ₈	"
Width over Frame ...	5 ¹ / ₂	6 ³ / ₈	7	7 ³ / ₈	9	10	11 ¹ / ₂	12 ¹ / ₄	"
Depth ...	6 ³ / ₈	7 ¹ / ₂	8 ¹ / ₂	9 ¹ / ₂	11	12	14 ¹ / ₄	16 ¹ / ₄	"
PRICE ...	8/6	10/	12/	16/	24/	30/	46/	60/	per doz.




No. 3 Damper and Frame, with Bow Handle.

Size ...	10
Width of Vent ...	10 ¹ / ₄ in.
Depth ...	12 ³ / ₄ "
Width over Frame ...	12 ¹ / ₂ "
Depth ...	15 "
PRICE ...	66/ per doz.




No. 1 Flue Cleaning Door (Aberdeen Pattern).




SIZE 6 x 4³/₈ in.
PRICE 14/ per doz.

No. 2 Flue Cleaning Door.




SIZE 5³/₈ x 5³/₈ in.
PRICE 42/ per doz.

No. 3 Flue Cleaning Door.




SIZES 6 x 4¹/₂ 9 x 6 in.
PRICE 29/ 37/ per doz.

No. 5 Flue Cleaning Door.




SIZE 5³/₈ x 4¹/₂ 7 x 5³/₈ in.
Depth 2¹/₂ 2¹/₂ "
PRICE 32/ 36/ per doz.

No. 29 Furnace Door and Frame.




SIZE, Door opening 10¹/₂ x 9³/₈ in.
" over Frame 16 x 14³/₈ "
Depth over " 2³/₈ "
PRICE ... 25/6 each.

No. 30 Furnace Door and Frame, or Soot Door with Turnbuckle Fastening.



Size of Opening ... 9¹/₂ x 9¹/₂ ins.
" over Frame ... 14¹/₂ x 10¹/₄ "
PRICE ... 8/ each.


No. 4 Double Soot Door.



Nos. 0 1 2 3
SIZES 9 x 9 12¹/₂ x 9¹/₂ 14¹/₂ x 9¹/₂ 14³/₄ x 12³/₄ in.
PRICES 6/8 7/6 8/6 10/ each.

Nos. 4 5 6
SIZES 14³/₄ x 14³/₄ 18 x 16 24 x 18 in.
PRICES 11/ 15/ 21/ each.


No. 6 Hinged Flue Cleaning Door



Opening ... 9 x 3 in.
Over Frame ... 12 x 3¹/₂ "
Depth ... 2¹/₂ "
PRICE ... 3/ each.

Bakers' Oven and Hotplate Doors, &c.

Bakers' Oven Door, No. 1.




Right or Left Hand. With Brass Escutcheon.

SIZES	12	13	14	15	16	17	18	20	22	24	in.
PRICE	16/6	17/	18/	19/	20/6	21/	21/6	22/6	29/	34/	each.

If Bright Mounted ... 8/ extra.

Bakers' Oven Door, No. 2.




Right or Left Hand.

SIZES	...	10	12	14	16	18	20	24	in.
PRICE	...	8/6	9/6	10/6	12/6	14/	16/	18/	each.


Hotplate Front with Hinged Door.

No. 27




SIZES ... 16 x 20 x 1³/₈ in. deep.
PRICES ... 14/ each.

No. 28




SIZES ... 14³/₄ x 18³/₄ x 3 in. deep.
PRICES ... 14/ each.

Hotplate Door.




SIZE ... 16 x 28 in.
PRICE ... 25/ each.

Double Door and Frame.



Nos. 1 2 3
SIZES 16 x 20 18 x 22 20 x 24 in.
PRICES 16/ 17/ 18/ each.

Flat Front Double Door and Frame.




Nos. 1 2 3
SIZES 14 x 24 16 x 26 18 x 28 in.
PRICES 36/ 38/ 42/ each.

122x
80/5 less 80/1

False Bottoms.


No. 0



A	B	C	Thick	Approx. Weight, each
16 in.	6 5/8 in.	3 1/2 in.	1 1/2 in.	19 lbs.
15 1/2 "	5 3/8 "	4 "	1 1/2 "	15 "
15 1/2 "	6 1/2 "	3 "	1 1/2 "	15 1/2 "
15 1/2 "	7 1/4 "	3 "	1 1/2 "	23 1/2 "
15 1/2 "	5 7/8 "	2 3/4 "	1 1/2 "	15 1/2 "
14 7/8 "	7 1/8 "	3 "	1 1/2 "	22 3/4 "
14 "	6 3/4 "	3 1/2 "	1 1/2 "	17 1/2 "
14 "	5 "	2 3/4 "	1 1/2 "	11 1/2 "
13 3/4 "	6 1/2 "	2 3/4 "	1 1/2 "	14 "
13 3/8 "	5 3/8 "	4 "	1 1/2 "	13 "
13 3/8 "	7 3/8 "	3 "	1 1/2 "	16 "
13 "	5 7/8 "	2 3/4 "	1 1/2 "	13 1/2 "
12 5/8 "	7 3/16 "	3 "	1 1/2 "	18 3/4 "
12 "	6 1/4 "	3 1/2 "	1 1/2 "	15 "
12 "	5 "	3 "	1 1/2 "	9 "
11 1/2 "	7 3/8 "	3 1/2 "	1 1/2 "	19 1/2 "
11 1/2 "	5 3/8 "	3 "	1 1/2 "	10 1/2 "
11 1/8 "	7 3/8 "	3 "	1 1/2 "	14 1/2 "
11 1/8 "	5 7/8 "	2 3/4 "	1 1/2 "	11 1/2 "
10 5/8 "	7 3/16 "	3 "	1 1/2 "	17 1/2 "
10 3/8 "	5 7/8 "	2 3/4 "	1 1/2 "	11 "
10 "	5 1/4 "	2 3/4 "	1 1/2 "	9 "
10 "	5 "	2 3/4 "	1 1/2 "	8 3/4 "
10 "	6 3/4 "	3 1/2 "	1 1/2 "	13 1/2 "
9 7/8 "	4 1/2 "	2 3/4 "	1 1/2 "	7 "
9 5/8 "	5 3/8 "	4 "	1 1/2 "	10 1/2 "
9 5/8 "	5 3/8 "	2 1/2 "	1 1/2 "	9 1/4 "
9 3/8 "	7 3/8 "	3 "	1 1/2 "	12 "
9 1/8 "	6 3/4 "	2 3/4 "	1 1/2 "	11 "
9 1/8 "	5 7/8 "	2 3/4 "	1 1/2 "	9 1/2 "
8 7/8 "	7 3/16 "	3 "	1 1/2 "	13 1/2 "
8 1/2 "	6 1/8 "	3 "	1 1/2 "	6 1/2 "
8 "	5 "	3 "	1 1/2 "	7 "
8 "	4 "	3 "	1 1/2 "	6 1/4 "
7 3/4 "	4 1/2 "	2 3/4 "	1 1/2 "	6 "
7 3/8 "	6 "	2 3/4 "	1 1/2 "	8 1/2 "
7 1/4 "	6 "	3 "	1 1/2 "	9 "
6 "	5 "	2 3/4 "	1 1/2 "	6 "
5 "	6 "	2 7/8 "	1 1/2 "	6 "

PRICE 24/ per cwt.


No. 1



A	B	C	Thick	Approx. Weight each
16 in.	5 1/2 in.	2 3/4 in.	1 1/2 in.	8 1/2 lbs.
16 "	4 1/2 "	2 3/4 "	1 1/2 "	7 1/2 "
15 "	5 1/2 "	2 3/4 "	1 1/2 "	8 1/4 "
15 "	4 1/2 "	2 3/4 "	1 1/2 "	7 "
14 "	5 1/2 "	2 3/4 "	1 1/2 "	7 1/2 "
14 "	4 1/2 "	2 3/4 "	1 1/2 "	6 1/2 "
13 "	5 1/2 "	2 3/4 "	1 1/2 "	7 "
13 "	4 1/2 "	2 3/4 "	1 1/2 "	6 1/2 "
12 "	5 1/2 "	2 3/4 "	1 1/2 "	6 1/2 "
12 "	4 1/2 "	2 3/4 "	1 1/2 "	6 "
11 "	5 1/2 "	2 3/4 "	1 1/2 "	6 1/4 "
10 "	5 1/2 "	2 3/4 "	1 1/2 "	5 3/4 "
10 "	4 1/2 "	2 3/4 "	1 1/2 "	5 1/2 "
9 "	4 1/2 "	2 3/4 "	1 1/2 "	5 "

PRICE 24/ per cwt.

No. 2




A	B	C	Thick	Approx. Weight each
14 in.	6 in.	2 1/2 in.	1 1/2 in.	10 lbs.
13 "	6 "	2 1/2 "	1 1/2 "	9 3/4 "
12 "	6 "	2 1/2 "	1 1/2 "	8 3/4 "
12 "	5 "	2 1/2 "	1 1/2 "	7 3/4 "
11 "	7 "	2 1/2 "	1 1/2 "	8 3/4 "
11 "	6 "	2 1/2 "	1 1/2 "	8 1/2 "
10 "	7 "	2 1/2 "	1 1/2 "	7 "
10 "	6 "	2 1/2 "	1 1/2 "	8 1/2 "
10 "	5 "	2 1/2 "	1 1/2 "	7 1/2 "
9 "	7 "	2 1/2 "	1 1/2 "	7 1/2 "
9 "	6 "	2 1/2 "	1 1/2 "	8 1/2 "
9 "	5 "	2 1/2 "	1 1/2 "	6 1/2 "
8 "	6 "	2 1/2 "	1 1/2 "	6 3/4 "
8 "	5 "	2 1/2 "	1 1/2 "	6 1/2 "


PRICE 24/ per cwt.

Front Bars, Bottom Grates, Etc.

Front Bar and Bottom Grate for Brick Work.




SIZES 16 18 20 22 24 ins. wide.
App. Weight 15 17 19 21 23 lbs. each.
PRICE ... 27/4 per cwt.




Bottom Grate.

SIZES 16 18 20 22 24 ins. wide.
App. Weight 22 24 26 28 30 lbs. each.
PRICE ... 27/4 per cwt.

No. 159B
Front Bars and Fall Bar
Fall Bar with polished moulding




12 14 16 in. fires.
7/6 8/ 9/ per set.




No. 1 Flue-Mouth Grating.

SIZES 6 x 6 6 x 7 7 x 7 ins.
App. Weights 4 4 1/2 5 1/4 lbs.
SIZES 7 1/2 x 7 1/2 7 x 8 8 x 8 ins.
App. Weights 6 1/2 6 7 lbs.
SIZES 8 x 9 12 x 9 10 x 10 ins.
App. Weights 7 1/2 13 10 1/2 lbs.
PRICE ... 22/ per cwt.




No. 2 Flue-Mouth Grating.

SIZES 6 x 7 7 x 8 8 x 8 ins.
App. Weights 5 7 8 lbs.
SIZES 7 x 7 7 1/2 x 7 1/2 9 x 9 ins.
App. Weights 6 1/2 7 3/4 9 1/4 lbs.
PRICE ... 22/ per cwt.




Flue-Mouth Grating.

SIZES 6 x 6 7 x 7 1/2 ins.
Approx. Weight } 6 1/2 9 lbs. each.
PRICE ... 27/4 per cwt.




Fire Cheek (Perforated).

HEAVY PATTERN.
Approx. Weight
SIZES A B C ins. lbs. ea.
6 1/2 11 3 1/2 7
7 1/2 11 3/4 4 1/2 9 1/2
8 1/2 12 1/2 5 1/2 11 1/2
LIGHT PATTERN.
Approx. Weight
SIZES A B C ins. lbs. ea.
6 8 4 2 1/4
6 1/2 9 4 1/2 3
7 10 4 1/2 4
PRICE ... 23/6 per cwt.



Back Flue Plate and Bottom Grate.

To suit 12, 14, 16, 18 in. Fires.
PRICE ... 23/6 per cwt.



Fire Cheek (Solid).


HEAVY PATTERN.
Approx. Weight
SIZES A B C ins. lbs. ea.
6 1/2 11 3 1/2 8
7 1/2 11 3/4 4 1/2 10 1/2
8 1/2 12 1/2 5 1/2 13
LIGHT PATTERN.
Approx. Weight
SIZES A B C ins. lbs. ea.
6 8 4 2 1/2
6 1/2 9 4 1/2 3 1/2
7 10 4 1/2 4 1/2
PRICE ... 23/6 per cwt.

Flue Cover Plates.


SIZES 8 x 6 10 x 6 12 x 6 ins.
Thickness 1 1 1 in.
For 12 14 16 in. fires
App. Weight 14 17 20 lbs.
PRICE ... 22/ per cwt.

Coal Savers and Sad Iron Stands.


COMBINATION COAL SAVERS.



No. 1



View of No. 1 showing Snugs on bottom.




No. 2

Front Meas.	6 $\frac{1}{8}$	7 $\frac{1}{8}$	8 $\frac{1}{8}$	9 $\frac{1}{8}$	10 $\frac{1}{8}$ ins.
Back "	5 $\frac{7}{8}$	6 $\frac{7}{8}$	7 $\frac{7}{8}$	8 $\frac{7}{8}$	9 $\frac{7}{8}$ "
Bars ...	7	8	9	10	11
PRICES, ...	9/	10/6	11/8	13/	14/4 per doz.
Front Meas.	11	12 $\frac{1}{8}$	13 $\frac{1}{8}$	14 $\frac{1}{8}$	15 $\frac{1}{8}$ ins.
Back "	10 $\frac{3}{8}$	11 $\frac{3}{8}$	12 $\frac{3}{8}$	13 $\frac{3}{8}$	14 $\frac{3}{8}$ "
Bars ...	12	13	14	15	16
PRICES, ...	15/8	17/	18/4	19/8	21/ per doz.
Front Meas.	...	16 $\frac{1}{4}$	17 $\frac{1}{4}$	18 $\frac{1}{4}$	ins.
Back "	...	16	17	18	"
Bars	17	18	19	
PRICES,	26/	29/	36/	per doz.

Front Meas.	6 $\frac{1}{8}$	7 $\frac{1}{8}$	8 $\frac{1}{8}$	9 $\frac{1}{8}$ ins.
Back "	5 $\frac{7}{8}$	6 $\frac{7}{8}$	7 $\frac{7}{8}$	8 $\frac{7}{8}$ "
Bars ...	7	8	9	10
PRICES, ...	11/8	13/	14/4	15/8 per doz.
Front Meas.	10 $\frac{1}{8}$	11	12 $\frac{1}{8}$	13 $\frac{1}{8}$ ins.
Back "	9 $\frac{7}{8}$	10 $\frac{3}{8}$	11 $\frac{7}{8}$	12 $\frac{7}{8}$ "
Bars ...	11	12	13	14
PRICES, ...	17/	18/4	19/8	21/ per doz.
Front Meas.	...	14 $\frac{1}{8}$	15 $\frac{1}{8}$	17 $\frac{1}{4}$ ins.
Back "	...	13 $\frac{7}{8}$	14 $\frac{7}{8}$	17 "
Bars	15	16	18
PRICES,	22/	23/4	29/ per doz.

SAD IRON STANDS.




Nos.	1	2	3
Sizes	5	7	8 $\frac{1}{2}$ ins. long.
Berlin-blackened and Ground and Polished on top,			10/	10/6	11/ per doz.

No. 4



Berlin-blackened and Ground and Polished on Top, ... } **11/** per doz.

No. 6



Berlin-blackened and Ground and Polished on top, ... } **14/** per doz.


No. 5



Berlin-blackened and Ground and Polished on top, ... } **14/6** per doz.

Kinnaird Bricks and Dampers.


No. 1 Kinnaird Damper.



SIZES	5 x 13	5 x 15	7 x 18	8 x 20 in. daylight.
	12 x 20	12 x 23	16 x 23	18 x 25 in. extreme.
	5/	5/4	6/	7/6 each.

Kinnaird Damper.


C-With Two Slides.



SIZES	No. 5 5 $\frac{1}{2}$ x 7 $\frac{3}{4}$	No. 6 5 $\frac{1}{2}$ x 7 $\frac{3}{4}$	No. 7 5 $\frac{1}{2}$ x 11 in. daylight.
	8 $\frac{1}{2}$ x 21 $\frac{1}{2}$	8 $\frac{1}{2}$ x 24 $\frac{1}{2}$	11 x 27 in. extreme.
	3/6	4/	5/6 each.

No. 2 Kinnaird Damper.


Airtight, with Sand Groove.



SIZES	Overall.			Inside.			Fires.	PRICES.
	A	B	C	A	B	C		
15 $\frac{1}{2}$	12 $\frac{1}{2}$	9	10	8 $\frac{1}{2}$	5	12 in.	3/4 each.	
18	14 $\frac{1}{2}$	9 $\frac{1}{4}$	11	9 $\frac{1}{4}$	5	14 "	3/4 "	
21 $\frac{3}{4}$	18 $\frac{1}{2}$	9 $\frac{1}{4}$	14	12	5 $\frac{1}{4}$	16 or 17 in.	4/8 "	
23 $\frac{3}{4}$	19 $\frac{1}{2}$	12	15 $\frac{3}{4}$	13 $\frac{3}{4}$	7	22 or 24 in.	4/8 "	


Kinnaird Damper.

G-With Lifting Door and Ratchet.



SIZES	...	9 $\frac{1}{2}$ x 11 $\frac{1}{4}$ in. daylight.
		13 $\frac{1}{2}$ x 20 $\frac{1}{2}$ in. extreme.
		5/ each.


Firebrick Contractors for Grates.



SIZES TO SUIT GRATES
2/ per pair.

Kinnaird Damper.


H-Funnel Pattern,



SIZES	No. 3A for 15 18 $\frac{1}{2}$ x 11	No. 4A 17 20 $\frac{1}{2}$ x 11	No. 5A 19 in. fires. 22 $\frac{1}{2}$ x 11 in. extreme.
	4/6	5/	5/6 each.

Range Ell Boilers.

No. 5 (Plate 2A)



A	B	C	D	E	PRICE.
3	4 1/2	6 1/2	6 1/8	11 5/8 ins.	20/ each.
5	6 1/4	6 1/2	6 1/8	13 5/8 "	21/ "
5	6 1/4	8 3/8	8	15 5/8 "	22/ "
6 3/8	8 1/4	10 1/4	9 3/4	19 1/2 "	25/ "


Left Hand.

A	B	C	D	E	PRICE.
2 7/8	4	6 1/2	6 1/8	11 1/2 "	20/ each.
4 7/8	6	6 1/2	6 1/8	13 5/8 "	21/ "
5	6 1/4	8 3/8	8	15 5/8 "	22/ "
6 3/8	8	10 3/8	10 1/8	19 1/2 "	25/ "


Right Hand.

Right and Left Hands.

A	B	C	D	E	PRICE.
3 3/8	4 1/4	5 1/4	4 1/4	10 1/2 ins.	18/ each.
4 1/4	5 1/4	6	5	12 1/4 "	19/ "
6 1/4	7 1/4	5 3/8	5	14 1/4 "	20/ "
8 1/4	9 1/4	7 3/8	6 3/8	18 3/8 "	23/ "




No. 6 (Plate 2C)




Right and Left Hands.

A	B	PRICE.
6 1/4	5 ins.	22/ each.
6 1/4	8 3/4 "	24/ "
8 1/2	9 1/2 "	26/ "
14 3/8	7 1/2 "	28/ "
14 3/8	9 3/8 "	30/ "

No. 25 (Plate 7F)




No. 39 (Plate 7M)



Right or Left Hands.
35/ each.


No. 47 (Plate 8C)



Range Ell Boilers.

No. 54, 18 in. deep.

(Plate 9B)



Right Hand.

A	PRICE.
4 3/4 in.	29/ each.
6 3/8 "	30/ "
8 1/2 "	31/ "

Left Hand.

Right Hand.


A	B	PRICE.
12 1/8	5 1/2 in.	22/ each
12 5/8	6 1/8 "	22/ "
14 5/8	6 1/4 "	23/ "
16 5/8	6 1/2 "	24/ "
18 1/2	6 3/4 "	26/ "
20 1/2	6 3/4 "	28/ "
24 1/2	6 1/2 "	30/ "

Left Hand.

A	B	PRICE.
18 3/8	6 1/2 in.	26/ each.
20 3/8	6 3/8 "	28/ "
24 1/2	6 1/4 "	30/ "

No. 54, 16 in. deep.

(Plate 9B)




Right Hand.


A	PRICE.
4 5/8 in.	26/ each.
6 1/2 "	27/ "
8 1/2 "	28/ "

Left Hand.

No. 57 A (Plate 13D)




No. 60 (Plate 13G)



Right Hand. Left Hand.

A	A	PRICE.
15 1/2	15 in.	29/ each.
17 1/2	17 1/2 "	30/ "
21 1/2	19 "	32/ "
23 3/8	22 3/8 "	33/ "
25 1/2	25 "	34/ "


No. 80



Right Hand only.

A	B	C	D	E	F	G	PRICE.
7 3/4	8 1/2	7	5 1/2	3 3/8	5	6 3/4 in.	29/ each.
6 1/4	7 1/8	6 1/2	7 1/8	6	6 1/4	7 3/4 "	30/ "
7 5/8	8 3/8	7 1/2	9 1/8	7 3/8	5	6 3/4 "	31/ "

No. 237




Right and Left Hands.

A	B	PRICE.
13 3/8	5 3/8 ins.	24/ each.
17 3/8	9 1/2 "	26/ "


Range Boilers.

No. 15 and 16
(Plate 6 K and L)




A	B	Price	A	B	Price
6 1/2	13 1/4 ins.	9/ ea.	8 1/2	15 3/8 ins.	11/ ea.
10	13 1/2 "	12/ "	10 1/8	15 5/8 "	12/6 "
9	13 1/4 "	10/ "	13 1/2	14 1/2 "	14/ "
6 1/4	15 3/8 "	9/ "	14	15 1/4 "	14/6 "

No. 21
(Plate 7 A)




A	Price
4 3/4 ins.	7/6 each.
5 5/8 "	9/ "
7 3/4 "	10/ "

No. 53 A
(Plate 9)




A	Price
10 1/8 and 12 ins.	12/ 14/ each.

No. 68
(Plate 14 L)



A	Price
5 5/8 ins.	8/ each.
7 1/2 "	8/6 "
9 3/8 "	9/ "




No. 54
(Plate 9 B)

A	B	C	Price
5	14	12 ins.	10/ each
8	13 1/4	11 5/8 "	12/ "
8 5/8	13 3/8	12 1/2 "	13/ "
8 5/8	15 3/4	11 3/4 "	12/6 "


No. 44
(Plate 8 AA and Express)

A	B	C	Price
4 3/4	16 1/2	12 1/2 ins.	12/ each.
8 7/8	14 3/4	12 "	13/ "
10 3/4	14 3/4	12 "	14/ "
11	16	13 3/8 "	17/ "
10 1/4	14 5/8	12 "	14/ "
12 5/8	14 5/8	12 "	14/ "




No. 56 A
(Plate 13 B)

A	B	C	Price
7 1/2	13 3/8	12 3/8 ins.	12/ each.
10	13 3/8	12 3/8 "	13/ "
11 1/2	13 3/8	13 "	14/ "



No. 15

A	B	C	Price
6	12	12 ins.	11/ each.
7	13	13 "	12/ "
8	12 5/8	12 1/4 "	13/ "
8	13	14 "	12/ "
8	14	13 "	13/ "
9	14	13 3/8 "	13/6 "
9 1/2	16	14 "	16/ "
9 7/8	15 3/8	12 1/2 "	16/ "
10	12 3/4	12 1/4 "	14/6 "
12	14	16 "	17/ "



No. 3 A


A	B	C	Price
10	13 1/2	10 in.	10/ each.
7	13 1/2	10 "	9/ "
4 1/2	13 1/2	10 "	8/6 "

Sad Irons, &c.

Sad Irons.



With Round Point.



With Sharp Point.

See p/p. 112

Nos.	1	2	3	4	5	6	7	8	9	10	12	Price
Average Weight	45	54	60	74	90	102	132	140	159	194	240	lbs. per doz. pairs.
Polished and Blacked	30/	30/6	31/6	36/	38/6	41/	46/6	48/6	62/	68/6	75/	per doz. pairs.

Unless otherwise ordered, Sad Irons are supplied with Round Points.

Toy Irons.

Oval Irons.



Nos.	00	0	1	2	3	Price
Aver. Weight	32	38	44	50	56	lbs. per doz. pairs
Polished and Blacked	32/	33/	34/	36/	40/	per doz. pairs.




Nos.	1	2	3	Price
Aver. Weight	24	30	42	lbs. per doz. pairs
Polished and Blacked	27/6	29/	30/	per doz. pairs.

Glossing Irons.




Nos.	1	2	3	4	5	6	Price
Aver. Weight	36	48	60	72	84	96	lbs. per doz. pairs.
Polished and Blacked	46/	48/	50/	52/	58/	60/	per doz. pairs.
Nickel-plated	82/	84/	86/	88/	94/	96/	" "

Billiard Table Iron.



Size ... 10 1/2 x 5 1/4 in.
Weight ... 17 lbs.
Polished and Blacked 10/6 each.
Sheet Iron Shoe, Blacked 2/2 " extra.

Tailors' Iron.



Hatter's Iron.



Nos.	1	2	Price
Average Weight	4	6	lbs. each.
Polished and Blacked	4/	4/4	each.
Nos.	3	4	Price
Average Weight	8	10	lbs. each.
Polished and Blacked	4/8	5/6	each.

Narrow Face.						
Nos.	1	2	3	4	5	Price
Average Weight	6 1/2	7 1/2	8 1/2	9	11	lbs. each.
Polished and Blacked	3/10	4/	4/2	4/6	4/10	each.
Nos.	6	7	8	9	10	Price
Average Weight	12 1/2	14	16	18	20	lbs. each.
Polished and Blacked	5/	5/8	6/	6/6	7/6	each.
Broad Face.						
Nos.	7	8	9	10	11	Price
Average Weight	7 1/4	10 1/2	11 3/4	14 1/2	15 1/2	lbs. each.
Polished and Blacked	4/	4/6	5/	6/	6/4	each.
Nos.	12	13	14	15	16	Price
Average Weight	16 1/2	18	20 1/4	21 1/4	23 1/4	lbs. each.
Polished and Blacked	6/6	6/8	8/	8/6	9/	each.

Box Iron Heaters.

Iron Heater Stand

To suit "Primas" Stove.



This Stand has been specially designed to take either Mrs. Potts or ordinary Sad Irons. It is suitable for all sizes and carries three Irons. The above illustration shows the Heater with one of each class.

PRICE, Stand only, **2/6** each.


No. 32



No.	Length	Width	Thick-ness	Average Weight per doz.
00	3 3/16 in.	2 1/8 in.	3/4 in.	9 1/2 lbs.
0	3 1/2 "	2 3/8 "	3/4 "	12 "
1	3 7/8 "	2 5/8 "	7/8 "	17 1/2 "
2	4 "	2 3/4 "	1 "	20 "
3	4 1/8 "	2 1/2 "	1 1/8 "	25 "
4	4 3/8 "	2 3/4 "	1 1/8 "	28 "
5	4 5/8 "	2 7/8 "	1 1/8 "	29 "
6	4 7/8 "	3 1/16 "	1 1/8 "	37 "
7	4 7/8 "	3 1/16 "	1 1/4 "	41 1/2 "
8	5 3/16 "	3 3/8 "	1 1/4 "	47 "

PRICE, Fine Cast ... **19/6** per cwt.


No. 35



No.	Length	Width	Thick-ness	Average Weight per doz.
1	3 3/4 in.	2 1/2 in.	1 in.	16 1/2 lbs.
2	4 "	2 1/2 "	1 "	19 "
3	4 1/8 "	2 3/8 "	1 "	23 "
4	4 3/8 "	2 3/4 "	1 1/8 "	26 "
5	4 1/2 "	2 7/8 "	1 1/8 "	30 "
6	4 7/8 "	3 "	1 1/4 "	36 "

PRICE, Fine Cast ... **19/6** per cwt.


No. 31



No.	Length	Width	Thick-ness	Average Weight per doz.
00	2 1/2 in.	2 in.	3/4 in.	8 lbs.
0	2 3/4 "	2 "	3/4 "	9 1/2 "
0E	3 1/4 "	2 1/4 "	1 "	14 1/2 "
1	3 "	2 1/8 "	7/8 "	13 "
1E	3 3/4 "	2 1/2 "	1 1/8 "	22 "
2	3 1/2 "	2 7/16 "	7/8 "	16 "
3	3 7/8 "	2 3/4 "	1 "	20 1/2 "
3E	4 1/4 "	2 7/8 "	1 1/8 "	30 "
4	4 1/4 "	3 "	1 1/8 "	31 "
4E	4 3/8 "	3 "	1 1/4 "	33 "
5	4 3/8 "	3 1/8 "	1 1/8 "	30 "
5E	4 1/2 "	3 1/8 "	1 3/8 "	39 "
5 1/2	4 3/8 "	3 3/16 "	1 1/8 "	34 1/2 "
6	4 3/8 "	3 3/16 "	1 3/8 "	47 "
6E	4 7/8 "	3 1/4 "	1 3/8 "	45 1/2 "
7	5 "	3 3/4 "	1 1/4 "	49 "
7E	5 "	3 3/8 "	1 1/2 "	54 1/2 "
8	5 1/2 "	3 3/4 "	1 1/4 "	56 1/2 "

PRICE, Fine Cast ... **19/6** per cwt.

No. 34



No.	Length	Width	Thick-ness	Diam. of Hole	Average Weight per doz.
1	4 5/8 in.	2 1/4 in.	1 in.	7/8 in.	19 1/2 lbs.
1	4 5/8 "	2 1/4 "	1 "	1 1/8 "	19 "
2	5 1/16 "	2 9/16 "	1 1/8 "	1 1/8 "	25 "
3	4 3/4 "	2 3/4 "	1 1/8 "	1 1/4 "	24 "
3	4 3/4 "	2 3/4 "	1 1/8 "	1 3/4 "	31 "

PRICE, Fine Cast ... **19/6** per cwt.

No. 33



No.	Length	Width	Thick-ness	Average Weight per doz.
5	4 5/8 in.	2 3/8 in.	7/8 in.	18 3/4 lbs.
5 1/2	4 5/8 "	3 "	7/8 "	25 "
6	5 1/8 "	3 "	1 "	33 "
6 1/2	5 5/8 "	3 3/8 "	1 1/8 "	44 "

PRICE, Fine Cast ... **21/6** per cwt.

No. 37



Length	Width	Thick-ness	Average Weight per doz.
5 3/16 in.	2 1/2 in.	1 1/4 in.	32 lbs.

PRICE, Fine Cast ... **19/6** per cwt.

No. 38 Mrs. Potts



Length	Width	Thick-ness	Average Weight per doz.
4 3/4 in.	2 in.	1 in.	20 1/2 lbs.

PRICE, Fine Cast ... **21/6** per cwt.

No. 36



Length	Width	Thick-ness	Average Weight per doz.
5 in.	2 3/8 in.	1 in.	24 lbs.

PRICE, Fine Cast ... **19/6** per cwt.

Door Porters, Door Knockers and Spittoons.

DOOR PORTERS.

No. 136



Blacked ... **3/** each.

No. 145



Blacked ... **2/6** each.

No. 137




Blacked ... **3/6** each.

No. 144



Blacked ... **4/** each.

No. 135



Blacked, **3/6** each.

No. 133



Blacked, **4/** each.

No. 139



Blacked, **3/6** each.

No. 140



Blacked, **3/6** each.

No. 146



Blacked, **3/** each.


DOOR KNOCKERS.

No. 2



Blacked, **4/** each.

No. 3



6/ each.

No. 4



2/6 each.


No. 5




5/ each.

SPITTOONS.


No. 1



No. 2



No. 3



No. 4



No. 5




With Lift-out Cover.

	Nos. 1		2	3	4	5
Diameter at Bottom,	8	12	8 1/2	10 1/2	8 1/2	9 in.
Japanned, Black,	16/6	28/6	18/6	17/	18/6	17/ per doz.
Berlin Blacked, or Bronzed,	24/	36/	26/	24/6	26/	24/6 "
Porcelain Enamelled Inside, Japanned Outside,	37/	60/	40/	40/	40/	57/ "

Hat and Umbrella Stands.

No. 5




2 ft. 1 in. wide x 6 ft. 2 in. high.
11½ in. projection at base.

Painted and Bronzed.
Loose Pan Painted Imitation Granite.

64/ each.

No. 2




1 ft. 9 in. wide x 5 ft. 8 in. high.
1 ft. 0½ in. projection at base.

Painted and Bronzed.
Loose Pan Painted Imitation Granite.

No. 1, without Mirror, 36/ each.
No. 2, with Mirror, 40/ ..

No. 6




2 ft. 1 in. wide x 6 ft. 2 in. high.
11½ in. projection at base.

Painted and Bronzed.
Loose Pan Painted Imitation Granite,

80/ each.


Umbrella Stands.

No. 45



SIZE, 1 ft. 3¼ in. wide x 2 ft 1 in. long.


Bronzed, Loose Pans Marbled 22/ each.



No. 26 — 1 ft. 4½ in. wide x 2 ft. 10 in. long.
No. 26A — 1 ft. 4½ in. „ x 5 ft. 1 in. „

	No. 26	No. 26A
Bronzed, Loose Pans Marbled	43/	74/ each.


No. 32



No. 32—23 in. wide x 44 in. high.
Projection at Base, 10 in.

Bronzed, Loose Pans }
Marbled ... } 27/ each.


No. 36



SIZE, 1 ft. 3½ in. wide x 2 ft. 6 in. high
8½ in. projection at base.

Bronzed Loose Pan }
Marbled ... } 10/6 each

No. 35



No. 35—23 in. wide x 34 in. high.
Projection at Base, 10 in.

Bronzed, Loose Pans }
Marbled ... } 24/ each.


Umbrella Stands.

No. 31




SIZE ... 1 ft. 1 in. x 2 ft. 4 in. high by 7 1/2 in. projection at base.
Bronzed, Loose Pan Marbled, **8/6** each.

No. 33




SIZE ... 1 ft. 3 1/2 in. x 2 ft. 6 in. high by 8 1/2 in. projection at base.
Bronzed, Loose Pan Marbled, **11/** each.

No. 25



SIZE ... 1 ft. 7 in. x 2 ft. 4 in. high by 1 ft. 2 in. projection at base.
Bronzed, Loose Pan Marbled, **14/** each.

No. 46




SIZE ... 1 ft. 5 in. x 2 ft. 6 1/2 in. high by 8 1/2 in. projection at base.
Bronzed, Loose Pan Marbled, **12/** each.

No. 38



SIZE ... 1 ft. 5 in. x 2 ft. 8 in. high by 8 1/2 in. projection at base.
Bronzed, Loose Pan Marbled, **13/** each.


No. 40




SIZE ... 1 ft. 6 in. wide x 2 ft. 7 in. high by 10 in. projection at base.
Bronzed, Loose Pan Marbled, **14/** each.

CAST IRON PEW PANS.

No. 1




No. 2




No. 3



No. 4



No. 5




	No. 1	No. 2	No. 3	No. 4	No. 5
Length at Top, outside	8 1/2	9 1/2	10 1/2	11	11
Width	2 1/2	2 1/2	2 1/2	3 1/4	3
Depth	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
Japanned Black all over ...	17/	17/	17/	17/	17/
Japanned Black or Brown Outside and White Inside ...	21/	21/	21/	21/	21/

per doz.

Tables.


No. 7



Extreme Height, 2 ft. 5 in.


	No. 7
	20 in. dia.
With Cast Iron Top, Fine Cast, Unpainted,	19/6 each.
Painted and Bronzed,	25/ "
With Sicilian Marble Top, Ironwork Painted and Bronzed,	50/ "

No. 8



Extreme Height, 2 ft. 3 1/2 in.

No. 9



Extreme Height, 2 ft. 4 in.

	No. 8	No. 9
	20	21 in. dia.
With Cast Iron Top, Fine Cast Unpainted,	19/6	19/6 each.
Painted and Bronzed,	25/	25/ "
With Sicilian Marble Top, Ironwork Painted and Bronzed,	50/	50/ "

Tables.

No. 17



Top, 1 ft. 7 in. x 3 ft. 4 in. Height, 2 ft. 5 in.

No. 13



Top, 1 ft. 7 in. x 3 ft. 4 in. Height, 2 ft. 6 in.


	No. 17	No. 13
With Cast Iron Top, Painted and Bronzed, Top Imitation Marble ...	64/	75/ each.
Do. Top Porcelain Enamelled ...	73/	84/ "
With Sicilian Marble Top, Ironwork Painted and Bronzed, ...	72/	80/ "

No. 16



Top, 1 ft. 8 in. x 3 ft. 8 in. Height, 2 ft. 6 in.

No. 16A



Top, 1 ft. 8 in. x 3 ft. 8 in. Height, 2 ft. 6 in.

	No. 16	No. 16A
With Cast Iron Top, Painted and Bronzed, Top Imitation Marble ...	66/	74/ each.
Do. Top Porcelain Enamelled, ...	75/	83/ "
With Sicilian Marble Top, Ironwork Painted and Bronzed, ...	74/	82/ "

Seat and Table Stands.


Fine Cast, Unpainted; Holes Drilled for Wood.

No. 1 Table Stand.



Base, 14 3/4 in. wide.
27 in. high 4/6 each.

No. 3A Table Stand



16 ins. wide over legs.
29 in. high 6/ each.


No. 2 Table Stand



Height	Base	Top	
28	16 1/2	15 ins.	4/6 each.
28	15	16 1/2	
27	15	16 1/2	
26	15	10	
25	15	16 1/2	

Size 27x15x16 1/2 always sent unless ordered otherwise.

No. 3A Seat Stand



10 in. wide over legs.
17 in. high 3/10 each.

No. 1 Seat Stand



15 1/4 in. high.
2/8 each.

No. 2 Seat Stand




17 in. high.
2/10 each.

No. 13A Seat Stand




Base, 14 3/4 in. wide.
17 in. high 3/10 each

No. 1 Counter Standard




Height, 3 ft. 0 3/8 in.
9/6 each.

No. 13A Table Stand



Base, 12 3/4 in. wide.
29 in. high 5/8 each.

No. 20 Table Stand.



Top, 1 ft. 7 in. x 3 ft. 4 in. Height, 2 ft. 5 in.
5/4 each.

Revolving Top Seat Standards for Steamer Saloons.

No. 60



Brass Bolt and Plate for Nos. 60 and 61.



PRICE **4/6** per set.

SIZES 9 $\frac{3}{4}$ in. diar. at top.
12 " over feet.
17 $\frac{3}{4}$ " high.

Fine Cast **13/** each.
Bronzed **14/** "

No. 63



Brass Bolt for No. 63



PRICE **2/4** each.

SIZES 10 $\frac{3}{8}$ in. diar. at top.
12 $\frac{3}{8}$ " over feet.
14 $\frac{1}{2}$ " high.

Fine Cast **15/6** each.
Bronzed **16/6** "


No. 61



SIZES 9 $\frac{3}{4}$ in. diar. at top.
11 $\frac{3}{4}$ " over feet.
15 " high.

Fine Cast **12/** each.
Bronzed **13/** "

No. 62




SIZES 7 $\frac{3}{4}$ in. diar. at top.
10 $\frac{1}{4}$ " over snugs at top.
8 $\frac{3}{4}$ " diar. at base.
17 $\frac{3}{4}$ " high.

Fine Cast **13/6** each.
Bronzed **14/6** "


School and Hall Seat Standards.

No. 72




A B C D BLACKED.
29 14 $\frac{1}{2}$ 17 12 $\frac{1}{2}$ in. **6/6** each.

No. 43




A B C D BLACKED.
30 $\frac{1}{2}$ 16 $\frac{1}{2}$ 13 10 in. **5/** each.
29 $\frac{1}{2}$ 16 12 $\frac{1}{2}$ 10 " **5/** "

No. 11, 12




A B C D BLACKED.
No. 11 31 $\frac{1}{2}$ 16 $\frac{1}{2}$ 15 $\frac{1}{2}$ 8 in. **5/4** ea.
No. 12 29 15 15 8 " **4/10** "

No. 11 B




A B C D E BLACKED.
31 $\frac{1}{2}$ 16 15 $\frac{1}{2}$ 8 27 $\frac{3}{4}$ in. **5/10** ea.

No. 44




A B C D E
34 $\frac{1}{2}$ 16 18 11 3x1 in.
With Book Rest .. **5/** each.
33 16 18 11 3x1 in.
35 16 18 11 3x1 in.
Without Book Rest **4/4** each.

No. 46




A B C D E BLACKED.
38 16 $\frac{1}{2}$ 18 11 $\frac{1}{2}$ 33 $\frac{1}{2}$ in. **5/** each.
33 $\frac{1}{2}$ 15 18 11 $\frac{1}{2}$ 29 " **5/** "

No. 45




A B C D BLACKED.
31 14 $\frac{1}{2}$ 16 $\frac{1}{2}$ 11 in. **4/** each.
28 $\frac{1}{2}$ 15 $\frac{1}{2}$ 17 $\frac{1}{2}$ 11 " **4/** "
31 $\frac{1}{2}$ 14 $\frac{1}{2}$ 17 $\frac{1}{2}$ 11 $\frac{1}{2}$ " **4/** "
31 $\frac{1}{2}$ 14 $\frac{1}{2}$ 17 $\frac{1}{2}$ 11 " **4/** "
31 $\frac{1}{2}$ 14 $\frac{1}{2}$ 17 $\frac{1}{2}$ 8 $\frac{1}{2}$ " **4/** "
32 $\frac{1}{2}$ 16 $\frac{1}{2}$ 13 11 " **4/** "

No. 73




A B C D E F BLACKED.
33 16 $\frac{1}{2}$ 25 15 $\frac{1}{2}$ 11 $\frac{1}{2}$ 6 in. **4/8** each.

No. 9-10



A B C D BLACKED.
No. 9-28 $\frac{1}{2}$ 16 $\frac{1}{2}$ 14 $\frac{1}{2}$ 11 in. **6/6** each.
No. 10-27 $\frac{1}{2}$ 15 14 $\frac{1}{2}$ 11 " **6/6** "

No. 47




A B C D BLACKED.
33 16 16 $\frac{1}{2}$ 9 in. **5/6** each.

Prices are for Standards Fine Cast, Unpainted.


Theatre Seat Standards.

No. 74




A	B	C	D	E	BLACKED.
31½	16½	14	13	3x1 in.	5/6 each.

No. 75




A	B	C	D	E	BLACKED.
31½	16½	12½	9	2½x½ in.	5/2 each.

No. 76




A	B	C	D	BLACKED.	
32½	18½	18½	7	in.	5/ each.

No. 42 and No. 42A




No. 42	A	B	C	D	BLACKED.
For Flat Floor	30½	15	15	8½ in.	3/ each.
For Raked Floor, 1 in 8 in.	29½	15	14½	8½ in.	3/ "
No. 42A	A	B	C	D	
For Raked Floor, 1 in 8 in.	30½	16½	14½	8½ in.	3/ each.

No. 70




For Raked Floor, 1 in 8 in.						
A	B	C	D	E	F	BLACKED.
30½	16½	14½	8½	7	25½ in.	3/4 each.

No. 71




A	B	C	D	E	BLACKED.
29	16	15	9½	3½x1½ in.	4/ each.

No. 41 D.



No. 41 D.	A	B	C	D	
For Flat Floor	31	16	11	9½ in.	
For Raked Floor, 1 in 8 in.	30	16	11	9½ "	
Centre Standards, with 2 Brackets, ... 5/2 each.					
End Standards, with 1 Bracket, ... 4/6 "					


No. 69.



No. 69.	A	B	C	D	E	F	
For Flat Floor	31	16	11	9½	25	7 in.	
For Raked Floor, 1 in 8 in.	30	16	11	9½	25	7 "	
Centre Standards, with 2 Brackets, ... 5/6 each.							
End Standards, with 1 Bracket, ... 4/10 "							

Theatre Seat Standards.

Nos. 1/2A, 1/2B, 1/2AB, 1/2AD, 64




Nos. 1/2A, 1/2B, 1/2AB, 1/2AD, 64.						
FOR FLAT FLOOR—						
No. 1/2A	A	B	C	BLACKED	BRONZED	
...	30½	14½	8 in.	3/2	3/8	each
No. 1/2B	A	B	C	BLACKED	BRONZED	
...	31½	16	8 "	3/2	3/8	"
No. 64	A	B	C	BLACKED	BRONZED	
...	31½	16	8 "	3/4	3/10	"
FOR RAKED FLOOR—						
No. 1/2A—1 in 8 in.	A	B	C	BLACKED	BRONZED	
...	28½	14½	8 in.	3/2	3/8	each
No. 1/2B—1 in 8 in.	A	B	C	BLACKED	BRONZED	
...	30	15½	8 "	3/2	3/8	"
No. 1/2AB—1 in 13 in.	A	B	C	BLACKED	BRONZED	
...	28¾	13¾	8 "	3/2	3/8	"
No. 1/2AD—1 in 24 in.	A	B	C	BLACKED	BRONZED	
...	28½	14	8 "	3/2	3/8	"
No. 64—1 in 8 in.	A	B	C	BLACKED	BRONZED	
...	29½	15½	8 "	3/4	3/10	"

Wrot. Iron Pins cast in.

No. 21


No. 21							
FOR FLAT FLOOR							
A	B	C	D	E	BLACKED	BRONZED	
33½	14½	9½	23¾	6½ in.	4/8	5/2 each	
FOR RAKED FLOOR							
1 in 12 in.	A	B	C	D	E	BLACKED	BRONZED
...	32	14½	9½	23¾	6½ "	4/8	5/2 "

No. 21.



Wrot. Iron Pins cast in.

Nos. 66 and 66A



Wrot. Iron Pins cast in.


Nos. 66, 66A

Nos. 66, 66A							
FOR FLAT FLOOR							
A	B	C	D	E	BLACKED	BRONZED	
32½	15½	24½	8½	7 in.	4/2	4/8 each	
FOR RAKED FLOOR—							
No. 66—1 in 10 in.	A	B	C	D	E	BLACKED	BRONZED
...	30	14	23½	8½	7 in.	4/2	4/8 each
No. 66A—1 in 12 in.	A	B	C	D	E	BLACKED	BRONZED
...	30½	14	23½	8½	7 "	4/2	4/8 "

Nos. 3/6, 3/6A, 3/6B, 3/6C, 65


Nos. 3/6, 3/6A, 3/6B, 3/6C, 65							
FOR FLAT FLOOR							
A	B	C	D	E	BLACKED	BRONZED	
30½	15	8	24	7 in.	3/10	4/4 each	
No. 65	A	B	C	D	E	BLACKED	BRONZED
...	31½	16	8	25	7 "	4/	4/6 "
FOR RAKED FLOOR—							
No. 3/6—1 in 8 in.	A	B	C	D	E	BLACKED	BRONZED
...	28½	14½	8	23½	7 in.	3/10	4/4 each
No. 3/6A—1 in 24 in.	A	B	C	D	E	BLACKED	BRONZED
...	29½	14½	8	23½	7 "	3/10	4/4 "
No. 3/6B—1 in 13 in.	A	B	C	D	E	BLACKED	BRONZED
...	28¾	14	8	23	7 "	3/10	4/4 "
No. 3/6C—1 in 6 in.	A	B	C	D	E	BLACKED	BRONZED
...	26½	13	8	22	7 "	3/10	4/4 "
No. 65—1 in 8 in.	A	B	C	D	E	BLACKED	BRONZED
...	29½	15½	8	24½	7 "	4/	4/6 "

Nos. 3/6, 3/6A, 3/6B, 3/6C, 65



Wrot. Iron Pins cast in.

Nos. 67 and 67A.



Wrot. Iron Pins cast in.


Nos. 67, 67A.

Nos. 67, 67A.							
FOR FLAT FLOOR—							
A	B	C	D	E	BLACKED	BRONZED	
30½	15½	24½	7¾	6½ in.	3/4	3/10 each	
No. 67A	A	B	C	D	E	BLACKED	BRONZED
...	30½	15½	24½	7¾	9½ "	3/4	3/10 "
FOR RAKED FLOOR—							
No. 67—1 in 8 in.	A	B	C	D	E	BLACKED	BRONZED
...	29	15	24	7¾	6½ in.	3/4	3/10 each

No. 68.

No. 68.						
FOR FLAT FLOOR						
A	B	D	BLACKED	BRONZED		
30½	15½	7¾ in.	2/10	3/4	each	
FOR RAKED FLOOR—						
1 in 8 in.	A	B	D	BLACKED	BRONZED	
...	28¾	15	7¾ "	2/10	3/4	"

No. 68.



Wrot. Iron Pins cast in.

Solder Pots, Smiths' Troughs, &c.

PLUMBERS' SOLDER POTS.



No. 1 with Pot Ears.

Diameter	4	5	5½	6½	6¾	7	7½	9	10	11¼	12	12	14	14	15	in.
Depth	2¾	2¾	2¾	3	3¾	6	4¼	5	5½	6¾	7¼	10½	8¼	8	11	"
¼ in. thick	10/	12/6	15/6	16/6	21/	—	22/	32/	38/	48/	65/	74/	84/	—	—	per doz.
⅝ in. thick	—	20/	—	—	—	—	—	52/	—	—	—	—	—	—	115/	"
¾ in. thick	—	—	—	—	—	—	46/	—	60/	—	—	—	—	—	130/	"
With Bail Handles	4/	4/	4/	4/	4/	4/	5/	5/	6/	8/	10/	10/	12/	12/	12/	extra per doz.

No. 2 with Upright Ears.



Diameter	4	5	5¾	5½	6	6½	7¾	8	9	9¼	10	11¼	11½	14	in.
Depth	2¾	2¾	2¾	2¾	3½	4	4¼	4¾	5	8½	5½	6¾	7¾	8½	"
⅝ in. thick	9/6	—	—	—	—	—	—	—	—	—	32/	—	—	—	per doz.
¾ in. thick	—	20/	—	—	—	—	—	—	—	—	—	—	—	—	"
¾ in. thick	—	13/	16/	16/6	17/	25/	25/	26/	30/	—	40/	48/	—	78/	"
¾ in. thick	—	—	—	—	—	—	—	—	—	80/	—	—	—	90/	"
¾ in. thick	—	—	—	—	—	—	—	—	—	—	—	—	—	135/	"
With Bail Handles	4/	4/	4/	4/	4/	4/	5/	5/	5/	6/	6/	8/	8/	12/	extra per doz.


No. 3 with Upright Ears and Ring on Bottom, no Feet.

Diameter	4	5	6	6½	7¾	9	10	in.
Depth	2¾	2½	3½	4	4¼	5	5½	"
¾ in. thick	10/	14/	19/	21/	28/	36/	42/	per dozen.
With Bail Handles	4/	4/	4/	4/	5/	5/	6/	extra per doz.




Wrought-iron Lipped Lead Ladle.

Sizes	3	3½	4	4½	5	6	6½	in. diam.
PRICES	13/	17/	20/	25/	30/	36/	50/	per doz.




Lead Melting Pots.

Inside Diameter	5	8	10	12	14	16	18	in. inside.
Diameter over Flange	8½	12	15½	18	20	22	24	ins.
Depth	4½	6¾	8	9¾	10	10½	11	"
PRICE	2/10	4/6	6/6	11/	17/	19/	22/6	each.



No. 2 Smiths' Trough.


Sizes	36	42	48	54	60	in. long.
PRICES	31/6	36/	50/	57/	63/	each.




No. 1 Smiths' Trough.

Sizes	30	36	42	in. long.
PRICES	25/	30/	40/	each.


Grindstone Troughs, Forge Backs, and Tue Irons.



No. 1 Grindstone Trough (Axle Covers fitted on).
 For Stones 6 8 10 12 14 16 18 in. diar.
 PRICES 4/ 4/10 5/10 6/6 7/10 9/ 11/6 each.
 Wrot. Iron Spindle and Handle, 4/6 each extra.



No. 2 Grindstone Trough (Axle Covers fitted on).
 For Stones 16 18 20 22 24 in. diar.
 PRICES 8/6 11/ 12/ 15/ 17/ each.
 Wrot. Iron Spindle and Handle, 4/6 each extra.





Forge Back for Water Tue Iron.
 Without Bolts or Straps.
 SIZES 16½ x 15 17 x 15½ 20 x 17 24 x 21 in. wide.
 PRICES 19/ 20/ 28/6 36/ each.



"Bradly" Forge Back.

With Tue Iron and Strap.

Nos.	00	0	1	2	3	
SIZES	12	16	21	22	25	in. wide.
"	12	15	17	18	22	in. high.
PRICES	9/6	16/	22/	25/	45/	each.



Water Tue Iron.




Section of Water Tue Iron.

Length	Diar. over Flange	Bore
17½	10¼	2¾ to 1¼ in.
16¾	10	2½ to 1½ "
15¼	9¾	2¾ to 1 "

With Watertight Joint formed of White Lead and Cardboard, 40/ each.
 If with India-rubber Packing, 5/ extra.



Octagonal



Round



Square

Tue Irons.

OCTAGONAL —Size over Flats	3¾	4½	4½	4½	4½	4½	4½	4½	4½	4½	in.
Length of Octagon	4¾	6	6	6	6	6	6	6	6	6	"
Length of Bell	4	4	4	4	4	4	4	4	4	4	"
Length overall	8¾	10	10½	14	12	12	12	12	12	12	"
ROUND —Diameter	3	3¾	4	4½	4½	4½	4½	4½	4½	4½	in.
Length of Round	8	8	8	8	8	8	8	8	8	8	"
" Bell	4	4	4	4	4	4	4	4	4	4	"
OTHER PATTERNS —Length of Round	4, 6, 7	5½	12½	3¾	4, 7¾	in.					
Length of Bell	4	4¾	4¾	4¾	5	in. diar.					
	3¾	6	3¾	4¼	5	6	in.				
	4¾	4¾	4¾	4¾	4¾	in. diar.					
SQUARE —Size over Square	3¾	4	4¼	4¾	4½	4¾	5	5½	5¾	6	in.
Length of Square	6	6	6	9¾	6	6	6	6	6	6	"
" Bell	4	4	4	4	4	4	4	4	4	4	"
OTHER PATTERNS —Length of Square	4¾	7	7	in.					
Size over Square	4	4	6	"					
Length of Bell	...	3¾	6	3¾	4¼	5	6	in.			
To suit size over Square	4¾	6	"					

PRICES—Octagonal, Round, or Square ... 23/6 per cwt.

Coal Plates, Coal Chute, Boghole Door.

No. 1 Round.




Open Pattern.

SIZES 10 12 13 14 15 16 17 18 in. diar.
PRICES 1/8 2/4 2/6 3/2 3/10 4/2 4/8 5/ each

Solid Pattern.

SIZES ... 10 12 13 in. diar.
PRICES ... 2/ 2/6 3/ each

No. 3 Round.




Open and Solid Pattern.

SIZES Solid 12 14 in. diar. Open Pattern 14 in. diar.
PRICES 3/6 4/6 each.

Rings for No. 3 Coal Plate.

SIZES 12 14 in. diar.
PRICES 2/6 3/ each.

No. 2 Square.




Open Pattern.

SIZES 10 12 13 14 15 16 in. sq.
PRICES 2/2 2/10 3/2 3/10 4/6 5/2 each.

Solid Pattern.

SIZES 10 12 13 in. sq.
PRICES 2/4 3/ 3/6 each.

Coal Bunker Cover and Frame.




Section.

SIZES, diar. inside, 15 in.; diar. outside, 23 in.

PRICE ... 32/ each.

Dust or Coal Chute.




SIZE over Frame, 36 in. wide x 21 in. deep.

Chute, 24 in. wide, projecting 18 in. when open.

PRICE ... 45/ each.

Boghole Door and Frame.




With Cast Malleable Turnbuckle and Key

SIZE—Door ... 25 1/2 in. x 25 1/2 in.
Body ... 26 in. x 26 in.
Overall at Front ... 28 1/2 in. x 28 1/2 in.
Overall at Back ... 28 1/2 in. x 28 1/2 in.
Depth ... 10 in.

PRICE ... 43/ each.


If fitted with Hasp and Bolt for Padlock, 13/ extra.

Manhole Frames and Covers.



No. 1

WITH GROOVES FOR SAND OR TALLOW SEAL.



No. 3


No. 1.—AIRTIGHT, WITH LIFTING COVER.

Daylight Opening	Outside of Frame	Bottom Flange	Depth	Approx. Weight	PRICE each		Daylight Opening	Outside of Frame	Bottom Flange	Depth	Approx. Weight	PRICE each	
					Fine Cast	Galv'd						Fine Cast	Galv'd
6 x 6	8 1/4 x 8 1/4	9 1/2 x 9 1/2	1 1/4	12	3/3	5/3	20 x 16	23 3/8 x 19 3/8	25 x 21	3	123	22/2	42/10
6 x 6	8 1/2 x 8 1/2	9 3/4 x 9 3/4	1 1/2	16	3/8	6/4	20 x 20	23 1/2 x 24 1/2	25 1/4 x 26	2 1/2	130	23/6	45/2
7 x 7	9 1/4 x 9 1/4	10 1/2 x 10 1/2	1 1/4	16	4/	6/8	24 x 14	26 1/2 x 16 1/2	27 1/2 x 17 1/2	1 1/4	57	12/	21/6
7 x 7	9 1/2 x 9 1/2	10 3/4 x 10 3/4	1 1/2	13	3/8	5/10	24 x 14	27 1/4 x 17 1/4	29 1/4 x 19 1/4	1 1/2	93	16/	31/6
7 x 7	9 3/4 x 9 3/4	10 5/8 x 10 5/8	1 1/2	18	4/4	7/4	24 x 18	27 x 21	29 x 23	1 1/2	62	13/	23/4
9 x 9	11 1/4 x 11 1/4	12 x 12	1 1/4	14	4/	6/4	24 x 18	28 x 22	29 1/2 x 23 1/2	1 3/4	80	15/6	28/10
9 x 9	11 1/2 x 11 1/2	12 1/4 x 12 1/4	1 1/4	19	4/8	7/10	24 x 18	28 x 22	30 x 24	2 1/8	120	21/6	41/6
9 x 9	11 3/4 x 11 3/4	13 x 13	1 1/4	24	5/4	9/4	24 x 18	28 1/2 x 21 1/2	30 1/2 x 23 3/8	2 3/8	136	24/	46/8
12 x 9	14 3/4 x 11 3/4	15 3/4 x 12 3/4	1 1/4	26	5/6	9/10	24 x 18	29 x 23	31 x 25	3 1/8	208	37/	71/8
12 x 12	14 x 14	15 1/2 x 15 1/2	1 1/4	27	7/	11/6	24 x 20	28 1/2 x 23 3/8	30 1/2 x 25 3/8	2 3/8	150	26/8	51/8
12 x 12	16 x 16	18 x 18	1 3/4	45	9/6	17/	24 x 24	26 1/2 x 26 1/2	27 x 27	1 1/4	88	16/6	31/2
15 x 15	17 1/4 x 17 1/4	18 x 18	1 1/2	32	7/8	13/	24 x 24	28 3/8 x 28 3/8	30 x 30	1 5/8	122	23/	43/4
16 x 10	19 x 13	21 1/2 x 15 1/4	2	55	10/6	19/8	24 x 24	28 3/8 x 28 3/8	30 x 30	1 5/8	144	25/6	49/6
16 x 10	19 x 13	21 1/2 x 15 1/4	2	49	9/9	17/11	21 x 24	28 1/2 x 28 1/2	30 1/2 x 30 1/2	2 3/8	164	28/6	55/10
18 x 12	22 x 16	24 x 18	1 3/4	64	12/4	23/	27 3/4 x 20 3/4	32 x 24	38 x 30 1/2	2 3/8	232	42/	80/8
18 x 18	21 x 21	23 x 23	1 3/8	52	11/4	20/	30 x 18	34 3/8 x 21 1/2	40 1/2 x 27 1/2	2 1/2	190	35/	66/8
18 x 18	21 3/4 x 21 3/4	23 1/2 x 23 1/2	1 3/4	71	13/6	25/4	30 x 24	34 1/4 x 28 3/8	35 x 30	1 5/8	148	30/6	55/2
18 x 18	21 1/2 x 21 1/2	24 1/4 x 23 1/4	2 1/2	114	20/	39/	30 x 24	34 3/8 x 28 1/2	40 3/8 x 33 3/8	2 1/2	246	46/6	87/6
20 x 16	23 1/2 x 19 1/2	25 x 21	1 1/2	92	17/	32/4	30 x 20	34 3/8 x 33 1/2	40 3/8 x 39 1/2	2 1/2	242	45/6	85/10
20 x 16	23 3/4 x 19 3/4	25 1/2 x 21 1/2	1 3/4	78	15/6	28/6	35 x 36	41 x 41	47 x 47	3 1/4	588	110/	208/

No. 3.—AIRTIGHT, HINGED COVER, with Turnbuckle Lock and Key.

Daylight Opening	Outside of Frame	Bottom Flange	Depth	Approx. Weight	PRICE each		Daylight Opening	Outside of Frame	Bottom Flange	Depth	Approx. Weight	PRICE each	
					Fine Cast	Galv'd						Fine Cast	Galv'd
18 x 14	20 1/2 x 17 1/4	22 1/2 x 19 3/8	1 1/2	72	19/6	31/6	24 x 20	28 3/8 x 23 1/2	31 x 26 1/2	2 3/8	152	35/	60/4
18 x 18	22 1/2 x 21 1/2	24 1/4 x 23 3/8	2 1/2	124	28/6	49/2	24 x 24	28 3/8 x 27 1/2	31 x 30 1/2	2 3/8	166	38/	65/8
20 x 16	24 1/4 x 19 1/4	26 x 21	1 1/2	96	24/6	40/6	27 3/4 x 20 3/4	32 x 24	38 x 30	2 1/2	196	43/	75/8
20 x 20	25 3/8 x 26 1/2	24 1/4 x 23 3/8	2 1/2	138	32/	55/	30 x 24	34 1/4 x 27 1/2	40 1/2 x 33 3/8	2 1/2	260	56/	98/8
24 x 18	28 3/8 x 21 1/2	30 3/8 x 23 1/2	2 1/2	145	34/	58/2							

Manhole Frames and Covers.




No. 2

No. 2 Ordinary.

Hinged Cover, with Turnbuckle Lock and Key.

Daylight Opening	Outside of Frame	Bottom Flange	Depth	Approx. Weight	PRICE Each	
					Fine Cast	Galv'd.
In. 18 × 18	In. 19 × 19	In. 23 × 23	In. 2½	Lbs. 100	24/	40/8
24¾ × 17½	26 × 19	32 × 25	4¾	228	48/	86/
30 × 22	31½ × 23½	37½ × 29½	6	332	67/6	122/10

No. 39




No. 39 Double Seal.

Daylight Opening, ...	16½ × 22½ in.
Outside of Frame, ...	21½ × 28½ "
Bottom of Flange, ...	23¼ × 30¼ "
Depth, ...	2¾ "
Approximate Weights, ...	120 170 lbs.

PRICE, ... 27/ 36/ each.

No. 40




No. 40 Double Seal.

Daylight Opening, ...	18 × 24 in.
Outside of Frame, ...	23½ × 29½ "
Bottom of Flange, ...	26 × 32 "
Depth, ...	3 "
Approximate Weight, ...	190 lbs.

PRICE, ... 48/ each.

No. 41



No. 41 Double Seal.


Daylight Opening, ...	18 × 24 in.
Outside of Frame, ...	23½ × 29½ "
Bottom of Flange, ...	26 × 32 "
Depth, ...	3 "
Approximate Weight, ...	188 lbs.

PRICE, ... 46/ each.

Manhole Frames and Covers.

No. 35 Ventilating Pavement Frame and Cover.


Cover prepared for filling with Cement. Supplied without Drain Pipe, unless ordered.



Daylight Opening ...	24 × 30	30 × 30 in.
Outside of Frame ...	28½ × 34½	34½ × 34½ "
Depth ...	3¾	3¾ "
PRICES ...	36/	42/ each.

No. 35A Ventilating Pavement Frame.


With Double Cover and Removable Centre Bar. Supplied without Drain Pipe, unless ordered.



Daylight Opening	30 × 24	30 × 30	36 × 36	42 × 42 in.
Outside of Frame	34½ × 28½	34½ × 34½	40½ × 40½	46½ × 46½ "
Depth ...	3¾	3¾	3¾	3¾ "
PRICES ...	40/	45/	64/	85/ each

No. 31 Circular Ventilating Roadway Frame and Cover.


With or without Removable Dirt Pan.



Daylight Opening ...	17½ in.
Outside of Frame ...	22¼ "
Bottom Flange ...	35 "
Depth ...	8 "
PRICE, without Dirt Pan ...	112/ each.
Dirt Pan, Galvanized ...	54/ extra.


No. 38 Airtight Pavement Frame and Cover.

Cover prepared for filling with Cement.



Daylight Opening ...	18 × 30 in.
Outside of Frame ...	21½ × 33½ "
Bottom Flange ...	25½ × 37½ "
Depth ...	3 "
PRICE ...	45/ each.

Ventilating Box for Manhole Frames.




This adaptable Ventilating Box, with hinged lid, can be supplied for fitting to Nos. 38 and 38A Frames, to order.

PRICE ... 6/ each.

No. 38A Airtight Pavement Frame.

With Double Cover and Removable Centre Bar. Cover prepared for filling with Cement.




Daylight Opening ...	30 × 36 in.
Outside of Frame ...	33½ × 39½ "
Bottom Flange ...	37½ × 43½ "
Depth ...	3 "
PRICE ...	76/ each.

Manhole Frames and Covers.

No. 19 Air-tight Roadway Frame and Cover.


Top of Cover fitted with Hard Wood Blocks, and filled on the underside with Asphalt.



Daylight Opening.	Outside of Frame.	Bottom Flange.	Depth.
22 in. dia.	27 1/8 in. dia.	37 1/4 x 33 3/8 in.	6 in.
PRICE,	130/ each.

No. 20 Ventilating Pavement Frame and Cover


Cover prepared for filling with Cement.
Supplied without Drain Pipe, unless ordered.



Daylight Opening	Outside of Frame	Bottom Flange	Depth.
24 x 24 in.	30 x 30 in.	28 1/2 x 28 1/2 in.	4 1/2 in.
PRICE,	42/ each.

No. 27 Air-tight Roadway Frame and Cover.


Top of Cover fitted with Hard Wood Blocks, and filled on the underside with Asphalt.



Daylight Opening.	17 1/2 x 21	17 1/2 x 26 3/4	24 x 26 3/4 ins.
Outside of Frame,	22 1/2 x 26	22 1/2 x 31 3/4	29 x 31 3/4 "
Bottom Flange, ...	33 1/2 x 37	33 1/2 x 42 3/4	40 x 42 3/4 "
Depth, ...	8 1/2	8 1/2	8 1/2 "
PRICES, ...	180/	210/	250/ each

No. 30 Air-tight Roadway Frame and Cover.


Top of Cover fitted with Hard Wood Blocks, and filled on the Underside with Asphalt.



Daylight Opening,	...	18 x 20	24 x 24 in.
Outside of Frame,	...	22 3/4 x 24 3/4	28 3/4 x 28 3/4 "
Bottom Flange	26 1/4 x 28 1/4	32 1/2 x 32 1/2 "
Depth	6	6 "
PRICES	90/	115/ each

No. 28 Air-tight Pavement Frame and Cover


Cover prepared for filling with Cement



Daylight Opening,	12 x 22	18 x 20	18 x 27	24 x 24	24 x 27	36 x 36 ins.
Outside of Frame	15 1/2 x 25 1/2	21 1/4 x 23 1/4	21 1/4 x 30 1/4	27 1/2 x 27 1/2	27 1/4 x 30 1/4	39 5/8 x 39 5/8 "
Bottom Flange,	21 x 31	27 1/4 x 29	27 1/4 x 36	33 x 33	33 x 36	45 x 45 "
Depth, ...	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2 "
PRICES, ...	36/	40/	48/	52/	57/	92/ each.

Foot Irons, Handhole Covers, Etc.


No. 1 Foot Iron.



For building in Sewer Manholes, Chimneys, etc.
Sizes, 13 1/2 in. long x 5 in. wide. 15 in. long x 6 in. wide.


PRICES, **1/3** **2/3** each.

Rail Drain Box. Trapped.



10 3/4 in. long x 8 in. projection x 8 in. deep.
PRICE, ... **20/** each.


Inspection Box For Spring Points.



20 in. long x 6 1/4 in. wide at top x 5 3/4 in. deep.
PRICE, ... **24/** each.

Air-tight Hand Hole Frame and Cover.


No. 4.



Daylight Opening,	...	8 1/4 x 8 1/4 in.
Outside of Frame,	...	10 3/8 x 10 3/8 "
Bottom Flange,	13 1/4 x 13 1/4 "
Depth,	2 "
PRICE,	7/ each.

Air-tight Hand Hole Frame and Cover.



No. 1.



Daylight Opening,	...	10 x 8 in.
Outside of Frame,	...	13 1/2 x 11 1/2 "
Outside of Flange,	...	17 3/4 x 15 3/4 "
Depth,	1 3/8 "
PRICE,	7/ each.

Gully Traps.


No. 24



SECTION.

Size, 19 $\frac{3}{4}$ in. long x 14 in. wide x 24 in. deep.
 Weight, 2 cwt. 2 qrs. 2 lbs.
 PRICE, **65/** each.

No. 23




SECTION.

Sizes, 26 in. long x 13 in. wide x 23 in. deep. 26 in. long x 13 in. wide x 17 in. deep.
 Weights, 2 cwts. 1 qr. 14 lbs. 2 cwts. 0 qr. 10 lbs.
 PRICES, **47/** **43/** each.

Drain Grates with Frames, Etc.

Garden Grate and Frame
With Loose Cover.

No. 101




Sizes at Top	4 x 4	5 x 5	6 x 6 ins.
Overall Sizes	4 $\frac{1}{2}$ x 5 $\frac{1}{2}$	5 $\frac{1}{2}$ x 7 $\frac{1}{2}$	6 $\frac{3}{8}$ x 8 $\frac{3}{8}$..
Depth	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$..
PRICES	9/	9/	15/ p. doz.

Sizes at Top	7 x 7	8 x 8	9 x 9 ins.
Overall Sizes	7 $\frac{1}{2}$ x 9 $\frac{1}{2}$	8 x 10 $\frac{3}{4}$	9 x 12 ..
Depth	1 $\frac{1}{2}$	1 $\frac{3}{4}$	1 $\frac{3}{4}$..
PRICES	19/6	22/	31/ p. doz.

Sizes at Top	10 x 10	11 $\frac{1}{2}$ x 9	12 x 12 ins.
Overall Sizes	10 $\frac{3}{8}$ x 13 $\frac{3}{8}$	14 $\frac{1}{2}$ x 9 $\frac{1}{2}$	12 $\frac{1}{2}$ x 15 ..
Depth	1 $\frac{3}{4}$	2 $\frac{1}{4}$	2 $\frac{3}{8}$..
PRICES	45/	56/	72/ p. doz.

Ash Grate and Frame.

No. 103




Grates measure	10 x 12	10 x 14	12 x 14	12 x 16	14 x 18	16 x 20 in.
Frames for do.	13 x 15 $\frac{1}{2}$	13 x 17	15 x 17	15 x 19	17 x 21	19 $\frac{1}{2}$ x 23 $\frac{1}{2}$..
PRICES	3/2	3/2	4/	4/4	6/	7/ each

Grates measure	16 x 22	18 x 24	20 x 26	22 x 28	22 x 30 in.
Frames for do.	19 $\frac{1}{2}$ x 25 $\frac{1}{2}$	21 $\frac{1}{2}$ x 28	23 $\frac{1}{2}$ x 30	25 $\frac{1}{2}$ x 32	25 $\frac{1}{2}$ x 34 ..
PRICES	7/8	10/	12/	15/	17/ each

Hinged Garden Grate and Frame.


No. 102



SIZE	12 x 12 in.
Overall Sizes	12 x 15 ..
Depth	2 $\frac{3}{8}$..
PRICE	7/6 each

Drain Grates and Frames.

No. 107



LIGHT PATTERN.


Sizes	8 x 8	9 x 9	10 x 10	12 x 12 in.
Over Flange	8 $\frac{3}{8}$ x 8 $\frac{3}{8}$	9 $\frac{3}{8}$ x 9 $\frac{3}{8}$	10 $\frac{3}{8}$ x 10 $\frac{3}{8}$	12 $\frac{3}{8}$ x 12 $\frac{3}{8}$..
Depth	2 $\frac{1}{2}$	2 $\frac{1}{2}$	2 $\frac{1}{2}$	2 $\frac{3}{8}$..
PRICE	2/6	3/	4/	5/ each.

HEAVY PATTERN.

Sizes	8 x 8	9 x 9	9 x 11	10 x 10	12 x 12 in.
Over Flange	9 x 9	10 x 10	10 x 12 $\frac{1}{2}$	11 x 11	13 x 13 ..
Depth	2 $\frac{3}{8}$	2 $\frac{3}{8}$	2 $\frac{3}{8}$	2 $\frac{3}{8}$	2 $\frac{3}{8}$..
PRICE	3/8	4/	4/6	5/	6/ each.

Hinged Sewer Grates and Frames.

No. 105




SIZES	8 x 8 x 2 $\frac{3}{8}$	10 x 10 x 3	10 x 12 x 3 $\frac{1}{2}$	12 x 12 x 3 $\frac{1}{2}$ in. deep
Over Flange	10 x 10	12 x 12	12 $\frac{1}{2}$ x 14 $\frac{1}{2}$	14 $\frac{1}{2}$ x 14 $\frac{1}{2}$ in.
PRICES	6/6	8/6	12/	13/ each

SIZES	12 x 14 x 3 $\frac{1}{2}$	13 x 15 x 3 $\frac{1}{2}$	14 x 14 x 3 $\frac{1}{2}$	14 x 16 x 3 $\frac{1}{2}$ in. deep
Over Flange	14 $\frac{1}{2}$ x 16 $\frac{1}{2}$	15 $\frac{1}{2}$ x 17 $\frac{1}{2}$	16 $\frac{1}{2}$ x 16 $\frac{1}{2}$	16 x 18 $\frac{1}{2}$ in.
PRICES	13/	17/	17/6	20/ each

SIZES	16 x 16 x 3 $\frac{1}{2}$	16 x 18 x 4	18 x 20 x 4	18 x 22 x 4 $\frac{1}{2}$ in. deep
Over Flange	18 x 18	18 $\frac{1}{2}$ x 20	20 x 22	20 $\frac{1}{2}$ x 24 $\frac{1}{2}$ in.
PRICES	21/	23/6	30/	38/ each

Channel Grates and Frames.

No. 108



SIZES	4 $\frac{1}{2}$ x 8	8 x 8 in.
Overall Sizes	4 $\frac{1}{2}$ x 9 $\frac{1}{2}$	8 x 10 ..
Depth	2 $\frac{3}{8}$	2 $\frac{3}{8}$..
PRICES	2/	3/ each


Sewer Grates and Frames (Not Hinged).

No. 105

SIZES	..	12 x 14	16 x 18 in.
Over Flange	..	14 $\frac{1}{2}$ x 16 $\frac{1}{2}$	18 $\frac{1}{2}$ x 20 ..
Depth	..	3 $\frac{1}{4}$	4 ..
PRICE	..	12/	22/6 each

Hinged Drain Grates.


No. 137



Sizes	..	10 x 10	12 x 12 in.
Over Flange	..	12 x 12	14 x 14 ..
Depth	..	1 $\frac{1}{2}$	1 $\frac{1}{2}$..
PRICE	..	7/6	9/ each.

Hinged Sewer Grates and Frames.


No. 136



SIZES	..	10 x 12	14 x 16 in.
Over Flange	..	12 $\frac{1}{2}$ x 14 $\frac{1}{2}$	16 x 18 ..
Depth	..	3 $\frac{1}{4}$	3 $\frac{1}{4}$..
PRICES	..	12/	20/ each

Flat Perforated Drain Grate and Frame.


No. 104



Sizes at Top	6 x 6	8 x 8	8 x 8 in.
Over Flange	8 x 8	9 $\frac{1}{2}$ x 9 $\frac{1}{2}$	11 x 11 ..
Depth	..	2	3 ..
PRICES	..	2/10	4/4 6/ each

Sink Traps and Horse and Mare Pots, &c.

No. 1.
Round or Square.





Section

ROUND.											
SIZES	3	4	5	6	7	8	9	10	11	12	in. diar.
Fine Cast	16/	21/	28/	33/	48/	60/	75/	90/	105/	125/	per doz.

SQUARE.											
SIZES	3	4	5	6	7	8	9	10	11	12	in. sq.
Fine Cast	17/	21/6	29/	40/	53/	70/	85/	95/	115/	143/	per doz.

No. 2, with Hinged Cover.




Section


SIZES	5	6	7	8	9	in.
Fine Cast	2/4	2/8	3/2	4/	4/4	each.

SIZES	10	11	12	14	15	in.
Fine Cast	5/	6/6	7/6	9/	12/	each.

No. 8 Horse Pot.




SIZES	9	11	13	15	in.
PRICES	5/6	9/6	13/	19/6	each.




Section.

No. 9 Mare Pot.



SIZES	9	11	13	15	in.
PRICES	5/6	9/6	13/	19/6	each.


No. 109 Hinged Drain Grate.



SIZES	6x6x2 1/2	7x7x2 1/2	8x8x2 1/2	in. deep.
Over Flange	7 1/4 x 7 1/4	8 x 8	9 x 9	in.
PRICES	2/2	2/6	3/6	each.

SIZES	9x9x2 1/2	10x10x2 1/2	12x12x2 1/2	in. deep.
Over Flange	10x10	11x11	13 1/4 x 13 1/4	in.
PRICES	4/	5/	7/	each.


No. 20 Buchan Trap Cover.



With Turnbuckle.			
SIZES	12x6	14x9	in.
Fine Cast	7/6	10/	each.

Without Turnbuckle.			
Fine Cast	6/6	9/	each.


No. 106 Grease Box Cover.



SIZES	12x12x3 1/2	13 1/4 x 13 1/4 x 3 1/2	17x17x3 1/2	in. deep.
PRICES				
Fine Cast	5/	5/6	7/6	each.
Galv'd.	7/6	9/	11/6	..

Stop Cock Covers.

No. 1




8 1/2 x 8 1/2 in. over Flange.

HINGED

Without Turnbuckle Fastening.	
PRICE ...	3/3 each.
With Turnbuckle Fastening.	
PRICE ...	3/10 each.

No. 1B




8 1/2 x 8 1/2 in. over Flange.

HINGED

Without Turnbuckle Fastening.	
PRICE ...	3/3 each.
With Turnbuckle Fastening.	
PRICE ...	3/10 each.

No. 1A




8 1/2 x 8 1/2 in. over Flange.

HINGED

Without Turnbuckle Fastening.	
PRICE ...	3/3 each.
With Turnbuckle Fastening.	
PRICE ...	3/10 each.

No. 3




6 1/2 x 6 in.

HINGED

PRICE ...	3/2 each.
-----------	-----------

No. 4




7 x 6 1/4 in.
1 in. deep.

HINGED

PRICE ...	2/4 each.
-----------	-----------

No. 5




7 1/2 x 5 1/2 in.

HINGED

PRICE ...	3/ each.
-----------	----------


No. 6



4 x 4 in. Top.
6 1/2 x 6 1/2 in. over Flange.
4 in. Deep.

PRICES—	
Without Chain	2/2 ea.
With Chain	2/8 ..


No. 2



7 1/2 x 6 1/4 in. over Flange.

PRICE, without Chain,	2/6 each.
.. with Chain,	3/ ..

No. 9




Cover	5 1/4 x 4 1/8 in.
Flange	7 1/4 x 6 1/2 ..
Depth	3 3/8 ..

HINGED

PRICE ...	2/10 each.
-----------	------------

No. 8




HINGED.

At Top.	Over Flange.	Depth.	PRICE.
5 3/4 x 5 3/8 in.	7 1/4 x 6 1/2 in.	3 3/8 in.	2/6 each
6 x 6 ..	7 1/2 x 7 3/8 ..	4 ..	3/ ..
7 1/2 x 6 ..	10 x 8 ..	4 ..	3/4 ..
8 x 8 ..	11 1/2 x 10 1/2 ..	4 ..	4/4 ..
9 x 9 ..	10 3/4 x 10 3/4 ..	2 ..	3/10 ..
10 x 8 ..	13 x 10 1/2 ..	4 ..	5/ ..

Sizes 6x6 in. and 10x8 in. can be supplied with Turnbuckle Fastening at an extra of 6d.

No. 10




3 3/8 in. at Top.
6 in. over Flange.

HINGED

PRICE ...	2/6 each.
-----------	-----------

No. 11




5 3/8 x 5 3/8 in. at Top.
8 x 8 .. over Flange.

HINGED

PRICE ...	3/10 each.
-----------	------------

Stop-Cock Plug and Ring.


No. 7



5 1/8 in. diameter.

PRICE ...	2/ each.
-----------	----------

No. 17




4 1/2 x 5 in. at Top x 3 1/2 in. high.
6 3/8 x 6 3/8 in. over Flange.

HINGED

PRICE ...	3/3 each.
-----------	-----------


Stop Cock Covers, Surface Box, Street Tobies, Ventilating Grates, and Fire Cover



No. 15.

7½ × 7½ in. at Top.
10¼ × 10¼ in. over Flange.

PRICE, without Chain **7/** each.
" with Chain ... **7/6** "




No. 12.

Size, 5⅜ × 5⅜ in. at Top.
8⅜ × 8⅜ in. over Flange.

Height ... 8½ 7¼ in.


PRICE, without Chain **6/** **5/4** each
" with Chain **6/6** **5/10** "



No. 16.


7⅛ × 7⅛ in. at Top.
10½ × 10½ in. over Flange.

PRICE, without Chain ... **9/** each.
" with Chain ... **9/6** "



No. 1 Surface Box.
With Hinged Cover.

Daylight Opening ... 9¼ × 3¼ in.
Outside of Frame at Top ... 11 × 5½ "
Bottom Flange ... 12⅞ × 6⅞ "
Depth ... 6½ "
PRICE ... **13/** each.




Street Toby.

6¼ in. Top, 10 in. Base, 9 in. Deep.

PRICE, without Chain ... **6/** each.
" with Chain ... **6/6** "

6½ in. Top, 11¾ in. Base, 18 in. Deep.


Weight ... Light 56 lb. Heavy 100 lb.
PRICE, without Chain ... **13/** **19/** each.
" with Chain ... **13/6** **19/6** "



No. 1 Ventilating Grate.

17 × 6½ in. at Top × 11½ in. Deep.
22½ × 12 in. over Flange.


PRICE ... **33/** each.



No. 2 Ventilating Grate.

17 × 17 in. at Top × 12 in. Deep.
23½ × 23½ in. over Flange.

PRICE ... **78/** each.



Fire-Plug Cover.


13¾ × 10 in. at Top × 9¼ in. Deep.
17¾ × 14½ in. over Flange.

PRICE ... **20/** each.

Drain Grates.

Garden Grate


No. 101 A



SIZES ...	7 × 7	9 × 9	9⅜ × 9⅜	in.
Thickness ...	7/8	¾	5/8	"
PRICES ...	16/	23/	19/	per doz.

Dished Drain Grate


No. 138



SIZES ...	8¼ × 8¼	in.
Thickness ...	¼	"
PRICE ...	15/6	per doz.

Dished Drain Grates


No. 139



SIZES ...	12 × 12	in.
Thickness ...	5/16	"
PRICE ...	21/6	per doz

Square Dished Drain Grates


No. 120



SIZES ...	4 × 4	5 × 5	5½ × 5½	6 × 6	in.	
Thickness ...	7/16	½	½	½	"	
PRICES ...	4/4	6/	7/6	8/	per doz.	
SIZES ...	6½ × 6½	7 × 7	8⅞ × 8⅞	9¼ × 9¼	9⅜ × 9⅜	in.
Thickness ...	½	½	½	½	½	"
PRICES ...	10/	11/	13/	18/	21/	per doz.

Perforated Dished Grates and Frames

No. 110



With Frames.


SIZES Grate	6 × 6	7 × 7	8 × 8	9 × 9	10 × 10	12 × 12	in.
Frame	8¼ × 8¼	9¼ × 9¼	11 × 11	11¼ × 11¼	12¼ × 12¼	15 × 15	"
PRICES	18/	19/6	22/6	26/	30/	37/	per doz.

Without Frames.

PRICES	4/6	5/	6/6	8/	12/6	19/	per doz.
--------	------------	-----------	------------	-----------	-------------	------------	----------

Square Dished Drain Grates

No. 111




With Frames.

SIZES Grate	6 × 6	7 × 7	8 × 8	9 × 9	10 × 10	11 × 11	12 × 12	in.
Frame	9 × 9	9¼ × 9¼	10½ × 10½	11½ × 11½	13 × 13	14 × 14	15 × 15	"
PRICES	30/	33/	37/	42/	58/	60/	64/	per doz.

Without Frames.

PRICES	8/	11/	13/	18/	21/	26/	30/	per doz.
--------	-----------	------------	------------	------------	------------	------------	------------	----------


Solid Chequered Plates.



No. 140.

SIZE, $36\frac{1}{2} \times 22 \times \frac{1}{2}$ in. thick over chequer. $\frac{3}{8}$ in. over body.

PRICE, ... **20/** each.




No. 141.

SIZES, $33\frac{1}{2} \times 39\frac{1}{2}$ $47 \times 36\frac{1}{2}$ $47 \times 43\frac{1}{4} \times \frac{3}{8}$ in. thick.


PRICES, **42/** **55/** **67/** each.

No. 127 (Diamond Chequer).

Thickness.	Size.	PRICE, each.
$\frac{3}{8}$ in.	$6\frac{3}{8} \times 73$ in.	11/
" "	$12\frac{3}{8} \times 10\frac{7}{8}$ "	3/
" "	14×11 "	4/
$\frac{1}{2}$ "	6×6 "	1/
" "	7×7 "	1/2
" "	8×8 "	1/5




Thickness.	Size.	PRICE, each
$\frac{1}{2}$ in.	9×9 in.	2/
" "	10×10 "	2/6
" "	12×12 "	3/4
" "	20×20 "	9/
" "	30×30 "	21/
" "	$10\frac{1}{2} \times 36$ "	9/



No. 142.

SIZE, ... $34 \times 34\frac{1}{2} \times \frac{1}{2}$ in. thick.

PRICE, ... **29/** each.



No. 143.


SIZE, ... $29\frac{1}{2} \times 58\frac{3}{4} \times \frac{1}{2}$ in. thick.

PRICE, ... **52/** each.

No. 140, 141, 142, 143, can be supplied in smaller sizes. Prices on application.

Ventilating Gratings.

No. 84 Square Mesh Ventilating Grating.




$\frac{1}{2}$ in. thick. $\frac{3}{4}$ in. thick. 1 in. thick.

No. 90

Sizes.	Thickness.	Mesh.	App. Weight.	PRICE, Each.
6×60 in.	$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	25 lbs.	6/6
9×60 "	" "	" "	38 "	8/6
12×60 "	" "	" "	50 "	11/6
18×60 "	" "	" "	75 "	16/6
24×60 "	" "	" "	100 "	23/
30×60 "	" "	" "	125 "	29/
36×60 "	" "	" "	150 "	37/
18×60 "	$\frac{3}{4}$ in.	" "	113 "	25/
24×60 "	" "	" "	150 "	35/
30×60 "	" "	" "	188 "	42/
36×60 "	" "	" "	224 "	52/
30×60 "	1 in.	" "	288 "	60/
36×60 "	" "	" "	338 "	70/
8×10 "	$\frac{1}{4}$ in.	$\frac{1}{2}$ in.	3 "	9/
12×12 "	" "	$\frac{1}{2}$ in.	$6\frac{3}{4}$ "	1/8
3×9 "	$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	1 $\frac{1}{2}$ "	6/
6×12 "	" "	$\frac{1}{2}$ in.	4 $\frac{3}{4}$ "	1/1
6×36 "	" "	$\frac{1}{2}$ in.	11 $\frac{1}{2}$ "	2/8
6×48 "	" "	$\frac{1}{2}$ in.	19 $\frac{1}{2}$ "	4/4
9×12 "	" "	$\frac{1}{2}$ in.	7 $\frac{1}{2}$ "	2/
$10 \times 35\frac{3}{4}$ "	" "	$\frac{1}{2}$ in.	20 "	4/6
$10\frac{3}{4} \times 15$ "	" "	$\frac{1}{2}$ in.	12 $\frac{1}{2}$ "	2/6
12×12 "	" "	" "	9 $\frac{1}{2}$ "	2/
12×24 "	" "	" "	18 "	3/10
14×18 "	" "	" "	16 "	3/4
$19\frac{1}{2} \times 35\frac{1}{2}$ "	" "	$\frac{1}{2}$ in.	40 "	8/
8×10 "	$\frac{1}{4}$ in.	$\frac{1}{2}$ in.	6 $\frac{3}{4}$ "	1/4
8×14 "	" "	$\frac{1}{2}$ in.	7 "	1/8
$4\frac{1}{2} \times 35\frac{3}{4}$ "	$\frac{1}{2}$ in.	$\frac{1}{2}$ in.	11 "	2/8
$4\frac{1}{2} \times 59\frac{3}{4}$ "	" "	$\frac{1}{2}$ in.	19 "	4/4
$5 \times 44\frac{1}{2}$ "	" "	$\frac{1}{2}$ in.	17 "	3/8
$5\frac{1}{2} \times 55$ "	" "	$\frac{1}{2}$ in.	25 "	5/4
6×48 "	" "	" "	25 $\frac{1}{2}$ "	5/
12×12 "	" "	$\frac{1}{4}$ in.	11 "	2/4
$12 \times 59\frac{1}{2}$ "	" "	$\frac{1}{4}$ in.	60 "	13/
$35\frac{1}{2} \times 36\frac{1}{2}$ "	" "	$\frac{1}{4}$ in.	90 "	19/6
12×21 "	$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	20 $\frac{1}{2}$ "	4/4
34×61 "	$\frac{3}{8}$ in.	1 in.	200 "	42/

No. 90 Diamond Mesh Ventilating Grating




$\frac{1}{2}$ in. thick. $\frac{3}{4}$ in. thick. 1 in. thick.

No. 4 with Plain Border all round.

Sizes.	Thickness.	Mesh.	App. Weight	PRICE, Ea.
2 ft. $21\frac{1}{4}$ in. \times 3 ft. $51\frac{1}{4}$ in.	$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	99 lbs.	32/
2 " $10\frac{1}{2}$ " \times 3 " 5 "	" "	" "	123 "	34/
3 " 5 " \times 3 " $6\frac{3}{4}$ "	" "	" "	165 "	43/
2 " $9\frac{3}{4}$ " \times 4 " $0\frac{3}{4}$ "	" "	" "	150 "	40/
3 " $5\frac{1}{4}$ " \times 4 " $6\frac{1}{2}$ "	" "	" "	210 "	54/
3 " $6\frac{3}{4}$ " \times 4 " $6\frac{1}{2}$ "	" "	" "	220 "	60/
2 " 3 " \times 3 " 4 "	$\frac{3}{8}$ in.	" "	129 "	32/
2 " $8\frac{1}{4}$ " \times 3 " $4\frac{1}{2}$ "	" "	" "	168 "	40/
2 " 9 " \times 3 " 6 "	" "	" "	166 "	40/
2 " $8\frac{3}{4}$ " \times 4 " $0\frac{1}{2}$ "	" "	" "	209 "	48/
2 " 10 " \times 4 " 0 "	" "	" "	203 "	48/
2 " $9\frac{3}{4}$ " \times 4 " $0\frac{1}{4}$ "	$\frac{3}{8}$ in.	" "	238 "	60/


$\frac{1}{2}$ in. thick. $\frac{5}{8}$ in. thick. $\frac{3}{4}$ in. thick.

Ventilating Gratings.




No. 29

7/8 in. thick.
Approx. Weight 9 12 14 in. dia. 4 1/2 7 1/2 lbs. each
Fine Cast, 1/1 1/9 2/4 each.
Galvanized, 1/9 2/10 4/ "




No. 28

1/2 in. thick.
Approx. Weight 9 10 12 14 15 16 in. dia. 48 55 72 108 108 120 lbs. p. doz.
Fine Cast 11/6 14/ 19/ 27/ 28/ 31/ per doz.
Galvanized 20/ 22/ 29/ 43/ 44/ 48/ "
Approx. Weight 18 20 22 24 26 28 30 in. dia. 156 192 228 276 336 384 440 lbs. p. doz.
Fine Cast 38/ 45/ 53/ 65/ 90/ 96/ 105/ per doz.
Galvanized 60/ 75/ 92/ 108/ 150/ 156/ 180/ "




No. 35

1/4 in. thick .. 9x3 in.
Approx. Weight .. 14 lbs. p. doz.
Fine Cast .. 5/ per doz.
Galvanized .. 8/ "
3/8 in. thick 6x6 8 1/2 x 4 1/2 9x6 9x6 in.
Approx. Weight 18 21 23 27 lbs. p. doz.
Fine Cast 6/ 6/6 8/ 8/6 per doz.
Galvanized 9/ 10/6 12/6 14/6 "




No. 75

1/4 in. thick.
Approximate Weight, 4 lbs per superficial foot.
6x28 1/2 9x28 1/2 10x28 1/2 12x28 1/2 14x28 1/2 in.
Fine Cast 17/ 23/6 25/ 31/ 35/ per doz.




No. 73.—With Border all round.

30x60 23 3/4 x 60 30x60 in.
Thickness 1/2 3/4 1 "
Approx. Weight, 183 100 213 lbs. ea.
Fine Cast, 34/ 21/ 38/ each




No. 36

1/4 in. thick. Approximate Weight, 5 lbs, per superficial foot.
3x4 3x6 3x8 3x9 3 1/2 x 9 in.
Fine Cast 2/ 2/8 4/6 5/ 4/8 per doz.
Galvanized 3/3 5/ 7/ 8/ 7/ "
4x4 4x8 4x8 1/2 4 1/2 x 6 4 1/2 x 9 in.
Fine Cast 2/6 4/9 5/ 5/6 6/ per doz.
Galvanized 4/ 7/ 7/6 8/6 9/ "
5x5 6x6 6x9 6x10 6x11 1/2 6x12 in.
Fine Cast 3/6 5/ 7/6 8/ 9/ 11/ per doz.
Galvanized 6/ 8/ 11/6 12/6 15/ 19/6 "
6x14 6x18 7x7 7x9 8x8 in.
Fine Cast 11/6 15/6 8/ 8/ 8/ per doz.
Galvanized 18/ 27/ 12/6 12/6 12/6 "
8x10 8x12 9x9 9x11 9x12 in.
Fine Cast 8/6 10/6 10/ 10/4 11/ per doz.
Galvanized 15/6 18/ 17/6 17/6 18/ "
10x10 10x12 10x14 12x12 12x14 in.
Fine Cast 12/ 14/ 15/6 18/ 19/6 per doz.
Galvanized 19/6 26/ 26/ 27/ 30/ "
1/2 in. thick. Approximate Weight, 7 1/2 lbs. per superficial foot.
6x12 6x18 9x18 in.
Fine Cast, 11/ 15/6 22/ per doz.
Galvanized 19/6 27/6 38/ "
If with one hole bored and countersunk in each corner.
3/6 per doz. extra.



No. 70.—Border one end or open both ends.

1/2 in. thick.
Approximate Weight, 4 1/2 x 36 in. 7 lbs. each
Fine Cast, .. 2/ each




No. 89 Ventilating Grate.

No. 89

Approximate Weight, .. 32 in. dia. 66 lbs.
Fine Cast, .. 35/ each.

No. 22 Counter Division.


Approximate Weight, 23 lbs.
26 1/2 x 24 1/2 in. high.
Fine Cast .. 5/6 each.



No. 22 Counter Division.


Ventilating Gratings, Ventilators and Kiln Plates.

Hinged Ventilating Grates and Frames.




No. 87

With Cast Malleable Turnbuckle and Key.
Size of Grating 12 x 9 15 1/2 x 11 1/2 in.
Size over Frame 14 1/2 x 11 1/2 18 1/2 x 14 1/2 "
Fine Cast 6/6 8/6 each.




No. 85

With Cast Malleable Turnbuckle and Key.
Size of Grating 12 x 12 in.
Size over Frame 14 1/2 x 14 1/2 "
Fine Cast 9/6 each.




No. 88

With Thumb Screw and Catch.
Size of Grating 14 x 9 in.
Size over Frame 19 x 10 "
Fine Cast 7/ each.




No. 144

Size of Grating, 13 1/2 x 13 1/2 in.
Size over Frame 15 1/2 x 15 1/2 "
Fine Cast 6/6 each.




No. 145

Size of Grating 19 1/2 x 13 1/2 in.
Size over Frame 21 1/2 x 15 1/2 "
Fine Cast 8/ each.




No. 86

With Thumb Screw and Catch
Size of Grating 9 x 3 9 x 6 in.
Size over Frame 14 1/2 x 4 1/2 14 1/2 x 7 1/2 "
Fine Cast 3/8 4/4 each.



Hooded Louvre Ventilator.


Size over Frame 20 in. wide x 14 in. high.
Size over Louvres, 15 in wide x 8 1/2 in. high.
Fine Cast 17/ each.



Sherringham's Ventilators

With Brass Pulleys and Cast Iron Handle but no Cord.

Size, Opening Part 9 x 3 9 x 6 13 1/2 x 6 in.
Over Frame 11 1/2 x 5 1/2 11 x 8 1/2 16 x 8 1/2 "
Fine Cast 72/ 90/ 108/ per doz.




Torpedo Ventilator

Holes drilled in Flange


Inside Diameter 2 1/2 4 in.
Diam. over Flange 4 1/2 7 1/2 "
Height 4 1/2 9 "
Fine Cast 2/8 7/6 each

KILN PLATES.




No. 1

SIZES 12x12 12x12 18x18 in.
No. of Holes 289 621 576
PRICE 4/ 4/6 7/6 each.



No. 2


SIZES 18x18 in.
No. of Slots 778
PRICE 7/ each.



No. 3


SIZES 12x12 18x18 in.
No. of Slots 154 276
PRICE 4/ 8/ each

Air Bricks and Ventilators.



No. 22 Louvre Pattern Air Brick.

SIZES, ...	9x3	9x6	9x9	12x6	12x9 ins.
Fine Cast,	9/6	13/10	24/	24/	30/ per doz.
Galvanized,	14/	21/	36/	36/	46/ "




No. 25 Galvanized Louvre Air Brick.

Fitted on inside with strong 1-inch mesh wrought-iron wire grating, after which complete Air Brick is galvanized, making combination as one.


SIZE, ... 9x6 ins.

PRICE, ... 27/6 per doz.




No. 6 Sliding With Key or Knob.

SIZES, ...	6	7	8	9	10	12	14	15 in. diar.
Fine Cast,	16/6	19/6	23/	26/	29/	36/	48/	56/ per doz.
Galvanized,	22/	26/	32/	36/	40/	54/	74/	96/ "




No. 2 Sliding With Key or Knob.

SIZES, ...	4	5	6	7	8	9	10	12 in. diar.
Fine Cast,	14/	15/	17/	18/	20/	24/	27/	40/ per doz.
Galvanized,	18/	19/6	20/	23/	27/	33/	40/	60/ "




No. 8 Sliding With Key or Knob.

SIZE, ...	15 in. diar.
Fine Cast, ...	50/ per doz.
Galvanized, ...	90/ "




No. 5 Sliding With Key or Knob.

SIZES, ...	15	18 in. square.
Fine Cast, ...	60/	90/ per dozen.
Galvanized, ...	100/	160/ "




No. 4 Sliding With Key or Knob.

SIZES, ...	15	18	19 1/2 in. diar.
Fine Cast, ...	56/	78/	90/ per doz.
Galvanized, ...	88/	128/	150/ "



No. 7 Sliding With Key or Knob.


SIZES, ...	6	7	8	9	10	11	12	14	15 in. sq.
Fine Cast,	19/6	22/	26/	30/	34/	37/6	40/	57/	68/ per doz.
Galvanized,	26/	30/	34/	44/	50/	57/	65/	85/	96/ "



No. 3 Sliding With Key or Knob.


SIZES, ...	4	6	7	8	9	10	12 in. square.
Fine Cast,	15/	17/	19/	22/	27/	31/	42/ per doz.
Galvanized,	18/	22/	24/	30/	36/	42/	60/ "

Ventilating and Door Step Gratings and Stair Nosings.



No. 3 Door Step Grating.

SIZE	3x18	3x20	3x21	3x36 in.
Thickness ..	3/8	3/8	3/8	3/8 in.
Approx. Weight ..	44	51	53	91 lbs. per doz.
Fine Cast ..	14/	15/	16/	21/ per doz.




No. 4 Door Step Grating.

Size	2 1/2 x 46 1/2	3 1/2 x 47 1/2 in.
Thickness ..	1/2	1/2 in.
Approx. Weight ..	94 1/2	123 lbs. per doz.
Fine Cast ..	27/	36/ per doz.



No. 1 Door Step Grating.

SIZE	1 1/2 x 22 1/2	1 1/2 x 36	2 1/2 x 36	2 1/2 x 48 in.
Approx. Weight	15	30	42	60 lbs. per doz.
Fine Cast ..	11/6	13/6	16/	21/ per doz.
SIZE	2 1/2 x 54	2 1/2 x 35	2 1/2 x 48	3 1/2 x 48 in.
Approx. Weight	66	60	66	92 lbs. per doz.
Fine Cast ..	22/	20/	22/	25/ per doz.




No. 2 Door Step Grating.

SIZE	3 1/2 x 48 in.
Approximate Weight	111 lbs. per doz.
Fine Cast ..	29/ per doz.



No. 5 Door Step Grating.

SIZE	2 1/2 x 30	2 1/2 x 48	4 x 48	5 x 48	6 x 48 in.
Thickness ..	3/8	3/8	3/8	3/8	3/8 in.
Approx. Weight	44	67	99	123	159 lbs. per doz.
Fine Cast ..	21/	25/	34/	40/	55/ per doz.



No. 58, Open at both ends.

SIZE	3/16 in. thick.	4 1/2 x 38 in.
Approximate Weight	111	3 1/2 lbs. each.
Fine Cast ..	1/4	each.



No. 57, Open at both ends.

Ornament, 3/8 in. thick; Border, 1/4 in. thick.

Pins instead of Border.		With Border.	
SIZES	5x19 1/2	6x19 1/2	in.
Approx. Weight	4 1/2	4 1/2	lbs. each.
Fine Cast ..	1/3	1/5	each.



No. 59, Open at both ends.

1 1/8 in. thick.

SIZE	3 1/2 x 25 in.
Approx. Weight	2 lbs. each.
Fine Cast ..	10d. each.



No. 56, Open at both ends.


Ornament, 3/8 in. thick; Border, 1/4 in. thick.

Pins instead of Border.		With Border.	
SIZES	3 1/2 x 17 1/2	4 1/2 x 17 1/2	in.
Approx. Weight	3 1/2	4	lbs. each.
Fine Cast ..	1/3	1/3	each.

STAIR NOSINGS.


With Cored Countersunk Holes for Fixing.

No. 50



PAINTED.

No. 51



PAINTED.

SIZE, 1/4 in. thick.	PRICE, per doz.	SIZE, 1/4 in. thick.	PRICE, per doz.	SIZE, 1/4 in. thick.	PRICE, per doz.	SIZE, 1/8 in. thick.	PRICE, per doz.	SIZE, 1/4 in. thick.	PRICE, per doz.	SIZE, 1/4 in. thick.	PRICE, per doz.
24 x 1 1/2 in.	11/	27 x 2 1/2 in.	20/	35 1/2 x 3 1/2 in.	25/	27 x 9 1/2 in.	76/	18 x 1 1/2 in.	10/	30 x 2 1/2 in.	20/
30 x 1 1/2 in.	13/	18 x 3 1/2 in.	14/	42 x 3 1/2 in.	32/	33 x 9 1/2 in.	92/	24 x 1 1/2 in.	12/	26 x 2 1/2 in.	17/
22 1/2 x 1 1/2 in.	12/	21 1/2 x 3 1/2 in.	17/	24 x 4 in.	22/	46 1/2 x 9 1/2 in.	114/	30 x 1 1/2 in.	16/	36 x 2 1/2 in.	20/6
27 x 1 1/2 in.	14/	22 x 3 1/2 in.	17/	18 x 4 1/2 in.	18/	27 x 10 1/2 in.	78/	42 x 1 1/2 in.	20/	27 x 3 in.	18/
22 x 2 in.	12/	24 x 3 1/2 in.	17/6	21 x 4 1/2 in.	20/	34 x 10 1/2 in.	102/	15 x 2 in.	12/	30 x 3 in.	19/
22 1/2 x 2 in.	14/	25 1/2 x 3 1/2 in.	19/	24 x 4 1/2 in.	23/	38 x 10 1/2 in.	108/	22 1/2 x 2 in.	13/	24 x 4 in.	18/
24 x 2 in.	14/	27 1/2 x 3 1/2 in.	20/	25 x 4 1/2 in.	24/	42 x 10 1/2 in.	114/	25 1/2 x 2 in.	14/	36 x 4 in.	27/
27 x 2 in.	15/	30 x 3 1/2 in.	21/	30 x 4 1/2 in.	28/	44 x 10 1/2 in.	114/	24 x 2 in.	13/6		
30 x 2 in.	16/6	32 x 3 1/2 in.	24/	36 x 4 1/2 in.	29/			28 1/2 x 2 in.	16/		
18 x 2 1/2 in.	12/	33 x 3 1/2 in.	24/	27 x 6 in.	35/			30 x 2 in.	16/		
19 x 2 1/2 in.	12/	36 x 3 1/2 in.	25/	36 x 6 in.	43/			36 x 2 in.	18/		
30 x 2 1/2 in.	19/	36 1/2 x 3 1/2 in.	25/	34 1/2 x 9 in.	60/			43 x 2 in.	20/6		
		38 x 3 1/2 in.	25/6								

Deck Pipes or Coamings.

Deck Pipe or Coaming.


Double Pattern.



Nominal Size	Inside Diameter	Outside Diameter	Height above Flange	PRICES, each	
				Fine Cast	Galvanized
In. 3	In. 3 5/8	In. 4	In. 3 1/2	2/4	3/4
3 1/2	4	4 1/2	"	2/6	4/
4	4 5/8	5	"	3/	4/4
4 1/2	5 1/4	5 5/8	"	3/6	5/4
5	5 5/8	6	"	3/6	5/6
5 1/2	6 1/4	6 3/2	"	3/8	5/6
6	6 5/8	7	"	4/	6/
6 1/2	7 1/4	7 3/2	"	4/8	6/6
7	7 5/8	8	"	5/6	8/
7 1/2	8 1/4	8 5/8	"	5/8	8/4
8	8 5/8	9	"	6/	8/8
8 1/2	9 1/4	9 5/8	"	6/2	9/
9	9 5/8	10 1/4	"	6/6	9/6
9 1/2	10 1/4	10 5/8	"	7/	10/
10	10 5/8	11 1/4	"	7/6	10/6
12	11 3/4	12	10	10/	17/6
14	14	14 1/2	12	12/6	22/
15	14 5/8	15	12	14/6	24/
16	15 1/4	16	12	15/	25/
16 1/2	16	16 1/2	10	15/6	25/6
18 1/2	17 3/4	18 1/2	10	17/	29/
20	19 1/4	20	9	28/	48/
20	19 1/4	20	12	31/	60/


Deck Pipe or Coaming.

Single Pattern.



Nominal Size	Inside Diameter	Outside Diameter	Height above Flange	PRICES, each	
				Fine Cast	Galvanized
In. 3	In. 4	In. 4 1/2	In. 3 1/2	1/6	2/4
3 1/2	4 5/8	5 1/4	3 5/8	1/8	2/6
4	5	5 5/8	3 7/8	1/10	3/
4 1/2	5 5/8	6	4	2/	3/2
5	6 1/4	6 3/4	4 1/2	2/4	3/6
6	7 1/4	7 3/4	4 5/8	2/10	4/4
7	8 1/4	8 5/8	4 3/4	3/3	5/
8	9 1/4	9 5/8	5	3/6	5/6
8	7 3/4	8	4 1/2	3/9	6/6
9	8 3/4	9	4 1/2	4/2	7/4
10	9 3/8	10 1/4	5 1/8	5/	8/6
12	11 3/8	12 1/4	5 5/8	6/	10/6
14	13 3/8	14 1/4	6 3/8	8/	13/


Water Deck Pipe or Coaming.



To suit Pipes	4	4 1/2	5	in. diam.
PRICES—Fine Cast	3/4	4/	4/4	each.
Galvanized	4/8	5/4	6/	"


Forecastle Ventilators.

With Glazed Top and Brass Elevating Screw.



Inside Diameter	4	6	8	8	8	10	in.
Height of Coaming	6	6	8	12	18	18	"
PRICES—Painted	12/	13/	18/	23/	29/	35/	each.
Galvanized	14/	18/	25/	30/	40/	48/	"

Solid Dome Top and Brass Elevating Screw.



Inside Diameter	4	6	8	8	8	10	in.
Height of Coaming	6	6	8	12	18	18	"
PRICES—Painted	12/	13/	18/	23/	29/	35/	each.
Galvanized	14/	18/	25/	30/	40/	48/	"

Patent Hinged Dormer Casement

Designed by H. RAMSAY TAYLOR, F.R.I.B.A., Edinburgh.

THE RAMSAY TAYLOR Patent Hinged Dormer Casement provides an entirely new class of Rooflight which will prove a boon to Builders and Householders alike. The new Casement is made completely of Cast Iron, is fixed in the same manner as an ordinary Skylight, and gives all the advantages of the Dormer Window. The whole fitment is complete in itself, and when fixed in position requires no lead flashing. It furnishes a strong, durable, and perfectly weatherproof opening casement, which in general appearance and finish is equal to the much more expensive built Dormer.

Made in two sizes with Single and Double Opening Casements.



No. 1 to suit pitch of Roof at 40°

More Light, more Air, and all the advantages of the Opening Casement at less than Half the cost of the usual Dormer Window.

No. 1—With Single Hinged Casement. Painted.

SIZES,

Window opening, 16 in. wide x 25 in. high.
Height Overall, ... 30 1/2 in.
Roofplate, ... 26 1/2 in. x 41 1/2 in. extreme.

PRICE, 70/ each.


Perfectly Weatherproof. Easily fixed in Position. No Slating required, and no Lead Flashing to become detached, causing Trouble and Damage.

No. 3—With Double Hinged Casement. Painted.

SIZES,

Window opening, 32 in. wide by 25 in. high.
Height Overall, 30 1/2 in.
Roofplate, 44 1/2 in. by 41 1/2 in. extreme.


PRICE, 110/ each.




No. 3 to suit pitch of Roof at 40°

Skylights and Deadlights.


No. 5 Cast Iron Skylight or Deadlight for Corrugated Roof.



Skylight.



Deadlight.



PAINTED.

Fitted like an Ordinary Corrugated Sheet.

Daylight Opening	14 x 20	16 x 24 in.
Overall Size,	23 3/4 x 32	27 x 36 "
Skylight, ...	16/10	19/ each
Deadlight, ...	12/	13/8 "

If fitted with Ordinary Pulleys, 2/6 each extra

	No. 3	No. 5	No. 7
For Sizes up to	16 x 24	24 x 36	30 x 42 ins.

If fitted with Leggot's Wrot. Iron Patent Opener, with Gun-metal working parts	7/6	9/6	13/6 ea. ex.
--	-----	-----	--------------

If prepared for Leggot's Patent Opener, ...	1/	1/	1/ "
---	----	----	------

Fitting on Leggot's Patent Openers provided by Customers	2/	2/	2/ "
--	----	----	------

If Galvanized—Double Price


Sizes Daylight	Sizes Extreme.	PRICE, each.
8 x 10 1/2 in.	14 1/2 x 19 in.	7/10
9 x 12 "	16 x 21 "	7/10
10 x 14 "	17 x 23 "	9/2
12 x 17 "	18 3/4 x 26 "	10/8
14 x 20 "	21 x 29 "	11/2
14 x 24 "	20 3/4 x 32 3/4 "	12/6
15 x 30 "	22 1/2 x 40 "	15/2
16 x 24 "	23 1/2 x 34 "	12/6
16 x 30 "	23 1/2 x 40 "	15/2
18 x 24 "	25 1/2 x 34 "	15/2
18 x 30 "	25 1/2 x 40 "	17/6
18 x 36 "	25 1/2 x 45 3/4 "	20/6
20 x 30 "	27 1/2 x 40 "	18/6
20 x 36 "	27 1/2 x 45 3/4 "	20/8
24 x 36 "	31 1/2 x 45 3/4 "	23/8
24 x 42 "	32 1/4 x 53 3/4 "	26/
30 x 36 "	38 1/4 x 47 "	29/2
30 x 42 "	38 1/4 x 53 3/4 "	31/6
36 x 42 "	44 1/2 x 54 "	42/
36 x 48 "	45 x 59 "	45/10

For Extras for Pulleys and Openers see note under Corrugated Skylight

Rooflights and Quadrants for Ventilators.


No. 6 Heavy Workshop Deadlight.

PAINTED.



No. 7 Continuous Rooflight, with Astragals at 11 1/2 in. Centres.



PAINTED.



Sizes Daylight.	Sizes Extreme.	No. of Panes	PRICE each.
30 x 30 in.	38 1/2 x 39 in.	2	15/
30 x 36 "	38 1/2 x 45 "	3	17/
30 x 54 "	38 x 64 "	2	34/
36 x 24 "	44 1/2 x 34 1/2 "	4	17/
36 x 30 "	45 x 39 1/2 "	3	20/
36 x 36 "	45 x 47 "	3	30/
36 x 39 "	44 1/2 x 49 "	4	30/
36 x 42 "	44 1/2 x 51 "	3	32/
36 x 48 "	44 x 58 "	3	46/
36 x 54 "	44 x 64 "	3	48/6
42 x 24 "	50 x 35 "	5	19/
42 x 30 "	51 x 41 "	5	22/
43 x 63 "	51 x 74 "	5	56/
46 x 40 "	55 x 51 "	6	45/
46 x 51 "	54 1/2 x 60 1/2 "	6	48/
46 x 69 "	55 x 79 "	6	65/
48 x 24 "	57 x 35 "	5	21/
48 x 30 "	57 x 41 "	5	34/6
48 x 36 "	57 x 47 "	5	44/
54 x 54 "	60 x 65 "	7	56/
58 x 33 "	67 x 44 "	4	40/
72 x 33 "	81 x 44 "	10	75/
72 x 48 "	81 x 58 "	6	80/

Daylight Size	...	4 ft. 0 in. high.	4 ft. 6 in. high.
Overall	...	4 ft. 11 1/4 "	5 ft. 6 "
In 3 ft. 0 in. repeating lengths	...	6/	6/4 per foot run.
Ends	...	17/	18/ per pair.

Quadrants for Ventilators.




Nos.	1	2	2A	3	4	4A	5	6	7	8	9
Sizes at A	17	17 3/4	18	18 3/4	20 3/8	21 1/4	21 1/2	22 1/4	22 3/4	23 3/8	24 in.
" B	14 1/2	15	9 1/2	14 3/4	15 3/8	16	15 3/8	15 3/8	15 3/8	15 3/8	16 1/2 "
PRICES	35/	36/	24/	37/	38/	41/	40/	41/	41/	48/	49/ per doz. pairs
Nos.	10	11	12	13	14	15	16	17	18	19	
Sizes at A	25	25 3/8	25 3/8	26 1/2	27 1/2	30 3/8	31	34	34 1/2	36 in.	
" B	12	15 3/8	18	16	15 3/8	15 3/8	16	16 1/2	15 3/8	14 1/2 "	
PRICES	50/	50/	50/	54/	54/	60/	60/	66/	66/	68/ per doz. pairs	

SOLID PATTERN.

Nos.	1	2	3	4	5
Sizes at A	6	8 1/2	12 3/8	13 1/4	17 in.
" B	5 1/2	6 3/4	9 3/8	9 3/8	16 1/2 "
PRICES	13/	21/	29/	29/	55/ per doz. pairs.

Washing Troughs.



Cast Iron Washing Troughs, White Porcelain Enamelled Inside and Plain Painted Outside, with Corrugated Surface on Sloping Front as Scrubbing Board. Teak Wood Wringer Boards, with Bolts, Nuts and Washers for fixing between each pair of Troughs. Each Trough fitted with Gun Metal Waste, Rubber Washers, Gun Metal Plugs and strong Brass Chain, with 1½ in. Galvanized Iron Waste Pipes and Boot Pieces for delivering into service channel in floor, complete with all necessary Bolts, Nuts, Washers, etc.


Troughs may be supported on Cast Iron Standards as shown, or on Cast Iron Cantilever Brackets as illustrated on following page of Sectional and Plan diagrams.

Inside measurements of Troughs, 26 ins. long × 18 ins. wide × 12¾ ins. deep.

	OVERALL SIZES			PRICES, complete with Standards.	PRICES, complete with Brackets.
	Length	Width	Height from Floor		
Single Trough	2 ft. 5½ in.	1 ft. 9¾ in.	3 ft. 0 in.	£5 10 0	£5 0 0
Single Range, set of 2	5 " 0 "	" × " "	" × " "	10 10 0	9 10 0
" " " 3	7 " 6 "	" × " "	" × " "	15 15 0	14 5 0
" " " 4	10 " 0 "	" × " "	" × " "	21 0 0	19 0 0
Double Range, set of 4	5 " 0 "	" × 3 ft. 7½ in.	" × " "	21 0 0	—
" " " 6	7 " 6 "	" × " "	" × " "	31 10 0	—
" " " 8	10 " 0 "	" × " "	" × " "	42 0 0	—


For Plans and Sections see page 79.

Plans and Sections of Washing Troughs.




PLAN OF SINGLE RANGE (Set of 2)

Plan shows Single Range (Set of Two Troughs) with Scrubbing Surface to each Trough and with One Wringer Board, can be supplied with Brackets or Standards.




PLAN OF DOUBLE RANGE (Set of 4)


Plan shows Double Range (Set of Four Troughs) with Scrubbing Surface to each Trough and with Two Wringer Boards, supplied with Standards only.



Section through Single Range showing Trough supported on Brackets and with Waste Pipe.




Enlarged Section through Wringer Board showing Fixing.



Section through Double Range showing Troughs supported on Standards and showing Waste Pipe.

Laundry Stove and Drying Horses.



Drying Chamber consists of 6 Drying Horses, with Laundry Stove in centre, each Drying Horse, 6 ft. 0 in. high x 7 ft. 0 in. deep x 1 ft. 3 ins. wide, the Fronts of Cast Iron, Panelled, Back Lined with Sheet Iron and Best Quality Pitch Pine, having Polished Gun Metal and Hardwood Handles, each Horse with Eight Drying Rails and run on Pulleys in a Cast Iron Grooved Floor Rail, Cast Iron Division Standards, Lintel and Sill Rails, all Internal Parts of Drying Horses Galvanized, the Stove Front fitted with a Double Door, Sheet Steel with Wrot. Iron Mountings, giving access to Top of Stove which is capable of carrying 16—No. 6, 7, or 8 Sad Irons, the Stove, 36 ins. long x 21 ins. wide x 26 ins. high, is of Heavy Cast Iron with Padded Fire Door and Ashes Door, with Wrot. Iron Hinges, Fire Bottom of Loose Furnace Bars, Fire Brick Lining; the Stove is so constructed that in the event of top burning out or becoming warped through long and continuous use, by the removal of the front, the body of the stove can be reversed utilizing the lower part on top with equal efficiency, the whole strongly fitted and easy running, all as illustrated and as plan showing assembling

PRICE, as Illustrated and Specified, **£130 0 0**


For Plan, see next page.

Plans of Drying Chambers


Illustrated on pages 80 and 82.

PRICES ON APPLICATION FOR LARGER OR SMALLER RANGES OF DRYING HORSES.

DRYING HORSES CAN BE MADE TO ANY LENGTH TO MEET REQUIREMENTS.




Plan of Drying Chamber with Steam Coils illustrated on page 82



Plan of Drying Chamber with Laundry Stove illustrated on page 80

Drying Horses with Steam Coils.



Range of 6 Drying Horses, each 6 ft. 0 in. high x 7 ft. 0 in. long x 1 ft. 3 ins. wide with Cast-Iron Panelled Fronts; lined at Back with Sheet Iron and Best Quality Pitch Pine, having Polished Gun Metal and Hard Wood Handles, with Eight Drying Rails to each Horse and running on two Pulleys encased with Cast-Iron Shields in Cast-Iron Grooved Floor Rails. Each Closet Fitted with Steam Coils full depth of Chamber and rising to 24 ins. high. Cast-Iron Division and Cill Rails, all Internal parts Galvanized, strongly Fitted and easy running. All as Illustrated and as plan showing setting out on page 81.

PRICE, as illustrated and Specified, including Steam Coils, **£149 10 0**
 " " " but Prepared for Steam Coils, **£94 10 0**

Prices on application for larger or smaller Ranges of Drying Horses.

Kitchen Sinks.

No Woodwork required.

Absolute Cleanliness.

No. 9

This thoroughly up-to-date Sanitary Appliance consists of Cast-iron Sink with Back, 9 ins. high and Brackets, Porcelain Enamelled inside and at back, and fitted with ½-in. Hot and Cold Screwdown Taps, Brass Plug and Washer, Plain Painted Outside.


MEASUREMENTS.

Inside, 24 in. x 14 in. x 7½ in. deep, with 2 in. Rolled Edge. Back, 9 ins. high.


PRICE, **65/** each.

DEDUCTION.

If without Taps or provision for same, } **12/**
 but with back, }



No. 9



No. 10

No. 10

As above, but without Back and Supply Taps.

PRICE, **46/** each.

Cast-iron Kitchen Sinks.

White Porcelain Enamelled Inside. With Improved Waste Fittings and Overflow


These Sinks are specially designed to provide a thoroughly efficient Sanitary Appliance. The rounded corners prevent dirt of any kind finding lodgment in the Sink, and the Improved Waste Fittings form a clear runaway which entirely obviates the collection of any deposit.

The Sinks have also been planned to permit of closely nesting, thus reducing the shipping measurement to a minimum; see example of 4 in Nest given below:—


Can be supplied without Overflow if desired.

No. 8 KITCHEN SINK.

ALL SIZES GIVEN ARE INSIDE MEASUREMENTS.



Cast-on Overflow with 1 1/2, 1 3/4, or 2 in. Plug and Waste, but without Coupling Tail.



Section showing Improved Waste Fitting and Overflow with Rubber Washer and Jamb Nut.

This improved Waste Fitting removes the necessity of setting the plug seatings with cement, the waste being securely held in position with back nut and washer, as shown in section. When packed for Export the Waste Fittings are removed, thus permitting the Sinks to be closely nested, and reducing freight measurements to the minimum.

Lengths	...	15	18	21	24	27	30	36	in.
Widths	...	11	12	13	14	15	16	18	in.
Depths	...	7	7	7	7	7	7	10	in.

Porcelain Enamelled Inside, Plain Painted Outside **18/6 19/6 21/6 23/6 26/6 31/ 48/** each.

- If with Coupling Tail and Nut ... **2/6** each extra.
- " Rubber Washer as shown ... **6d.** " "
- If without Overflow ... **1/** " less.

PACKING FOR EXPORT.

- One Sink with Cover ... **9d.** net.
- Two Sinks with Board between and Strapped with Hoop Iron ... **1/** "
- Nesting 3 Sinks in open Top Box ... **2/** "
- " 4 " " " " " " " " " " " " **2/6** "

NOTE.—All Packing Charges Strictly Net.

One Sink with Cover Strapped on with Hoop Iron.

		15	18	21	24	27	30	36	in.
Cubic Measurement	...	1'15	1'46	1'8	2'23	2'61	3'13	3'9	ft.
Gross Weight	...	C. Q. L. 0 1 14	C. Q. L. 0 1 18	C. Q. L. 0 1 22	C. Q. L. 0 2 2	C. Q. L. 0 2 16	C. Q. L. 0 3 0	C. Q. L. 0 3 20	

Four assorted sized Sinks Nested in Open Top Box.


Cubic Measurement	...	1 each 15, 18, 21, and 24 in.							4'61	ft.
Gross Weight	...								C. Q. L. 1 3 14	

Cast-iron Kitchen Sinks.


White Porcelain Enamelled Inside. With Improved Waste Fittings and Overflow.

No. 3 Kitchen Sink.

All sizes given are Inside Measurements.



Cast-on overflow, cemented in waste, brass plug and chain, wrot. screwed Nipple cast in outlet.
Waste seat securely cemented in, and wrot. iron screwed Nipple cast into outlet as shown in section.




Section showing overflow, brass plug and grating, wrot. iron screwed Nipple cast in.


Lengths	...	15	18	21	24	27	30	36	ins.
Widths	...	11	12	13	14	15	16	18	"
Depths	...	7	7	7	7	7	7	10	"

Porcelain Enamelled Inside, Plain Painted Outside, **16/6 17/6 19/6 21/6 24/6 29/ 46/** each.
If without Overflow, ... **1/** each less. If without Screwed Nipple cast in, ... **4d.** each less.

No. 13 Kitchen Sink.



Cast-on overflow, brass plug, brass waste fixed to sink with 3 Brass screws, wrot. screwed 2 in. Nipple cast in outlet.



Section showing improved waste fittings and wrot. screwed Nipple cast in outlet.

This Waste Seat being securely fixed with brass screws, entirely obviates any possibility of working loose, and can easily be unscrewed should it be desirable at any time to remove the fitting.

Lengths	...	15	18	21	24	27	30	36	ins.
Widths	...	11	12	13	14	15	16	18	"
Depths	...	7	7	7	7	7	7	10	"

Porcelain Enamelled Inside, Plain Painted Outside, **17/6 18/6 20/6 22/6 25/6 30/ 47/** each.
If without Overflow, ... **1/** each less. If without Screwed Nipple cast in, ... **4d.** each less.

Packing, Nos. 3 or 13 for Export.

- One Sink with Cover, ... **9d.** net. extra.
- Two Sinks with board between and Strapped with Hoop Iron ... **1/** "
- Nesting 3 Sinks in open Top Box, ... **2/** "
- " 4 " " " " " " " " " " " " **2/6** "

NOTE.—All Packing Charges Strictly Net.

One Sink with Cover Strapped on with Hoop Iron.

		15	18	21	24	27	30	36	ins.
Cubic Measurements	...	1'54	1'94	2'39	2'98	3'48	4'17	6'51	feet.
Gross Weight	...	C. Q. L. 0 1 14	C. Q. L. 0 1 18	C. Q. L. 0 1 22	C. Q. L. 0 2 2	C. Q. L. 0 2 16	C. Q. L. 0 3 0	C. Q. L. 0 3 20	


Four Sinks nested in Open Top Box.

Cubic Measurement	...	1 each 15, 18, 21, and 24 ins.							7'57	feet.
Gross Weight	...								C. Q. L. 1 3 14	

N.B.—By shipping in assorted sizes cubic measurement is reduced to minimum.

Kitchen Sinks.


No. 1 Kitchen Sink Heavy Pattern.



Length	...	15	18	21	24	ins.
Width	...	12½	12½	13½	13½	"
Depth	...	8	8	8	8	"
Painted	...	9/6	10/	12/	13/	each.
Galvanized	...	15/	16/	18/	19/6	"
Porcelain Enamelled	...	22/	23/	26/	27/6	"
Length	...	27	30	33	36	ins.
Width	...	14½	14½	15½	15½	"
Depth	...	8	8	8¾	8¾	"
Painted	...	15/6	16/6	19/6	22/	"
Galvanized	...	24/6	26/	31/	37/	"
Porcelain Enamelled	...	31/	33/	38/	46/	each.

No. 6 Kitchen Sink, Heavy Pattern.


With Division in Centre, and Two Plugs and Washers, without Overflow.



36 in. long x 15½ in. wide x 8½ in. deep.

Painted	...	29/	each.
Galvanized	...	45/	"
Porcelain Enamelled	...	65/	"


Kitchen Sinks.



No. 11 Sink, with 1 in. Roll Edge.


Fitted with Brass Grating, Stopper, and Chain. Wrot. Iron Nipple cast in. Screws cast on underside when required for fixing to No. 11 or No. 11A Brackets. Sink Porcelain Enamelled inside and on roll, Plain Painted outside.

Size,	26 x 16 x 10	in. deep.
PRICE,	48/	each.




No. 11 Sink Bracket

Size, ...	16 x 20 in. high.
Painted, ...	6/6 per pair.




Section of Waste Fitting of No. 11 Sink, shown fitted to No. 11 Syphon.




No. 11 Syphon
For No. 11 Sink.

Sink Syphon with brass cleaning plug and brass nut for fixing to outlet of Sink. For pipe 1½ in. diar. Glass Enamelled Inside, ... **10/** each.



No. 11A Sink Bracket


Size, ...	15½ x 20 in. high.
Painted, ...	6/6 per pair.



No. 2 Sink Syphon

With Brass Cleaning Plug.


For Pipe 2½ in. diam.	
Painted	... 7/ each.
Galvanized,	... 9/ "
Glass Enamelled Inside	9/ "



No. 4 Corner Sink.

With Improved Overflow, Brass Plug and Washer.

Radius	...	15 in.	18 x 7 in. deep.
Painted,	17/	19/ each.
Galvanized,	22/	24/ "
Porcelain Enamelled,	...	31/	35/ "



No. 1 Sink Syphon

With Brass Cleaning Plug.

For Pipe 2½ in. diam.	
Painted, 7/ each.
Galvanized, 9/ "
Glass Enamelled Inside	9/ "

Lavatory Bowls and Urinals.



No. 2 Lavatory Bowl.

Fitted with Brass Grating, Plug and Union for waste; with or without Overflow.


SIZES ...	12	12½	13	13½	14	14½	15	16	in. dia. overall.
Fine Cast ...	7/	7/6	8/	8/	8/4	8/8	9/	9/	each.
Porcelain Enamelled ...	11/	11/6	12/	12/6	13/	13/6	14/	15/	"



No. 5.—Flat Urinal.

12 in. wide, 6 in. deep.


Fine Cast ...	6/	each.
Glass Enamelled ...	10/6	"
Porcelain Enamelled ...	14/6	"



No. 3.—Corner Urinal.

15¼ in. wide, 9 in. deep, 11 in. side.


Fine Cast ...	8/	each.
Glass Enamelled ...	13/6	"
Porcelain Enamelled ...	18/	"



No. 1.—Flat Urinal.

12 in. wide, 15 in. deep.


Fine Cast ...	9/	each.
Glass Enamelled ...	15/	"
Porcelain Enamelled ...	22/	"



No. 4.—Corner Urinal.

17 in. wide, 16 in. deep, 11½ in. side.

Fine Cast ...	11/6	each.
Glass Enamelled ...	21/	"
Porcelain Enamelled ...	26/	"




No. 2.—Corner Urinal.

11¾ in. wide, 7¾ in. deep, 7½ in. side.


Fine Cast ...	6/6	each.
Glass Enamelled ...	12/	"
Porcelain Enamelled ...	17/	"

Supply Cisterns and Covers.

Supply Cistern and Cover.




No.	Capacity in Gallons.	Sizes.		Fine Cast.	Barffed.	Galvanized.	Glass Enamelled.
1	2½	12 × 6½ × 9 in.	Cistern	4/	6/	7/	9/6
			Cover	1/	1/6	1/8	2/6
2	3	12 × 6½ × 12 "	Cistern	4/4	6/10	8/	10/
			Cover	1/	1/6	1/8	2/6
3	3	15 × 6½ × 9 "	Cistern	4/6	7/	8/6	10/6
			Cover	1/2	1/10	2/	3/
4	4	15 × 6½ × 12 "	Cistern	5/6	8/6	10/	12/
			Cover	1/2	1/10	2/	3/
4A	6	15 × 6½ × 18 "	Cistern	7/8	12/	13/6	15/
			Cover	1/2	1/10	2/	3/
7	7	21 × 6½ × 15 "	Cistern	10/	15/	18/	19/
			Cover	2/	2/8	3/	4/
8	5	16 × 6½ × 14 "	Cistern	8/	11/6	12/6	14/
			Cover	2/	2/8	3/	3/8
9	6	18 × 7 × 14 "	Cistern	9/	13/	14/	15/6
			Cover	2/	2/8	3/	3/8
10	7	18 × 7½ × 15 "	Cistern	10/	15/6	16/6	18/
			Cover	2/	2/8	3/	3/8
11	8	21 × 7½ × 14 "	Cistern	9/6	14/6	15/6	17/
			Cover	2/4	3/6	3/8	4/6
12	5	18 × 5¾ × 14 "	Cistern	8/6	12/6	14/	15/6
			Cover	1/8	2/4	2/6	3/



Cisterns as above, fitted With ½ in. Ball Valve, and Drilled for Overflow and Outlet, 9/ each extra.

Supply Cisterns and Covers.

Float-stone Cistern.



No.	Capacity in galls.	Sizes.		Fine Cast.	Barffed.	Galvanized.	Glass Enamelled.
5	6	14 × 10 × 12 in.	Cistern	10/6	15/	17/	17/
			Cover (Flat)	1/8	2/6	3/	3/
5A	9	14 × 10 × 18 "	Cistern	16/	23/	26/	26/
			Cover (Flat)	1/8	2/6	3/	3/
6	10½	18 × 12 × 14 "	Cistern	16/	23/	26/	26/
			Cover (Flat)	2/6	3/6	4/6	4/6

Cisterns as above, fitted with ½-in. Ball Valve and Drilled for Overflow and Outlet, **9/** each extra.

Supply Cistern and Cover.



No.	Capacity in galls.	Sizes.		Fine Cast.	Barffed.	Galvanized.	Glass Enamelled.
15	2	16½ × 8½ × 9⅝ in.	Cistern	5/6	8/6	9/	10/
			Cover	2/4	3/4	3/6	4/6
16	3	18½ × 8¾ × 9¾ "	Cistern	6/6	10/	10/6	11/6
			Cover	2/10	4/	4/6	5/6
17	4	19½ × 9 × 11 "	Cistern	8/	12/	13/	14/
			Cover	3/4	5/	5/6	6/6
18	6	23½ × 11½ × 11⅛ "	Cistern	13/6	20/	22/	23/
			Cover	4/	6/	6/4	7/6

Cistern Brackets.

No. 1

Sizes A— 6½ 7½ 7½ 8½ 8½ 9½ 10 in.
 „ B— 7 8½ 8½ 8½ 8½ 10 10 „
 Fine Cast 1/4 1/6 1/6 1/6 1/6 2/ 2/ per pair
 Galvanized 1/10 2/2 2/2 2/4 2/4 2/9 3/ „

No. 2

Sizes A— 9½ 10 10½ in.
 „ B— 9½ 9½ 9½ „
 Fine Cast 1/8 1/9 1/9 per pair.
 Galvanized 2/6 2/7 2/7 „

No. 3

Size A— 11½ in.
 „ B— 10 „
 Fine Cast 2/6 per pair.
 Galvanized 3/6 „

No. 67

Sizes .. 8×8 8×10 in.
 Fine Cast 1/6 1/8 per pair.
 Galvanized 2/2 2/4 „

No. 80

Sizes A— 9 10 in.
 „ B— 10 10 „
 Fine Cast 1/1 1/2 per pair.
 Galvanized 1/9 1/10 „

No. 14T

Sizes A— 7½ 7½ 8½ 8½ 8½ 9 9½ 10 10½ 11 in.
 „ B— 7 7 7 7 7 7 7 7 7 7 „
 Painted 11d 11d 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 2/ 2/ 1/3 per pair
 Galvanized 1/3 1/3 1/6 1/6 1/6 1/6 1/8 1/8 2/ 2/ 2/2 „

No. 4T

Size, .. 20×23 in.
 Painted, .. 8/ per pair
 Galvanized, .. 12/6 „

No. 14A

Sizes A— 8½ 10 10½ 11 11½ 11½ 12½ 14½ 15 16 in.
 „ B— 3 3 3 3 3 3 3 3 3 3 „
 „ C— 9½ 9½ 9½ 9½ 9½ 9½ 12½ 12½ 12½ 12½ „
 Painted, 1/9 2/4 2/4 2/6 2/6 3/2 3/2 3/10 3/10 4/4 p. pair
 Galvanized, 3/6 4/ 4/ 4/4 4/4 5/ 5/ 6/ 6/ 7/ „

No. 15

Sizes A— 8 8½ 9 10 10½ 11 11½ 12 12½ 14½ 15½ 16½ in.
 „ B— 8 8 8 8 8 8 8 8 8 12 12 12 „
 Tail .. 4½ 4½ 4½ 4½ 4½ 4½ 4½ 4½ 4½ 8½ 8½ 8½ „
 Painted 2/3 2/4 2/4 2/6 2/6 2/8 2/10 2/10 3/ 3/8 3/10 4/ p. pair
 Galvanized, 3/4 3/6 3/6 3/8 3/8 3/10 4/ 4/ 4/4 5/6 6/ 7/ „
 Porcelain Enamelled 7/6 7/6 8/ 8/ 8/ 8/6 8/6 9/6 9/6 10/6 10/6 11/ „


No. 14B

Sizes A— 5 6 7½ 8½ 8½ 8½ 9 9½ 10 10½ 11 in.
 „ B— 10 10 9½ 9½ 9½ 11 9½ 9½ 11 11 „
 Painted .. 2/ 2/ 2/4 2/4 2/4 2/6 2/6 2/6 2/10 3/ 3/2 p. pair.
 Galvanized .. 3/4 3/4 4/ 4/ 4/ 4/4 4/4 4/8 5/ 5/6 5/8 „
 Porcelain Enamelled 6/8 6/8 7/ 7/ 7/ 7/4 7/4 7/8 7/8 8/ 8/6 „

Sizes A— 11½ 12 12½ 12½ 13 13½ 13½ 14 14½ 15½ 16½ in.
 „ B— 11 12½ 12½ 13½ 12½ 12½ 12½ 13 14½ 14½ 14½ „
 Painted .. 3/2 3/6 3/8 3/8 3/10 3/10 3/10 3/10 4/6 4/9 5/ p. pair.
 Galvanized .. 5/8 5/10 6/4 6/4 6/8 6/8 6/8 6/8 7/ 7/2 7/4 „
 Porcelain Enamelled 8/6 9/ 9/ 9/ 9/ 9/ 9/ 9/6 10/ 10/3 10/6 „

W. C. Seat Brackets.

No. 7 T



SIZE ...	7 1/4 x 7 3/4 in.
Painted ...	1/6 per pair.
Galvanized ...	2/6 "
Porcelain Enamelled	6/ "


No. 1 T



With Groove for Rubber Strip.


SIZE ...	16 x 8 in.
Painted ...	3/ per pair.
Galvanized ...	5/ "
Porcelain Enamelled	7/ "

No. 6



SIZE ...	11 x 14 3/4 in.
Painted ...	5/4 per pair.
Galvanized ...	8/ "
Porcelain Enamelled	10/ "


No. 1



Prepared for 3 Rubber Studs.

SIZE ...	15 1/2 x 7 3/4 in.
Tail ...	2 3/4 "
Painted ...	5/ per pair.


No. 5 T



With or without Groove for Rubber Strip.

SIZE ...	17 x 8 in.
Painted ...	4/6 per pair.
Galvanized ...	7/ "
Porcelain Enamelled	11/ "


No. 2



Prepared for 2 Rubber Studs.

SIZE ...	17 1/2 x 7 1/4 in.
Tail ...	3 "
Painted ...	4/4 per pair.


No. 10



With Groove for Rubber Strip.

SIZE ...	18 x 17 1/4 in.
Painted ...	7/6 per pair.
Galvanized ...	11/6 "
Porcelain Enamelled	14/ "

No. 2 T




With Groove for Rubber Strip.

SIZE ...	16 x 16 1/2 in.
Painted ...	6/ per pair.
Galvanized ...	9/6 "
Porcelain Enamelled	12/ "


Seat and Lavatory or Sink Standards.

No. 645.




SIZES, ...	18 x 20	19 x 20	21 x 20 in.
Painted, ...	10/	10/6	11/ per pair.
Galvanized, ...	16/	17/	18/ "
Porcelain Enamelled,	18/	19/	20/ "

No. 646.



SIZES, ...	17 x 19	19 x 19	21 x 19 in.
Painted, ...	7/	7/6	8/ per pair.
Galvanized, ...	11/	12/	13/ "
Porcelain Enamelled,	14/6	15/6	16/6 "


No. 646B.



SIZES, A, ...	16 1/2	20 in.
" B, ...	19	19 "
" C, ...	19 1/2	20 3/4 "
" D, ...	10	12 "


Painted,	9/	9/6 per pair
Galvanized,	12/6	13/ "
Porcelain Enamelled,	25/	28/ "

No. 3 T.



SIZES, ...	16 1/2 x 21 1/4	16 1/2 x 24 in.
Painted,	10/6	11/ per pair.
Galvanized,	17/6	18/ "
Porcelain Enamelled,	34/	35/ "


No. 35 T.



SIZES, ...	15 x 20	22 x 20 in.
Painted,	10/	12/ per pair.
Galvanized,	17/	18/6 "
Porcelain Enamelled,	28/	30/ "


Cantilever Brackets.

No. 53 T




SIZES—Overall	29 3/4	33 1/2	in.
Projection	22	25 1/2	"
Tail	8	8	"
Depth	3 1/2	3 1/2	"
Painted	8/6	9/6	per pair
Galvanized	15/	16/6	"
Porcelain Enamelled	17/	19/	"

No. 66 T



SIZES—Overall	21	27	in.
Projection	15	18	"
Tail	6	9	"
Depth	3 1/2	3 1/2	"
Painted	5/6	7/6	per pair
Galvanized	9/	12/	"
Porcelain Enamelled	12/	14/	"


No. 54 T



SIZES—Overall	24 1/2	27	27 1/2	28	30	41	in.
Projection	18	20	21 1/2	21 1/2	24	34	"
Tail	6 1/2	7	6	6 1/2	6	7	"
Depth	3	3	3	3	3	3	"
Painted	7/6	8/	9/	9/	10/	12/	per pair.
Galvanized	12/	13/	14/6	14/6	15/6	18/	"
Porcelain Enamelled	16/	17/	19/	19/	20/	22/	"


No. 66 A

With Stud, 3 in. from front.



SIZES—Overall	18 1/2	24 1/2	26 1/2	28 1/2	30 1/2	36	in.
Projection	14	16	18	20	22	24	"
Tail	4 1/2	8 1/2	8 1/2	8 1/2	8 1/2	12	"
Depth	3 1/2	3 1/2	3 1/2	3 1/2	3 1/2	3 1/2	"
Painted	5/	6/	6/8	7/	7/6	9/	per pair.
Galvanized	7/6	9/6	11/	12/	13/	15/	"
Porcelain Enamelled	11/6	13/	13/6	14/6	15/6	18/	"


No. 55 T



SIZES—Overall	26	in.
Projection	17	"
Tail	9	"
Depth	3	"
Painted	5/6	per pair.
Galvanized	10/	"
Porcelain Enamelled	13/	"


No. 66 B

With Nib on Front, 3/4 in. turn up.



SIZES—Overall	22 1/2	24 1/2	26 1/2	28 1/2	34	36	in.
Projection	14	16	18	20	22	24	"
Tail	8 1/2	8 1/2	8 1/2	8 1/2	12	12	"
Depth	3 1/2	3 1/2	3 1/2	3 1/2	3 1/2	3 1/2	"
Painted	5/	6/	6/8	7/	9/	9/	per pair.
Galvanized	7/6	9/6	11/	12/	15/	15/	"
Porcelain Enamelled	11/6	13/	13/6	14/6	17/	18/	"

Cantilever Brackets.



No. 25 A

SIZES—Overall	14 1/2	15	15 1/2	15 3/8	16 1/2	in.
Projection	10	10 1/2	11	11 3/8	12	"
Tail	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	"
Depth	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	"
Painted	2/	2/	2/4	2/4	2/8	per pair
Galvanized	4/	4/	4/6	4/6	5/	"
Porcelain Enamelled	7/6	7/6	8/	8/	9/	"

SIZES—Overall	17 1/4	23 1/4	23 3/4	25	in.
Projection	12 3/4	14 3/4	15 1/4	16 1/2	"
Tail	4 1/2	8 1/2	8 1/2	8 1/2	"
Depth	2 3/4	2 3/4	2 3/4	2 3/4	"
Painted	2/8	3/4	3/4	4/	per pair
Galvanized	5/	6/	6/	7/	"
Porcelain Enamelled	9/	10/	10/	11/	"



No. 50 T, as shown

No. 50 A, without Stud.

SIZES—Overall	12 1/2	15 1/2	16	18	20	21 1/2	22	in.
Projection	8	11	11 1/2	13	14	14 1/2	16	"
Tail	4 1/2	4 1/2	4 1/2	5	6	7	6	"
Depth	3	3	2	3	3	3	3	"
Painted	3/9	4/	2/10	4/6	5/4	6/	6/	per pair
Galvanized	7/	7/6	4/6	8/	9/	10/	10/	"
Porcelain Enamelled	11/6	12/	10/	13/	14/	15/	15/	"

SIZES—Overall	23	24 1/2	26 1/2	28 1/2	31 1/2	34	in.
Projection	16 1/2	16	18	20	22	22	"
Tail	6 1/2	8 1/2	8 1/2	8 1/2	9 1/2	12	"
Depth	3	3	3	3	3	3	"
Painted	7/	7/	7/	8/	8/6	9/6	per pair
Galvanized	11/6	11/6	11/6	12/6	13/	14/	"
Porcelain Enamelled	16/	16/	16/	17/	18/	19/	"



No. 51 T

SIZES—Overall	14 1/2	15 1/2	17 1/2	20	19 1/2	21 1/2	21 3/4	in.
Projection	10 1/2	11 1/2	11 1/2	15 1/2	13	14 1/2	14 3/4	"
Tail	4	4	6	4 1/2	6 1/2	7	7	"
Depth	2	2	2	3	3	3	3	"
Painted	2/4	2/4	2/8	6/	6/	6/6	6/6	per pair
Galvanized	3/6	3/6	4/6	9/6	9/6	10/	10/	"
Porcelain Enamelled	9/6	9/6	10/6	14/	14/	15/	15/	"

SIZES—Overall	22 1/2	24 1/2	24 1/2	26 1/2	27	27 1/2	28 1/2	in.
Projection	18	16	18 1/2	18	20 1/2	21	20	"
Tail	4 1/2	8 1/2	6	8 1/2	7	6 1/2	8 1/2	"
Depth	3	3	3	3	3	3	3	"
Painted	7/6	7/6	7/6	7/6	8/	8/6	8/6	per pair
Galvanized	11/6	11/6	11/6	11/6	12/	13/	13/	"
Porcelain Enamelled	17/	17/	17/	17/	17/	17/	17/	"

SIZES—Overall	28 1/2	30	30	30 1/2	32 1/2	34	41	in.
Projection	22 1/2	23	23 1/2	18	25	22	33 1/2	"
Tail	6	7	6 1/2	12 1/2	7 1/2	12	7 1/2	"
Depth	3	3	3	3	3	3	3	"
Painted	8/6	9/	9/	9/	9/	10/	11/6	per pair
Galvanized	13/	13/6	14/	14/	13/6	15/	17/	"
Porcelain Enamelled	17/	18/	17/	17/	18/	19/	21/6	"



No. 52 T

SIZES—Overall	19 1/2	21	24 1/2	27	in.
Projection	14	14	18 1/2	20	"
Tail	5 1/2	7	6	7	"
Depth	3	3	3	3	"
Painted	5/	5/6	6/6	7/6	per pair
Galvanized	8/6	9/6	10/6	11/6	"
Porcelain Enamelled	12/	13/	14/	15/	"


Shelf Brackets.

No. 13.



SIZE, ... $17\frac{1}{2} \times 7\frac{1}{2}$ in.
 Fine Cast, **24/** per doz.

No. 14.




SIZE, ... 14×7 in.
 Fine Cast, ... **20/** per doz.

No. 15.



SIZE, ... $15\frac{3}{4} \times 8$ in.
 Fine Cast, ... **20/** per doz.

No. 17.



SIZES, ... $9\frac{1}{4} \times 11\frac{1}{4}$ $10\frac{1}{4} \times 12$ in.
 Fine Cast, **15/6 16/** per doz.

No. 18.




SIZE, ... $17\frac{1}{2} \times 7\frac{1}{2}$ in.
 Fine Cast. **20/** per doz.

No. 16.




SIZES, ... 5×4 6×5 in.
 Fine Cast, **4/6 5/** per doz.

No. 20.



SIZE, ... $15\frac{1}{2} \times 15\frac{1}{2}$ in.
 Fine Cast, **25/** per doz.

No. 22.



SIZES, ... 3×4 4×5 5×6 in.
 Fine Cast, **2/ 2/6 3/** per doz.
 SIZES, ... 6×8 8×10 10×12 in.
 Fine Cast, **3/6 5/ 6/** per doz.


No. 19.



SIZE, ... 14×6 in.
 Fine Cast, ... **16/6** per doz.

Screen or Partition Bracket.

No. 23.



SIZES, ... 5×6 6×7 in.
 Fine Cast, ... **3/9 4/4** per doz.

No. 21.



SIZES, ... 4×5 5×6 6×7 in.
 Fine Cast, **3/ 3/6 4/** per doz.
 SIZES, ... 7×8 8×10 9×11 in.
 Fine Cast, **4/6 5/6 7/** per doz.
 SIZES, ... 10×12 12×14 in.
 Fine Cast, **7/6 9/** per doz.

SIZES, ... 7×8 8×10 10×12 in.
 Fine Cast, **5/ 6/6 9/** per doz.

SIZES, ... 14×24 14×30 14×36 in.
 Fine Cast, **2/8 3/4 3/6** each.
 SIZES, ... 14×42 14×48 in.
 Fine Cast, **4/6 5/** each.

Shelf Brackets.

No. 81



SIZE ... 11×13 in.
 Fine Cast **21/** p. doz.

No. 2




SIZES ... $8\frac{1}{2} \times 9$ 9×10 in.
 Fine Cast **14/6 16/** p. doz.

No. 1




SIZES ... 5×5 $6\frac{1}{4} \times 6$ 7×7 $8\frac{1}{4} \times 7\frac{1}{4}$ in.
 Fine Cast **7/6 8/6 9/6 10/6** p. doz.

No. 2 (Reversed).



SIZES ... $9 \times 8\frac{1}{2}$ 10×9 in.
 Fine Cast **14/6 16/** p. doz.

No. 4




SIZE ... $12 \times 8\frac{1}{2}$ in.
 Fine Cast **18/** per doz.

No. 0




SIZES ... 6×7 7×8 7×9 8×10 in.
 Fine Cast **5/ 6/ 7/6 8/6** per doz.
 SIZES ... 9×10 9×11 10×12 10×14 in.
 Fine Cast **10/ 10/ 10/ 11/6** per doz.
 SIZES ... 12×14 12×18 14×17 16×18 in.
 Fine Cast **11/ 14/ 15/ 16/** per doz.
 SIZES ... 16×20 18×20 18×24 in.
 Fine Cast **16/ 17/ 18/** per doz.
Can be had without Upstand.

No. 5




SIZE ... 19×11 in.
 Fine Cast ... **84/** per doz.

No. 7 With Flower Ornament.



SIZE ... $26 \times 13\frac{1}{2}$ in.
 Fine Cast ... **88/** per doz.

No. 7 With Squirrel Ornament.




SIZES ... 25×13 $19\frac{1}{2} \times 12\frac{1}{2}$ in.
 Fine Cast **88/ 76/** per doz.

No. 3




SIZES ... $11 \times 9\frac{1}{2}$ $12 \times 9\frac{1}{2}$ $13 \times 10\frac{1}{2}$ $14 \times 10\frac{1}{2}$ in.
 Fine Cast **21/ 21/6 22/6 24/** per doz.

No. 10



SIZE ... $20 \times 8\frac{1}{2}$ in.
 Fine Cast ... **34/** per doz.

No. 8



SIZE ... $11\frac{3}{4} \times 11\frac{3}{4}$ in.
 Fine Cast ... **25/** per doz.

No. 9




SIZES ... 6×6 7×7 8×8 9×9 in.
 Fine Cast **4/6 5/ 7/ 7/6** per doz.
 SIZES ... 10×10 11×11 11×12 in.
 Fine Cast **10/6 11/ 12/** per doz.
 SIZES ... 12×12 13×13 14×14 in.
 Fine Cast **16/ 19/ 25/** per doz.
 SIZES ... 15×15 16×16 18×18 in.
 Fine Cast **25/6 26/6 36/** per doz.

No. 12



SIZE ... $18 \times 7\frac{1}{2}$ in.
 Fine Cast ... **25/** per doz.


No. 11



SIZE ... 16×7 in.
 Fine Cast ... **20/** per doz.


Wheels.

No. 5 Sheep Truck Wheel.




Diameter	Width of Tyre.	Length of Nave.	Bore.	PRICE Each.
7 in.	2 ³ / ₈ in.	1 ³ / ₄ in.	1 in.	2/
8 "	"	1 ³ / ₄ "	1 "	2/2
8 "	"	2 ³ / ₈ "	"	2/4
9 "	"	1 ³ / ₄ "	"	2/4
9 "	"	1 ³ / ₄ "	1 "	2/6
10 "	"	1 ³ / ₄ "	"	2/8
10 "	"	1 ³ / ₄ "	1 "	2/8
11 "	"	1 ³ / ₄ "	1 "	3/
12 "	"	2 "	1 "	3/4
12 "	"	2 ¹ / ₈ "	"	3/4

No. 29 Truck Wheel.




Diameter	Width of Tyre.	Length of Nave.	Size of Hole.	PRICE Each.
8 in.	1 ¹ / ₂ in.	1 ¹ / ₂ in.	5/8 in.	2/
11 "	1 ⁵ / ₈ "	1 ¹ / ₂ "	"	2/4

No. 2A Plough or Grubber Wheel.




Diameter	Width of Tyre.	Length of Nave.	Bore.	PRICE Each.
7 in.	2 in.	2 ¹ / ₂ in.	1/8 in.	1/8
8 "	"	2 "	"	1/10
8 "	"	2 ¹ / ₂ "	"	2/
9 "	"	2 "	"	2/2
9 "	"	2 ¹ / ₂ "	"	2/6
10 "	"	2 "	"	3/2
10 "	"	2 ¹ / ₂ "	"	3/4
10 "	"	2 ¹ / ₂ "	1 "	3/4
12 "	"	2 ⁵ / ₈ "	1 "	4/
14 "	"	2 ⁵ / ₈ "	1 "	5/

No. 30 Truck Wheel.




Diameter	Width of Tyre.	Length of Nave.	Bore.	PRICE Each.
11 ⁵ / ₈ in.	2 ³ / ₈ in.	3 ¹ / ₄ in.	1 in.	4/8
12 "	2 ³ / ₈ "	3 ¹ / ₄ "	1 "	5/
17 "	3 ¹ / ₂ "	4 ⁵ / ₈ "	1 "	6/4

No. 4 Heavy Truck Wheel.



Diameter	Width of Tyre.	Length of Nave.	Bore.	PRICE Each.
9 in.	2 ⁵ / ₈ in.	3 ¹ / ₈ in.	1 ¹ / ₄ in.	5/6
9 ⁹ / ₈ "	"	"	1 ¹ / ₄ "	6/
10 ¹ / ₄ "	"	"	1 ¹ / ₄ "	6/
10 ¹ / ₂ "	"	"	1 ⁵ / ₈ "	6/8
10 ¹ / ₂ "	"	"	1 ¹ / ₄ "	6/8


No. 1A Plough or Grubber Wheel.



Diameter	Width of Tyre.	Length of Nave.	Bore.	PRICE Each.
8 in.	2 ³ / ₄ in.	3 ³ / ₈ in.	1/8 in.	2/4
9 "	2 ³ / ₄ "	3 ³ / ₈ "	"	2/6
10 "	3 "	4 "	"	3/6
11 "	3 "	4 "	"	4/
12 "	3 "	4 "	"	4/4
13 "	3 ¹ / ₄ "	4 ¹ / ₄ "	1 "	5/2
14 "	3 ¹ / ₄ "	4 ¹ / ₄ "	1 "	6/


Wheels.

No. 31 Truck Wheel.




Diameter.	Width of Tyre.	Length of Nave.	Size of Hole.	PRICES.
17 ³ / ₄ in.	1 ⁵ / ₈ in.	4 ³ / ₄ in.	1 in. sq.	8/ each.

No. 32 Truck Wheel.




Diameter.	Width of Tyre.	Length of Nave.	Size of Hole.	PRICES
17 in.	1 ³ / ₄ in.	2 ¹ / ₂ in.	1 in. sq.	6/4 each.
18 "	2 ¹ / ₄ "	2 ¹ / ₄ "	1 ¹ / ₄ "	6/6 "
18 "	2 ¹ / ₄ "	2 ¹ / ₄ "	1 "	7/6 "

No. 11 Navy's Barrow Wheel.



Diameter.	Width of Tyre.	Length of Spindle.	PRICES.
16 ¹ / ₂ in.	4 ³ / ₈ in.	6 ³ / ₄ in. long × 3/4 in. dia.	4/4 each.
16 ¹ / ₂ "	"	7 " " × 1/2 " "	4/4 "
16 ¹ / ₂ "	"	7 " " × 5/8 " "	4/4 "
17 "	"	7 " " × 1/2 " "	4/6 "
17 ¹ / ₂ "	"	6 ³ / ₄ " " × 3/4 " "	4/8 "
17 ¹ / ₂ "	5 in.	7 " " × 1/2 " "	4/8 "


No. 8 Barrow Wheel.



Diameter.	Width of Tyre.	Length of Nave.	Diam. of Nave.	Size of Hole.	PRICES.
17 ¹ / ₂ in.	2 ¹ / ₄ in.	2 ³ / ₈ in.	2 ¹ / ₂ in.	1 in. sq.	5/ each.
18 "	2 ¹ / ₄ "	2 ¹ / ₂ "	2 ³ / ₈ "	1 "	5/ "

Wheels.

No. 7 Truck Wheel.




Diameter.	Width of Tyre.	Length of Nave.	Diameter of Nave.	Size of Hole, Round or Square.	PRICES.
5 in.	1 1/4 in.	1 1/4 in.	1 1/2 in.	1/8 in.	10d. each.
" "	" "	1 3/8 in.	" "	" "	10d. "
6 "	" "	1 1/2 in.	1 5/8 in.	" "	1/ "
7 "	" "	1 3/4 in.	1 7/8 in.	" "	1/ "
" "	" "	1 5/8 in.	2 1/4 in.	" "	1/ "
8 "	1 3/8 in.	1 3/4 in.	1 5/8 in.	1 "	1/4 "
" "	" "	" "	1 7/8 in.	" "	1/4 "
9 "	" "	1 3/4 in.	1 5/8 in.	" "	1/6 "
10 "	1 1/2 in.	1 3/4 in.	" "	" "	1/9 "
" "	" "	" "	2 1/4 in.	" "	1/9 "
12 "	1 3/4 in.	1 3/4 in.	1 7/8 in.	" "	2/6 "
" "	1 5/8 in.	" "	2 1/4 in.	" "	2/6 "
14 "	1 3/4 in.	1 3/4 in.	2 "	" "	3/4 "
16 "	2 1/4 in.	2 "	2 1/8 in.	" "	4/ "
18 "	2 3/4 in.	2 1/4 in.	" "	1 "	4/8 "
20 "	2 3/4 in.	2 1/4 in.	2 1/4 in.	" "	6/ "

Truck Wheels can be had with either round or square holes.

Truck Wheels and Barrow Wheels fitted with Wrot. Iron Spindles and Gudgeons, 9/ each extra.


Crowding Barrow Wheels.



Diameter.	Width of Tyre.	Length of Nave.	Hole.	PRICES.
No. 9 17 in.	1 3/4 in.	4 1/2 in.	1 in. sq.	5/ each.
" 9 20 3/4 "	" "	" "	" "	6/ "
" 10 " "	1 1/4 "	4 3/4 "	1 1/4 "	6/6 "


Wheels.

No. 23 Gin Wheel—without Frame.



Diameter	Length of Nave	Groove	Hole.	Dia. of Nave	PRICES.
8 in.	1 3/8 in.	1 in.	5/8 in.	1 5/8 in.	2/2 each.
9 "	1 1/2 in.	1 1/8 in.	" "	" "	2/10 "
10 "	" "	1 1/4 in.	" "	1 3/4 in.	3/6 "
12 "	" "	" "	3/4 sq.	" "	3/8 "
14 "	" "	" "	" "	1 1/2 in.	4/4 "
16 "	2 1/4 in.	1 5/8 in.	7/8 in.	2 "	5/6 "
18 "	2 3/8 in.	1 1/2 in.	1 in.	2 1/4 in.	7/ "

No. 22 Valve Wheel.




Diameter	Length of Nave.	Hole.	PRICES.
2 in.	3/8 in.	1/4 in.	1/6 per dozen
2 3/8 "	7/8 "	" "	2/ "
2 3/4 "	1 1/8 "	5/16 "	2/6 "
3 1/8 "	1 1/4 "	" "	3/ "
3 1/2 "	" "	3/8 "	4/ "
4 1/4 "	1 1/2 "	" "	5/ "
4 1/2 "	" "	" "	6/ "

No. 24 Gin Wheel—with Frame.
Spindle Mounted with Brass Bushes.



Diameter	Length of Nave.	Groove.	Hole	PRICES.
12 in.	1 3/4 in.	1 1/4 in.	3/4 in.	30/ each.
14 "	" "	" "	" "	32/ "
16 "	2 1/4 in.	1 5/8 in.	7/8 in.	34/ "
18 "	2 3/4 in.	" "	1 in.	36/ "


No. 25 Whip Pulley Wheel.



Diameter	Length of Nave	Groove	Hole.	Dia. of Nave	PRICES.
12 in.	1 5/8 in.	1 in.	5/8 in.	1 5/8 in.	14/ each.
14 "	2 "	1 1/4 in.	" "	1 3/4 in.	16/ "
16 "	2 1/4 in.	1 5/8 in.	" "	2 "	18/ "
18 "	2 3/4 in.	1 3/4 in.	" "	2 "	21/ "


Wheels and Door Hangers.

No. 21 Fanner Wheel and Pinion.




	Diameter	Width of Tread.	Length of Nave.	Hole.	PRICE per set.
Fanner	10 1/4 in.	3 in.	1 3/4 in.	7/8 in.	2/4
Pinion	3 "	"	"	"	"
Fanner	12 "	"	1 3/4 "	7/8 "	2/6
Pinion	3 "	"	"	"	"
Fanner	14 "	"	2 "	1 "	3/3
Pinion	3 "	"	"	"	"
Fanner	16 "	"	2 1/4 "	1 1/8 "	4/
Pinion	3 "	"	"	"	"

No. 19 Gate Roller.



Width —10 in.—
With Wheels 3 1/2 4 4 1/2 5 in. dia.
5/6 6/ 6/6 7/ per set.


No. 27 Gate Roller.



With round grooved pulley and wrot. iron hanger, blacked.


Diam. of Pulley ... 6 in.
7/6 each.

No. 29 Gate Roller.




Width ... 8 1/4 11 1/4 14 in.
With Wheels 4 7 9 in. dia.
PRICE ... 4/6 6/8 10/ per set.

No. 30 Gate Roller.



Width ... 15 in.
With Wheels ... 7 in. dia.
PRICE ... 10/6 per set.


No. 18 Sliding Door Hanger.



With square grooved pulley and wrot. iron hanger. Blacked.


Diam. of Pulley 3 4 in.
PRICE, without Washer Plate } 33/ 35/ per doz.
Washer Plate 10/ 10/ ex. per doz.

No. 31 Gate Roller.



Width ... 9 1/2 in.
With Wheels 7 in. dia.
PRICE ... 6/ per set.

No. 20 Sliding Door Hangers.




SIZES.

Wheel, 7 in. dia., with Groove for 3/8 in. Flat Iron.
Hanger, 19 1/2 in. long x 9 in. wide.
PRICE 10/ each.


Wall Ties, Wire Strainers, Sweep's Ball, Clothes Rack End and Skid Iron.

No. 1 Tie Plate.




Sizes, ... 3 4 4 6 7 8 9 9 10 in.
Size of Hole, ... 3/8 1/2 1 3/4 7/8 7/8 1 1 1/8 1 3/8 "

No. 2 Tie Plate.




Size, ... 12 in.
Size of Hole, ... 1 1/8 "

Wall Tie.




Size, ... 7 3/8 in.
Fine Cast, ... 2/ per doz.
Galvanized, ... 3/4 "

No. 1 Wire Strainer.



Size, ... 3 3/8 in. long x 2 1/2 in. dia.
PRICE, ... 3/4 per doz.

No. 2 Wire Strainer.




Size, 3 1/2 in. deep x 2 1/2 in. wide
PRICE, 105/ per gross

Sweep's Ball.



Sizes, 2 1/2 2 3/8 2 1/2 3 in. dia.
PRICES, 11/ 11/6 13/ 14/ per doz.
SIZES, 3 1/2 4 4 3/8 5 1/2 in. dia.
PRICES, 20/ 26/ 30/ 58/ per doz.

Clothes Rack End.




Size, ... 16 in. long.
PRICE, Lacquered, ... 8/ per doz.

Skid Iron.



Sizes, 1 1/2, 2, 2 1/2, 3, 3 1/2, 4, 4 1/2, 5, 6 in.
PRICE, 18/ per cwt.


Boot Lasts, Fountain and Tin-Smith Stakes.



BOOT LASTS.

Three-way Boot Lasts.


	No. 1.	No. 2.	
Fine Cast,	24/	26/	per doz.
Fine Cast and Blacked,	25/	27/	"



No. 5 Boot Last and Knee Plate.

Size at	A	B	PRICE, each.
	4 3/4 in.	5 in.	8d.
	5 "	6 1/4 "	10d.
	6 1/4 "	7 1/2 "	1/4
	6 3/4 "	8 1/2 "	1/8
	6 3/4 "	9 1/2 "	2/
	7 1/2 "	10 1/2 "	2/9

Knee Plate, 10 x 4 1/2 in.,
1/8 each.



Fountain.



With Cup, Chain, and Brass Push-cock, complete.


Sizes Overall,	38 in. high x 21 in. wide.
Projection of Basin,	8 1/2 in.
Fine Cast and Painted,	80/ each.
Vitreous Enamelled,	130/ "

Drinking Cups, each fitted with 3 ft. Galvanized Dog Chain.


	Fine Cast.	Galvanized.	Porcelain Enamelled Inside.
PRICES, ...	5/	5/6	6/ each.

Tin-Smith Stakes.

No. 1.



No. 2.




	No. 1.	No. 2.
Size Overall, ...	4 ft. 6 in.	4 ft. 6 in.
PRICES, ...	30/	28/ each.

Coffee Roaster, Treacle Tap, Dumb Bells and Scale Weights.

DUMB BELLS.

No. 1



SIZES	1/2, 1, 1 1/2, 2, 2 1/2, 3 lbs.	4, 5, 6, 7, 8 lbs. each.
PRICES	37/4 per cwt.	26/ per cwt.
	9, 10, 11, 12, 13, 14, 15, 16, 18, 20 lbs. each.	22, 24, 28, 30, 36, 40, 50, 60, 112 " "
PRICES	23/ per cwt.	

No. 3



SIZES	1, 2, 3 lbs.	4, 5, 6, 7, 8 lbs.	10, 12, 14, 16 lbs. each.
PRICES	37/4 per cwt.	26/ per cwt.	23/ per cwt.

No. 2




SIZES	1, 2, 2 1/2, 3 lbs.	4, 5, 6, 7, 8 lbs. each.
PRICES	37/4 per cwt.	26/ per cwt.
	9, 10, 12, 14, 16, 20, 30 lbs. each.	
PRICES	23/ per cwt.	

No. 4




SIZES	2, 3 lbs.	4, 5, 6, 7, 8 lbs.	9, 10 lbs. each.
PRICES	37/4 per cwt.	26/ per cwt.	23/ per cwt.

Coffee Roaster.



SIZE	...	9 1/4 in. diam. x 4 in. deep
PRICE	...	10/ each.

Treacle Tap.



SIZES	...	1 1/4	1 1/2	1 3/4	2	2 1/4 in.
PRICES	...	4/6	5/	5/6	6/6	7/ each.

Flat Scale Weights.




SIZES	...	1/4, 1/2, 1, 2, 4 lbs. ea.
Adjusted but not Stamped	5/6 6/ 7/ 9/ 13/	per doz.
If Stamped	2/6 2/6 3/ 3/ 3/	ex. "

Ring Weight.



SIZES	...	1/4, 1/2, 1, 2, 4, 7, 14, 28, 56 lbs. ea.
Adjusted but not Stamped	6/ 7/ 8/ 10/ 16/ 22/ 43/ 76/ 126/	per doz.
If Stamped	2/6 2/6 3/ 3/ 3/ 5/6 6/ 8/ 8/	ex. "


Bar Weight.



SIZES	...	1/2, 1, 2, 4, 7, 14, 28, 56 lbs. ea.
Adjusted but not Stamped	8/ 9/ 12/ 17/ 21/ 36/ 66/ 110/	per doz.
If Stamped	2/6 3/ 3/ 3/ 5/6 6/ 8/ 8/	ex. "

Three Legged Pots and Covers.

Plain Raised Cover.



Ornamental Raised Cover.



In sizes to suit Pots.

Wrought Bail Handles.




In sizes to suit Pots.

No. 2 Common Three Legged or Negro Pot.



No. 3 Negro Pot, without Legs.



No. 1 Long Legged or Kafir Pot.



No. 4 Extra Long Legged or Kafir Pot.




Sizes, ... $\frac{1}{8}$, $\frac{1}{4}$, $\frac{1}{2}$, $\frac{3}{4}$, 1, $1\frac{1}{4}$, $1\frac{1}{2}$, $1\frac{3}{4}$, 2, $2\frac{1}{2}$, 3, $3\frac{1}{2}$, 4, 5, 6, 7, 8, 9, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 45, 50, 60, 70 80 Gallons.


Prices on application.

Cassada Plate, Bake Plate and Camp Ovens.

No. 1 Cassada Plate.



Bake Plate.




Sizes, $\frac{1}{8}$ in. thick, 8, 9, 10, 11, 12, 13, 14, 15, 18, 20 in. dia.
 $\frac{1}{6}$ " 12 in. diameter.
 $\frac{1}{4}$ " 18, 19 in. diameter.


$\frac{1}{4}$ in. thick, 10, 11, 12, 13, 14, 15, 16, 17, 20, 24 in. dia.
 $\frac{1}{6}$ " 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 23, 24 in. dia.
 $\frac{1}{2}$ " 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 23, 24 "

Camp Oven Covers.

In Sizes to suit Camp Ovens.



Plain Flat Cover.



Plain Raised Cover.

Wrought Bail Handle.

In Sizes to suit Camp Ovens.



Camp Oven or Baking Pot.



Sizes, Shallow Pattern, 6 to 20 (rising 1 in.) and 22 and 24 in. dia.
 Deep Pattern, 9 to 18 rising 1 in.

Camp Oven or Baking Pot.

With Long Legs.




Sizes, Shallow Pattern, 6 to 20 (rising 1 in.) and 22 and 24 in. dia.
 Deep Pattern, 9 to 18 rising 1 in.

Prices on application.

Danish Pans, Dutch Stoves and Soap Pots.

Danish Pans.



No. 1 Danish Pan.


SIZES
1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 18, 20, 22, 25, 26 Gallons.

No. 2 Danish Pan.

With Cover.



SIZES
4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 18, 20, 22, 25, 26 Gallons.



No. 3 Danish Pan.

SIZES
1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 18, 20, 22, 25, 26 Gallons.

Nos. 1 and 3 with or without Feet, and No. 2 with or without Covers

Dutch Stoves.

With fixed or drop Ring Handles and with or without Trivets.



No. 3A

SIZES
7 to 16 in. diameter at mouth, rising 1 in.



No. 1

SIZES
6 to 16 in. diameter at mouth, rising 1 in.



No. 1A

SIZES
6 to 16 in. diameter at mouth, rising 1 in.

Soap Pot Covers and Bails.




Wrought Bail Handle.
In sizes to suit Soap Pots.



No. 1 Soap Pot, Deep Pattern.

SIZES 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60 gallons.



Wrought Cover for Soap Pots.

Sizes to suit Pots.

8 to 25 gallons .. One Handle.
Above 25 .. Two ..




No. 2 Soap Pot, Shallow Pattern.

SIZES, 8, 10, 12, 14, 16, 18, 20, 25, 30, 35, 40, 50, 60 gallons.

Prices on application.

Pudding Pans, Bake Kettles, &c.

Pudding Pan.



Sizes,	3 in. deep.	8, 9, 10, 11, 12, 13, 14, 15, 16 in. dia.
	3 1/2 "	8, 9, 10, 11, 12, 13, 14, 15, 16 "
	4 "	9, 10, 11, 12, 13, 14, 15, 16 "
	4 1/2 "	15 in. diameter.
	4 3/4 "	12, 13, 14, 16 in. diameter.
	5 "	14, 15, 15 1/2, 16 "

PRICES,	...	8 to 9	10 to 16 in.	
		34/	30/	per cwt.


Skillet Pan.



Sizes, 1/4, 1/2, 3/4, 1, 1 1/4, 1 1/2 gallons.

PRICES,	...	1/4	1/2	3/4 and 1	1 1/4 and 1 1/2	
		62/	44/	34/	30/	per cwt.

Wigan Pan.



Flat Bottom.							
Sizes,	6	7	7 1/2	8	8 1/2	9	10 in. dia.
	3 3/8	3 3/8	3 3/8	4 1/4	4 3/8	4 3/8	5 1/4 in. deep.
PRICES,	12/	13/6	14/6	16/6	18/	19/	23/6 per doz.
Sizes,	11	12	13	14	15	16	16 in. dia.
	5 1/2	6	6 3/8	6 3/4	6 3/4	7 1/2	7 1/2 in. deep.
PRICES,	26/	32/	38/6	41/	55/	60/	per doz.

Round Bottom.							
Sizes,	6	7	8	8 1/2	9	9 1/2	10 in. dia.
	3 1/2	3 3/4	4 1/4	4 1/2	4 3/4	5 1/4	5 1/2 in. deep.
PRICES,	11/6	13/	14/	15/6	18/	18/6	22/ per doz.
Sizes,	11	12	13	14	15	16	17 in. dia.
	5 1/2	6 3/4	7	7 1/2	8	8	8 3/8 in. deep.
PRICES,	24/	30/	36/6	40/6	48/	53/	60/ per doz.


	6 to 9	10 to 14	15 to 17 in. dia.
Flat Bow Handles,	11/	12/6	14/6 ex. per doz.
Do. with Swivel Ring,	13/	14/6	16/6 " "

Pitch Pot.



PRICES,	...	1	1 1/2 to 4	5 and 6 gallons.	
		33/	30/	28/	per cwt.


Pitch Kettle



Sizes,	12	14 in. diameter.
			7	8 in. deep.
PRICES,	28/	per cwt.

Frying Pans and Girdles.

Frying Pan, Round or Oval.



SIZES	8	9	10	11	ins.	
With Bow and Swivel	20/	21/	22/	24/	per doz.			
With Plain Bow	19/6	20/6	21/6	23/6	"			
SIZES	12	13	14	15	ins.	
With Bow and Swivel	27/6	29/6	33/6	37/	per doz.			
With Plain Bow	27/	29/	35/	36/6	"			


Frying Pan, Round or Oval.



With Lip and Long Cast Handle.

SIZES	...	9 to 19 in. diar., rising 1 in.
PRICE	...	32/6 per cwt.

Frying Pan.



With Lip and Ears.

SIZES	...	6 to 19 in. diar., rising 1 in.
PRICE	...	28/ per cwt.

Manger Pot.



SIZES	...	6	7	8	gall.
Inside dia. of Mouth	...	11 ³ / ₄	12 ⁷ / ₈	13 ⁵ / ₈	ins.
Over Flange	...	14 ¹ / ₂	15 ¹ / ₂	16 ³ / ₈	"
Depth	...	9 ¹ / ₂	10 ⁵ / ₈	10 ³ / ₈	"
PRICES	...	6/	7/	8/	each.


Girdle, with Folding Bow and Swivel.




SIZES	...	9	10	11	12	13	14	15	16	in.
Light Pattern	25/	25/6	26/	27/	28/	31/	35/	37/6	per doz.	
1/4 in. thick	28/	29/	30/	32/	34/	38/	43/	47/	"	
1/6 "	29/6	31/	32/	34/6	37/6	41/6	47/6	52/6	"	
3/8 "	31/	32/6	34/6	37/6	41/	45/	52/	58/6	"	
SIZES	...	17	18	19	20	21	22	23	24	in.
Light Pattern	40/6	44/	50/	53/	57/	61/	66/	72/	per doz.	
1/4 in. thick	52/	57/	64/	68/	73/	78/	84/	92/	"	
1/6 "	58/	64/6	71/	76/6	82/	88/6	95/	104/	"	
3/8 "	63/6	72/	79/	85/	92/	99/	106/	116/	"	

If with Folding Bow Handles, no Swivel, ... 6d. per doz. less.
 If with Plain Fixed Bow Handles, no Swivel, 5/ " "

Cast Iron Mortars and Pestles for Quartz Crushing, &c.



No. 1			No. 2			No. 4		
Inside Diameter	4 ¹ / ₂	5 ¹ / ₂ in.	6 in.	13 ¹ / ₂	5 ¹ / ₂	7 ¹ / ₂ in.	5 ¹ / ₂	7 ¹ / ₂ in.
Depth	6	7	13 ¹ / ₂	6 ¹ / ₂	7 ¹ / ₂	6 ¹ / ₂	7 ¹ / ₂	7 ¹ / ₂
Average Weight of Mortar	21	31 lb.	85 lb.	35	60 lb.	35	60 lb.	35
PRICES	7/	8/ each	21/ each	10/	15/ each	10/	15/ each	10/
If turned Inside	6/	8/ ex.	13/ ex.	6/	6/ ex.	6/	6/ ex.	6/
Average Weight of Pestle	5	6 lb.	12 lb.	6	8 lb.	6	8 lb.	6
PRICES, with 4 ft. Wood Shaft	4/6	5/ each	5/6 each	5/	5/6 each	5/	5/6 each	5/




No. 3											No. 5				
Inside Diameter	3 ¹ / ₂	4 ¹ / ₂	4 ³ / ₈	5 ³ / ₈	5 ¹ / ₂	6 ¹ / ₂	7	8	9	in.	SIZE No.	25	30	50	70
Depth	6 ¹ / ₂	7	7 ¹ / ₂	9	9 ¹ / ₂	10 ¹ / ₂	9 ¹ / ₂	10 ¹ / ₂	11 ³ / ₈	"	5 ¹ / ₂	6	7	8	in.
Average Weight of Mortar	18	29	32	44	46	70	74	105	130	lb.	7 ³ / ₈	7 ¹ / ₂	8 ³ / ₈	9 ³ / ₈	"
PRICES	5/6	7/6	8/	10/	11/	15/	16/	21/	26/	each	9 ¹ / ₂	9	10 ¹ / ₂	12	"
Mortars turned Inside	6/	6/	6/	6/6	6/6	9/	9/	9/	12/	ex.	42	41	78	124	lb.
Average Weight of Pestle	4	6	6	9	9	12	16	16	16	lb.	10/6	11/	18/	27/	each
PRICES, with 4 ft. Wood Shafts	4/	5/	5/	5/6	5/6	6/	6/6	6/6	6/6	each	6/6	7/	9/	12/	ex.
											12/	12/	12/	12/	each


NOTE.—Pestles for No. 5 Mortars, 5¹/₂ and 6 in. are supplied with 3 ft. 6 in. Shafts; and for 7 and 8 in. with 4ft. Shafts

Pestles, Chilled and Ground, 1/6 each extra.

Cast Iron Mortars and Pestles for Quartz Crushing, &c.




No. 6




No. 7

Inside Diameter	4	5	5½	6½ in.
Depth inside	11½	12½	7½	12½ ..
Average Weight of Mortar ..	54	78	41	107 lbs.
PRICES	13/	16/	10/	22/ each.
Mortars turned inside	13/	13/	6/6	13/ .. extra
Average Weight of Pestle ..	8	8	12	12 lb.
PRICES, with 3 ft. 6 in. Wood Shafts	12/	12/	12/	12/ each.

Inside Diameter	6	6½	8 in.
Depth inside	7½	9½	18½ ..
Average Weight of Mortar ..	23	30	178 lb.
PRICES	6/6	9/6	37/ each.
Mortars turned inside	6/6	6/6	18/ .. extra
Average Weight of Pestle ..	6	6	16 lb.
PRICES, with 4 ft. 0 in. Wood Shafts	5/	5/	6/6 each.



No. 8



No. 9

Inside Diameter	6½ in.
Depth inside	9 ..
Average Weight of Mortar ..	60 lb.
PRICE	14/ each.
Mortars turned inside	9/ .. extra.
Average Weight of Pestle ..	6 lb.
PRICE, with 4 ft. 0 in. Wood Shaft	5/ each.


Inside Diameter	5½ in.
Depth inside	7 ..
Average Weight of Mortar ..	40 lb.
PRICE	9/6 each.
Mortars turned inside	6/6 .. extra.
Average Weight of Pestle ..	20 lb.
PRICE, 24 in. long (all cast iron)	5/ each.

Pestles, Chilled and Ground, 1/6 each extra.

Bushes.

"Falkirk" Brand Van, Waggon, and Cart Bushes or Axle Boxes

FOR WOOD OR IRON AXLES,



SIZES Up to 7½ 8 to 9 9½ in. long and up.

Prices on application.

THE FALKIRK IRON COMPANY beg to draw the attention of the Trade to the points of superiority which the Bushes made by them have over those of other makers.

1. They are made from a mixture of the best brands of Pig Iron, carefully selected to obtain a **strong, tough, and durable** Bush.
2. The Iron is melted in a **reverberatory furnace**, not in an ordinary cupola. This ensures a purer iron, closer in grain, prevents air holes, and secures greater toughness and durability.
3. They are cast **vertically**, not horizontally, so producing a Bush quite concentric and of equal thickness all round. The Falkirk Iron Company do not supply Bushes moulded and cast horizontally, as Bushes made in that manner are so weak and easily broken that they are practically of no value.
4. Being moulded **on end on turned mandrils**, the inside of the Bush is perfectly **chilled**, is hardened and toughened, and is thus more durable than those cast on their side, with green sand cores.

The observance of these points enables The Falkirk Iron Company to produce a very superior Bush, and although the cost of production is necessarily increased, the selling prices are arranged to compete with those of inferior make.

All Bushes of The Falkirk Iron Company's manufacture have their Trade Mark "**Falkirk**" stamped on, and all who desire these Bushes are respectfully requested to see that they bear this brand.

Bushes—Continued.

No. 1 (Short or Long Feather) Cart Bushes.

Table with 2 columns: Number (4 1/2 to 6 3/4) and Bush configurations (e.g., 1 x 1, 1 1/2 x 1, 2 x 1).

Table with 2 columns: Number (6 1/2 to 7 3/4) and Bush configurations (e.g., 1 x 1, 1 1/2 x 1, 2 x 1).

Table with 2 columns: Number (7 1/2 to 8) and Bush configurations (e.g., 1 x 1, 1 1/2 x 1, 2 x 1).

Table with 2 columns: Number (8 to 8 3/4) and Bush configurations (e.g., 2 x 2, 2 1/2 x 2, 3 x 2).

Table with 2 columns: Number (9 to 9 1/2) and Bush configurations (e.g., 2 x 2, 2 1/2 x 2, 3 x 2).

Table with 2 columns: Number (9 3/4 to 10) and Bush configurations (e.g., 2 x 2, 2 1/2 x 2, 3 x 2).

Bushes—Continued.

Table with 2 columns: Number (10 to 10 3/4) and Bush configurations (e.g., 3 x 3, 3 1/2 x 3, 4 x 3).

Table with 2 columns: Number (11 to 11 1/2) and Bush configurations (e.g., 3 x 3, 3 1/2 x 3, 4 x 3).

Table with 2 columns: Number (11 3/4 to 12) and Bush configurations (e.g., 3 x 3, 3 1/2 x 3, 4 x 3).

Table with 2 columns: Number (12 to 12 1/2) and Bush configurations (e.g., 3 x 3, 3 1/2 x 3, 4 x 3).

Table with 2 columns: Number (13 to 13 1/2) and Bush configurations (e.g., 3 x 3, 3 1/2 x 3, 4 x 3).

No. 2 Capped Bush.

Table with 2 columns: Number (11 to 13) and Bush configurations (e.g., 2 x 2, 2 1/2 x 2, 3 x 2).

No. 3 Australian Bush.

Table with 2 columns: Number (7 to 11) and Bush configurations (e.g., 1 x 1, 1 1/2 x 1, 2 x 1).

Bushes—Continued.

				Diameter.				Length					
				A	B	C	D						
11	2 1/4	1 1/2	1 1/2	9	3 1/8	2	1 1/2	5 1/8	5	3	3	2 3/4	2 3/4
"	"	"	"	"	4 1/8	3	1 1/2	"	4 1/8	3	"	2 3/4	2 3/4
"	"	"	"	"	5 1/8	4	1 1/2	5 1/8	5	4	"	2 3/4	2 3/4
"	"	"	"	"	6 1/8	5	1 1/2	6 1/8	6	5	"	2 3/4	2 3/4
"	"	"	"	"	7 1/8	6	1 1/2	7 1/8	7	6	"	2 3/4	2 3/4
"	"	"	"	"	8 1/8	7	1 1/2	8 1/8	8	7	"	2 3/4	2 3/4
"	"	"	"	"	9 1/8	8	1 1/2	9 1/8	9	8	"	2 3/4	2 3/4
"	"	"	"	"	10 1/8	9	1 1/2	10 1/8	10	9	"	2 3/4	2 3/4
"	"	"	"	"	11 1/8	10	1 1/2	11 1/8	11	10	"	2 3/4	2 3/4
"	"	"	"	"	12 1/8	11	1 1/2	12 1/8	12	11	"	2 3/4	2 3/4
"	"	"	"	"	13 1/8	12	1 1/2	13 1/8	13	12	"	2 3/4	2 3/4
"	"	"	"	"	14 1/8	13	1 1/2	14 1/8	14	13	"	2 3/4	2 3/4
"	"	"	"	"	15 1/8	14	1 1/2	15 1/8	15	14	"	2 3/4	2 3/4
"	"	"	"	"	16 1/8	15	1 1/2	16 1/8	16	15	"	2 3/4	2 3/4
"	"	"	"	"	17 1/8	16	1 1/2	17 1/8	17	16	"	2 3/4	2 3/4
"	"	"	"	"	18 1/8	17	1 1/2	18 1/8	18	17	"	2 3/4	2 3/4
"	"	"	"	"	19 1/8	18	1 1/2	19 1/8	19	18	"	2 3/4	2 3/4
"	"	"	"	"	20 1/8	19	1 1/2	20 1/8	20	19	"	2 3/4	2 3/4
"	"	"	"	"	21 1/8	20	1 1/2	21 1/8	21	20	"	2 3/4	2 3/4
"	"	"	"	"	22 1/8	21	1 1/2	22 1/8	22	21	"	2 3/4	2 3/4
"	"	"	"	"	23 1/8	22	1 1/2	23 1/8	23	22	"	2 3/4	2 3/4
"	"	"	"	"	24 1/8	23	1 1/2	24 1/8	24	23	"	2 3/4	2 3/4
"	"	"	"	"	25 1/8	24	1 1/2	25 1/8	25	24	"	2 3/4	2 3/4
"	"	"	"	"	26 1/8	25	1 1/2	26 1/8	26	25	"	2 3/4	2 3/4
"	"	"	"	"	27 1/8	26	1 1/2	27 1/8	27	26	"	2 3/4	2 3/4
"	"	"	"	"	28 1/8	27	1 1/2	28 1/8	28	27	"	2 3/4	2 3/4
"	"	"	"	"	29 1/8	28	1 1/2	29 1/8	29	28	"	2 3/4	2 3/4
"	"	"	"	"	30 1/8	29	1 1/2	30 1/8	30	29	"	2 3/4	2 3/4
"	"	"	"	"	31 1/8	30	1 1/2	31 1/8	31	30	"	2 3/4	2 3/4
"	"	"	"	"	32 1/8	31	1 1/2	32 1/8	32	31	"	2 3/4	2 3/4
"	"	"	"	"	33 1/8	32	1 1/2	33 1/8	33	32	"	2 3/4	2 3/4
"	"	"	"	"	34 1/8	33	1 1/2	34 1/8	34	33	"	2 3/4	2 3/4
"	"	"	"	"	35 1/8	34	1 1/2	35 1/8	35	34	"	2 3/4	2 3/4
"	"	"	"	"	36 1/8	35	1 1/2	36 1/8	36	35	"	2 3/4	2 3/4
"	"	"	"	"	37 1/8	36	1 1/2	37 1/8	37	36	"	2 3/4	2 3/4
"	"	"	"	"	38 1/8	37	1 1/2	38 1/8	38	37	"	2 3/4	2 3/4
"	"	"	"	"	39 1/8	38	1 1/2	39 1/8	39	38	"	2 3/4	2 3/4
"	"	"	"	"	40 1/8	39	1 1/2	40 1/8	40	39	"	2 3/4	2 3/4
"	"	"	"	"	41 1/8	40	1 1/2	41 1/8	41	40	"	2 3/4	2 3/4
"	"	"	"	"	42 1/8	41	1 1/2	42 1/8	42	41	"	2 3/4	2 3/4
"	"	"	"	"	43 1/8	42	1 1/2	43 1/8	43	42	"	2 3/4	2 3/4
"	"	"	"	"	44 1/8	43	1 1/2	44 1/8	44	43	"	2 3/4	2 3/4
"	"	"	"	"	45 1/8	44	1 1/2	45 1/8	45	44	"	2 3/4	2 3/4
"	"	"	"	"	46 1/8	45	1 1/2	46 1/8	46	45	"	2 3/4	2 3/4
"	"	"	"	"	47 1/8	46	1 1/2	47 1/8	47	46	"	2 3/4	2 3/4
"	"	"	"	"	48 1/8	47	1 1/2	48 1/8	48	47	"	2 3/4	2 3/4
"	"	"	"	"	49 1/8	48	1 1/2	49 1/8	49	48	"	2 3/4	2 3/4
"	"	"	"	"	50 1/8	49	1 1/2	50 1/8	50	49	"	2 3/4	2 3/4

CART BUSHES.

No. 1 Pattern Cart Bushes are supplied with either Long or Short Feathers, and with or without Grease Room.

Other sizes of Bushes will be made free of charge for Patterns, if ordered in not less than Ten Pairs.

Sashweights.

No. 1 Round.



No. 1 Round.

No. 2 Square.



No. 2 Square.

No. 3 Flat.



No. 3 Flat.

No. 4 Hook and Eye.





















No. 4 Hook and Eye.

Prices on application.











No. 1 Round.		No. 1 Round.		No. 2 Square.		No. 2 Square.	
Weight.	Sizes.	Weight.	Sizes.	Weight.	Sizes.	Weight.	Sizes.
2 lbs.	1 1/4 x 6 1/2 in. long.	15 1/2 lbs.	1 5/8 x 29 1/2 in. long.	4 lbs.	2 x 2 x 5 1/2 in. long.	29 lbs.	2 x 2 x 32 in. long.
3 "	1 1/2 x 9 "	16 "	1 3/4 x 26 1/2 "	4 1/2 "	1 1/4 x 1 1/4 x 11 "	30 "	" x " x 32 1/2 "
3 1/2 "	1 3/4 x 10 1/2 "	16 1/2 "	" x 27 1/2 "	5 "	2 x 2 x 5 7/8 "	31 "	" x " x 35 1/4 "
4 "	1 3/8 x 11 "	17 "	2 1/4 x 16 1/2 "	5 1/2 "	" x " x 6 1/8 "	32 "	" x " x 35 3/4 "
4 1/2 "	1 3/4 x 14 1/4 "	"	1 5/8 x 26 1/2 "	6 "	" x " x 7 "	34 "	" x " x 37 1/2 "
5 "	1 3/8 x 12 1/2 "	"	2 1/8 x 17 1/2 "	6 1/2 "	" x " x 8 1/8 "	36 "	" x " x 40 "
5 1/2 "	1 3/4 x 15 1/4 "	17 1/2 "	1 3/4 x 27 "	7 "	" x " x 8 3/8 "	38 "	" x " x 42 "
6 "	1 3/8 x 16 1/2 "	18 "	" x 27 1/8 "	7 1/2 "	" x " x 8 5/8 "	39 "	" x " x 42 1/2 "
6 1/2 "	1 3/4 x 19 1/4 "	18 1/2 "	" x 27 3/8 "	8 "	" x " x 9 1/8 "	40 "	" x " x 44 "
7 "	1 3/8 x 20 "	19 "	" x 29 "	8 1/2 "	" x " x 9 3/8 "	No. 3 Flat.	
7 1/2 "	1 3/4 x 22 1/4 "	19 1/2 "	2 x 27 "	9 "	1 1/2 x 2 x 10 1/2 in. long.	2 1/2 x 1 x 7 in. long.	
8 "	1 3/8 x 23 1/2 "	20 "	" x 26 1/2 "	9 1/2 "	2 x 2 x 11 1/4 "	6 "	2 1/2 x 1 x 12 "
8 1/2 "	1 3/4 x 26 1/4 "	21 "	" x 26 3/4 "	10 "	" x " x 11 "	6 1/2 "	2 1/2 x 1 x 10 3/4 "
9 "	1 3/8 x 27 1/2 "	22 "	" x 27 1/8 "	10 1/2 "	1 3/4 x 1 1/4 x 11 1/4 "	7 "	2 x 1 x 14 1/2 "
9 1/2 "	1 3/4 x 30 1/4 "	23 "	" x 29 1/4 "	11 "	1 1/2 x 1 1/2 x 12 1/2 "	7 1/2 "	" x " x 15 1/2 "
10 "	1 3/8 x 31 1/2 "	24 "	2 1/8 x 29 3/4 "	11 1/2 "	1 1/2 x 1 1/2 x 13 1/2 "	8 "	2 1/2 x 1 x 12 1/2 "
10 1/2 "	1 3/4 x 34 1/4 "	25 "	" x 29 3/8 "	12 "	" x " x 13 1/4 "	8 1/2 "	1 1/2 x 1 1/2 x 15 "
11 "	1 3/8 x 35 1/2 "	26 "	" x 31 "	12 1/2 "	" x " x 13 3/4 "	"	2 x 1 x 16 1/4 "
11 1/2 "	1 3/4 x 38 1/4 "	27 "	2 1/4 x 32 1/2 "	13 "	2 x 2 x 14 3/8 "	"	" x " x 17 "
12 "	1 3/8 x 39 1/2 "	28 "	" x 31 1/2 "	13 1/2 "	" x " x 15 3/8 "	"	1 1/2 x 1 1/2 x 15 1/2 "
12 1/2 "	1 3/4 x 42 1/4 "	29 "	" x 32 1/8 "	14 "	" x " x 15 5/8 "	"	2 x 1 1/4 x 14 1/2 "
13 "	1 3/8 x 43 1/2 "	30 "	" x 34 "	14 1/2 "	" x " x 15 7/8 "	"	" x 1 x 18 1/2 "
13 1/2 "	1 3/4 x 46 1/4 "	31 "	2 1/2 x 35 "	15 "	1 1/2 x 1 1/2 x 16 1/2 "	"	" x " x 19 "
14 "	1 3/8 x 47 1/2 "	32 "	2 3/8 x 35 1/2 "	15 1/2 "	2 x 2 x 16 3/8 "	"	2 1/2 x 1 x 20 1/4 "
14 1/2 "	1 3/4 x 50 1/4 "	33 "	" x 36 "	16 "	1 1/2 x 1 1/2 x 17 1/2 "	"	2 x 1 x 21 1/2 "
15 "	" x 51 1/2 "	34 "	2 3/4 x 36 1/2 "	16 1/2 "	1 1/2 x 1 1/2 x 18 1/2 "	"	2 1/2 x 1 x 22 1/4 "
		35 "	2 1/2 x 37 "	17 "	2 x 2 x 18 "	"	2 x 2 x 23 1/2 "
		36 "	" x 37 1/2 "	17 1/2 "	" x " x 19 "	"	2 1/2 x 1 x 18 "
		37 "	" x 38 "	18 "	" x " x 20 "	"	2 x 2 x 24 1/2 "
		38 "	2 3/8 x 39 "	18 1/2 "	" x " x 21 1/4 "	"	" x " x 26 "
		39 "	2 1/4 x 40 "	19 "	1 1/2 x 1 1/2 x 21 1/2 "	"	2 1/2 x 1 x 21 "
		40 "	2 1/2 x 41 "	19 1/2 "	1 1/2 x 1 1/2 x 22 1/2 "	"	2 1/2 x 1 x 22 1/4 "
		41 "	" x 42 "	20 "	2 x 2 x 22 "	"	2 1/2 x 1 x 24 "
		42 "	" x 44 1/4 "	20 1/2 "	" x " x 23 "	"	2 1/2 x 1 1/2 x 17 1/2 "
		43 "	" x 44 1/2 "	21 "	" x " x 24 1/4 "	"	2 1/2 x 1 x 22 3/4 "
		44 "	" x 45 1/4 "	21 1/2 "	" x " x 24 3/4 "	"	" x " x 24 "
		45 "	" x 45 3/4 "	22 "	2 x 2 x 24 1/2 "	"	2 1/2 x 1 1/2 x 19 "
		46 "	" x 46 1/4 "	23 "	" x " x 25 1/4 "	"	2 1/2 x 1 1/2 x 27 1/2 "
		47 "	2 3/8 x "	24 "	1 1/2 x 1 1/2 x 34 1/4 "	"	2 1/2 x 1 1/2 x 20 "
		48 "	2 1/2 x 47 1/8 "	24 1/2 "	2 x 2 x 28 "	"	" x 1 1/4 x 26 1/2 "
		49 "	2 3/8 x 43 1/2 "	25 "	" x " x 28 1/2 "	"	2 1/2 x 1 x 28 "
		50 "	2 1/4 x 48 "	26 "	1 1/2 x 1 1/2 x 34 1/2 "	"	2 1/2 x 1 x 25 1/2 "
				27 "	2 x 2 x 29 3/8 "	"	" x " x 33 1/2 "
				28 "	" x " x 30 3/8 "	"	2 1/2 x 1 x 28 "

No. 4 Sashweights are formed of any sizes of No. 1, 2, or 3 linked together.

Cast Iron Switch Blocks, Joint Boxes, &c.


<p>No. 1 Circular Switch Block</p>  <p>$2\frac{1}{2} \times \frac{1}{2}$ in., 5/ $2\frac{1}{2} \times \frac{1}{2}$ in., 7/</p>	<p>No. 2 Circular Switch Block</p>  <p>$2\frac{1}{2} \times 1\frac{1}{2}$ in., 7/ per doz.</p>	<p>No. 3 Circular Switch Block</p>  <p>$2\frac{1}{2} \times 1$ in., 6/ per doz.</p>	<p>No. 4 Ceiling Rose</p>  <p>3×1 in. 8/6 per doz.</p>	<p>No. 5 Circular Switch Block</p>  <p>$2\frac{1}{2} \times 1\frac{1}{2}$ in., 5/6 per doz. $2\frac{1}{2} \times 1\frac{1}{2}$ in., 6/ "</p>
<p>No. 6 Junction Box</p>  <p>$3\frac{1}{2} \times 1\frac{1}{2} \times 2\frac{1}{2}$ in., 10/6 per doz.</p>	<p>No. 7 Ceiling Rose</p>  <p>3×1 in., 8/6 per doz.</p>	<p>No. 8 Circular Switch Block</p>  <p>3×2 in., 10/6 per doz.</p>	<p>No. 9 Ceiling Rose</p>  <p>3×1 in., 11/ per doz.</p>	<p>No. 10 Junction Box</p>  <p>$3\frac{1}{2} \times 1\frac{1}{2} \times 2$ in., 10/ per doz.</p>
<p>No. 31 Circular Switch Block</p>  <p>$3\frac{1}{2} \times 1\frac{1}{2}$ in., 23/ per doz.</p>	<p>No. 32 Circular Switch Block</p>  <p>$3 \times 1\frac{1}{2}$ in., 11/ per doz. 3×1 in., 7/6 "</p>	<p>No. 33 Ceiling Rose</p>  <p>$3 \times 1\frac{1}{2}$ in., 10/ per doz.</p>	<p>No. 34 Junction Box</p>  <p>$6 \times 3 \times 2\frac{1}{4}$ in., 16/ per doz.</p>	
<p>No. 13 Three-way Vertical Switch Block.</p>  <p>$8\frac{3}{4} \times 3 \times 1$ in., 25/ per doz.</p>	<p>No. 11 Two-way Horizontal Switch Block</p>  <p>$6 \times 3 \times 1$ in., 14/6 per doz.</p>	<p>No. 35 Four-way Square Switch Block</p>  <p>$6 \times 5\frac{1}{4} \times 1$ in. 28/ per doz.</p>	<p>No. 12 Three-way Horizontal Switch Block</p>  <p>$8\frac{3}{4} \times 3 \times 1$ in., 25/ per doz.</p>	

Cast Iron Switch Blocks, Joint Boxes, &c.

<p>No. 14 Two-way Vertical Switch Block.</p>  <p>$6 \times 3 \times 1$ in., 14/6 per doz.</p>	<p>No. 36 Plug and Switch Block.</p>  <p>$6 \times 3 \times 1$ in., 22/ per doz.</p>	<p>No. 15 Two-way Vertical Plug Block.</p>  <p>$6 \times 3 \times 1$ in., 22/ per doz.</p>	<p>No. 16 Three-way Vertical Plug Block.</p>  <p>$9 \times 3 \times 1$ in., 30/ per doz.</p>
<p>No. 23 Junction Box.</p>  <p>$7\frac{1}{4} \times 3 \times 1\frac{1}{8}$ in., 21/ per dozen.</p>	<p>No. 22 Junction Box.</p>  <p>$7\frac{1}{4} \times 2\frac{3}{4} \times 1\frac{1}{8}$ in., 21/ per dozen.</p>	<p>No. 17 Junction Box.</p>  <p>$5\frac{1}{8} \times 2\frac{3}{4} \times 1\frac{1}{8}$ in. 18/ per dozen $5\frac{1}{8} \times 2\frac{3}{4} \times 1\frac{1}{8}$ in. 18/6 "</p>	
<p>No. 21 Junction Box.</p>  <p>$5\frac{1}{4} \times 2\frac{3}{4} \times 1\frac{1}{8}$ in., 14/ per dozen. $5\frac{1}{4} \times 2\frac{3}{4} \times 1\frac{1}{8}$ in., 18/ "</p>	<p>No. 19 Junction Box.</p>  <p>$2\frac{5}{8} \times 2\frac{5}{8} \times 2$ in., 10/6 per dozen $5 \times 2\frac{5}{8} \times 2$ in., 18/ " $5 \times 5 \times 2$ in., 22/ " $7\frac{1}{4} \times 2\frac{5}{8} \times 2$ in., 28/ "</p>	<p>No. 20 Junction Box.</p>  <p>$9\frac{1}{8} \times 2\frac{3}{4} \times 1\frac{1}{2}$ in. 21/ per dozen $9\frac{1}{8} \times 2\frac{3}{4} \times 1\frac{1}{2}$ in., 22/ "</p>	


Cast Iron Switch Blocks, Joint Boxes, &c.

No. 27 Junction Box.




6 x 3 x 1 1/8 in.	...	13/	per dozen.
6 x 3 x 1 3/8 in.	...	14/	"
9 x 3 x 1 1/8 in.	...	18/	"
9 x 3 x 1 3/8 in.	...	18/	"

No. 26 Junction Box.




3 1/4 x 3 1/4 x 2 7/8 in.	...	6/	per dozen.
6 x 3 x 2 7/8 in.	...	9/	"
9 x 3 x 2 7/8 in.	...	15/	"
9 x 3 x 3 in.	...	15/	"




No. 30 Junction Box.



No. 29 Junction Box.



No. 18 Flanged Sunk Switch Box.



Complete with Covers.


3 1/2 x 3 1/2 x 1 in.	...	13/6	per dozen.
4 1/4 x 4 1/4 x 1 in.	...	18/	"
4 1/2 x 4 1/2 x 1 in.	...	21/	"
4 3/4 x 4 3/4 x 1 in.	...	20/	"
5 1/8 x 5 1/8 x 1 in.	...	22/	"
5 3/4 x 5 3/4 x 1 in.	...	27/6	"
6 x 6 x 1 1/2 in.	...	22/	"
6 1/2 x 6 1/2 x 2 in.	...	28/	"
7 x 7 x 2 1/2 in.	...	21/	"
7 x 7 x 2 3/4 in.	...	27/	"
8 x 8 x 1 7/8 in.	...	42/	"
8 1/2 x 8 1/2 x 1 7/8 in.	...	44/	"

3 1/8 x 3 1/8 x 1 3/4 in. **8/** per doz.

Complete with Covers.

3 x 3 x 1 3/8 in.	11/6	per doz.
3 x 3 x 1 1/2 in.	11/6	"
3 x 3 x 1 3/4 in.	12/	"

No. 28 Junction Box.




6 x 3 x 1 1/2 in.	Per dozen.	12/6
9 x 3 x 1 1/2 in.	"	17/
10 1/4 x 5 1/2 x 1 1/2 in.	"	25/
10 3/8 x 5 1/2 x 1 1/2 in.	"	25/
11 1/4 x 5 x 1 1/2 in.	"	26/
12 1/2 x 4 x 1 1/2 in.	"	24/6
12 1/2 x 5 x 1 1/2 in.	"	26/
12 1/2 x 7 x 1 1/2 in.	"	32/6
12 1/2 x 8 1/2 x 1 1/2 in.	"	37/
12 1/2 x 10 x 1 1/2 in.	"	40/
12 1/2 x 11 1/2 x 1 1/2 in.	"	43/
12 1/2 x 13 x 1 1/2 in.	"	47/
12 1/2 x 14 1/2 x 1 1/2 in.	"	49/
12 1/2 x 15 x 1 1/2 in.	"	52/
12 1/2 x 18 x 2 1/4 in.	"	80/
12 1/2 x 21 x 2 1/4 in.	"	90/
12 1/2 x 21 x 2 1/2 in.	"	90/

Division Standards.

No. 8



No. 16



No. 10




For Cement.

3 1/8 in. at base x 3 ft. 2 1/2 in. high.
PRICE ... **14/** each.

Height	30 1/2	36 3/8	42 1/2 in.
Between Centres of Rails	...	15	18	21 "
Bats	4 1/2	5	6 "
PRICE	7/6	8/	8/6 each.


3 1/2 in. at base x 3 ft. 3 in. high.
PRICE ... **13/6** each.

No. 18




29 in. at base x 4 ft. 6 in. high.
PRICE ... **13/6** each.

No. 3




7 in. at base x 3 ft. 0 in. high.
PRICE ... **5/6** each.

No. 19



7 in. at base x 3 ft. 0 in. high.
Holes 3/8 1 1/8 in. dia.
PRICE **5/ 5/ 5/** each.

No. 20



8 3/8 in. at base x 3 ft. 8 in. high.
PRICE ... **7/** each.


Division Standards and Guard Posts.

No. 191



4" at base x 4' 0" high.
26/ each.

No. 2




1' 0" at base x 2' 10 3/4" high.
80/ each.

No. 11




5" at base x 3' 4" high.
21/ each.

No. 4




7" at base x 4' 11" high.
110/ each.

No. 21



9" square flange at base 5' 9" high.
40/ each.


No. 1



5 1/4" at base x 3' 7 1/2" high.
80/ each.

Wall Guards and Gate Pillar.

No. 5 Wall Guard.




1' 4" x 2' 10" high.
26/ each.

No. 3 Wall Guard.




8 1/2" x 4' 4" high.
50/ each.

No. 8 Wall Guard.




1' 1" x 1' 8" high.
24/ each.

No. 7 Wall Guard.



9" x 9" x 4' 3" high.
Flange, 13" x 10 1/2"
55/ each.

No. 13 Gate Pillar.




Height, 6' 6" above ground; Shaft, 8" sq.;
Base, 1' 0 1/2" square.
£18 0 0 per pair.

Gate Stops and Street Gutters.

Gate Stops.

No. 2



7½ × 6¼ in. on top × 2⅝ in. deep.

5/ each.


No. 8



4 × 4 in.

3/ each.


No. 7



4 × 6 in.


4/ each.

No. 4



17/ each.

No. 6



11/6 each.

No. 1




5½ × 5½ × 8 in. deep 10/ each.

7½ × 6¼ × 8 " " 12/ "

7½ × 7½ × 10 " " 15/ "


No. 9



10 × 5 × 3 in. deep.

7/6 each.

No. 10




9¾ × 9 in. on top × 4½ in. deep.

12/6 each.

Street Gutters.

Angle, Right or Left Hand.



PRICE, 7/6 each.



SIZE ... 6 ft. 0 in. long × 3½ in. diam. inside.

PRICES ... 9/ per yard.

T Piece.



PRICE, 8/ each.


Stop End or Shoe for receiving R.W. Goods.



PRICE ... 9/ each.

Lamp Pillars.


No. 14



Height above } 10' 7"

With Root. £9 10 0


No. 4 C



9' 0½"

With Meter Box and Root. £9 5 0


No. 16



8' 7"

With Root. £3 0 0

No. 4 A




9' 6"

Without Root. £3 10 0

9' 6"

With Root. £4 10 0

No. 5 A



9' 9"


Without Root. £4 0 0

9' 9"

With Root. £5 0 0

Ground Line


20 1/2"



Motor Symbols and Directions Posts.

Posts painted two coats red.

Lettering painted white on dark back ground.



No. 3

With Automobile Club Badge and Direction Plate 2 ft. 6 in. x 10 in. 50/ each.

Club Badge only, painted 6/6 ea.

No. 5

With Hollow Red Triangle. 42/ each.

Triangle only, painted 7/ ea.

No. 6

With White Ring and "10 M.P.H." Plate. 45/ each.

Ring only, painted 7/ ea.

No. 4

Without Nameplates 38/ each.
Nameplates lettered on one side ... 9d. per letter.
Nameplates lettered on both sides ... 1/3 "

EXAMPLES OF PICTORIAL AND OTHER ENAMELLED IRON TABLETS FOR ADVERTISING.




IN ANY NUMBER OF COLOURS.

BOVRIL

WATSON'S MATCHLESS CLEANSER SOAP


MADE TO ANY SIZE.

BROOKE, BOND'S TEA



Perfect and Up-to-Date Plant for Rapid and Economical Production


DESIGNS and PRICES on APPLICATION.



Suchard's COCOA




TOWER TEA




The examples of Pictorial Enamelled Tablets on this page are intended to shew the usual poster design, adapted to the permanent form of Enamelled Advertisement. The advantages of displaying to the public, for lengthy periods, a neat, cleanly and artistic poster design on a ceramic base, has already been clearly proved from an economical standpoint.




No. 49




No. 45



No. 14




No. 44



No. 39



No. 2




No. 48




No. 38




No. 36



No. 47



No. 3



No. 46

The above Hearths may be had in any of the designs shewn on this page, size 48 ins. x 12 ins., at regular prices. Plates may be had in any special sizes in designs Nos. 1, 2, 3, 4, 5, 7, 8, 9, 15, 24, 25, 26, 28, and 36 at special prices.


TWO-COLOUR PLATES:—Nos. 44, 39, 38, 37, 47, 3, 36, 4, 5, 26, 7, 21, 25, 28, 24, 23, 9, 1, 27, 15, 35 and 8.
PRICES ON APPLICATION.




No. 37



No. 4



No. 5




No. 26



No. 7




No. 23



No. 25



No. 28



No. 21



No. 8




No. 9



No. 15




No. 27



No. 35



No. 1




No. 24

The above Hearths may be had in any of the designs shewn on this page, size 48 ins. x 12 ins., at regular prices.

THREE-COLOUR PLATES:—Nos. 49, 45, 14, 2, 48 and 46.
PRICES ON APPLICATION.

Examples of Special Castings Porcelain Enamelled.



We are in a position to supply special castings from customers' designs or patterns, and are specially well equipped to finish these in glass or porcelain enamel.

The illustration shows a variety of castings, all of which are porcelain enamelled white inside, and some are also enamelled outside.

Special quotations on application.

C. I. Bed Sockets.

No. 1.

SIZES at A B C D E F ins.
 $3\frac{3}{4}$ $1\frac{3}{4}$ $\frac{3}{4}$ $3\frac{1}{2}$ $1\frac{3}{16}$ $\frac{9}{16}$ ins.

PRICE **11**/ per dozen pairs.

No. 4.

SIZES at A B C D E E' F F' ins.
 $7\frac{3}{4}$ $1\frac{5}{8}$ $1\frac{5}{8}$ $7\frac{1}{2}$ $1\frac{3}{16}$ 1 $\frac{3}{16}$ $\frac{3}{8}$ ins.

PRICE **16**/ per dozen pairs.

SIZES at A B C D E F F' ins.
 $9\frac{5}{8}$ $1\frac{5}{8}$ $1\frac{5}{8}$ $9\frac{3}{8}$ $1\frac{3}{16}$ 1 $\frac{3}{16}$ $\frac{3}{8}$ ins.

PRICE **20**/ per dozen pairs.

SIZES at A B C D E F F' ins.
 $10\frac{3}{8}$ $1\frac{5}{8}$ $1\frac{5}{8}$ $10\frac{1}{4}$ $1\frac{3}{16}$ 1 $\frac{3}{16}$ $\frac{3}{8}$ ins.

PRICE **20**/ per dozen pairs.

No. 7.

SIZES at A A' B B' C D E F ins.
 $7\frac{3}{4}$ 8 $1\frac{5}{8}$ 2 1 $7\frac{1}{2}$ $1\frac{1}{4}$ $\frac{3}{4}$ ins.

PRICE **17**/ per dozen pairs.

SIZES at A A' B B' C D E F ins.
 $8\frac{3}{4}$ 9 $1\frac{5}{8}$ 2 1 $8\frac{1}{2}$ $1\frac{1}{4}$ $\frac{3}{4}$ ins.

PRICE **17**/ per dozen pairs.

SIZES at A A' B B' C D E F ins.
 $9\frac{7}{8}$ $10\frac{1}{4}$ $1\frac{5}{8}$ $1\frac{3}{4}$ 1 $9\frac{3}{4}$ 1 $\frac{3}{4}$ ins.

PRICE **21**/ per dozen pairs.

No. 2.

SIZES at A B C D E F ins.
 $7\frac{3}{4}$ $1\frac{3}{4}$ $1\frac{3}{4}$ 7 $1\frac{1}{8}$ $1\frac{1}{8}$ ins.

PRICE **20**/ per dozen pairs.

No. 5.

SIZES at A B B' C D E F ins.
 $7\frac{3}{4}$ $1\frac{3}{4}$ $1\frac{3}{8}$ $1\frac{1}{8}$ $7\frac{1}{4}$ 1 $\frac{3}{4}$ ins.

PRICE **15**/ per dozen pairs.

No. 9.

SIZES at A A' B C D E F ins.
 $6\frac{7}{8}$ $5\frac{3}{4}$ $1\frac{7}{8}$ $1\frac{1}{8}$ $6\frac{1}{8}$ $1\frac{3}{8}$ $\frac{3}{8}$ ins.

PRICE **16**/ per dozen pairs.

SIZES at A A' B C D E F ins.
 $6\frac{7}{8}$ $5\frac{3}{4}$ $2\frac{1}{4}$ $1\frac{1}{8}$ $6\frac{1}{8}$ $1\frac{3}{4}$ $\frac{7}{8}$ ins.

PRICE **18**/ per dozen pairs.

No. 3.

SIZES at A B C E F ins.
 $3\frac{1}{8}$ $1\frac{3}{4}$ $1\frac{1}{8}$ $1\frac{1}{8}$ $1\frac{1}{8}$ ins.

PRICE **8**/ per dozen pairs.

SIZES at A B C E F ins.
 $4\frac{3}{16}$ $1\frac{3}{4}$ $1\frac{1}{8}$ $1\frac{1}{8}$ $1\frac{1}{8}$ ins.

PRICE **10/6** per dozen pairs.

No. 6.

SIZES at A B C E F ins.
 $7\frac{3}{4}$ $1\frac{1}{2}$ $1\frac{1}{8}$ 1 $1\frac{1}{8}$ ins.

PRICE **12**/ per dozen pairs.

SIZES at A B C E F ins.
 $8\frac{5}{8}$ $1\frac{1}{8}$ $1\frac{1}{8}$ $1\frac{3}{8}$ $1\frac{1}{8}$ ins.

PRICE **12**/ per dozen pairs.


No. 8.

SIZES at A B C C' D D' E F ins.
 $5\frac{3}{8}$ $1\frac{3}{8}$ $1\frac{1}{8}$ $1\frac{1}{2}$ $4\frac{1}{8}$ $5\frac{1}{8}$ $1\frac{1}{8}$ $\frac{3}{8}$ ins.

PRICE **17**/ per dozen pairs.


C. I. Bed Sockets.

No. 10.




SIZES at A B C D E F
 $10\frac{1}{2}$ $1\frac{1}{4}$ $1\frac{1}{2}$ $9\frac{3}{4}$ 1 $1\frac{1}{4}$ in.
 PRICE **20/** per doz. pairs.

No. 13.




SIZES at A A' B C C' D E F
 $5\frac{1}{2}$ $2\frac{3}{4}$ $1\frac{3}{4}$ $1\frac{1}{16}$ $1\frac{1}{16}$ $5\frac{1}{8}$ 1 $\frac{7}{8}$ in.
 PRICE **16/** per doz. pairs.
 $6\frac{1}{2}$ $2\frac{3}{4}$ $1\frac{3}{4}$ $1\frac{1}{16}$ $1\frac{1}{16}$ 6 1 $\frac{7}{8}$ in.
 PRICE **16/** per doz. pairs.
 $8\frac{3}{8}$ $3\frac{3}{8}$ $1\frac{3}{8}$ $1\frac{1}{16}$ $1\frac{1}{8}$ $8\frac{3}{8}$ 1 $1\frac{1}{8}$ in.
 PRICE **20/** per doz. pairs.
 $10\frac{1}{4}$ $3\frac{3}{8}$ $1\frac{3}{8}$ $1\frac{1}{16}$ $1\frac{1}{8}$ $9\frac{3}{8}$ 1 $1\frac{1}{8}$ in.
 PRICE **24/** per doz. pairs.

No. 14.




SIZES at A B C D E F
 $3\frac{7}{8}$ $1\frac{1}{4}$ $1\frac{1}{4}$ $3\frac{1}{2}$ 1 1 in.
 PRICE **10/** per doz. pairs.

No. 12.




SIZES at A A' B C C' D E F
 $10\frac{5}{8}$ 4 $2\frac{1}{4}$ $1\frac{3}{8}$ $1\frac{7}{8}$ 10 $1\frac{3}{8}$ $1\frac{1}{8}$ in.
 PRICE **36/** per doz. pairs.

No. 11.




SIZES at A B C D E F
 $8\frac{1}{8}$ $1\frac{5}{8}$ 1 $7\frac{7}{8}$ 1 $\frac{3}{4}$ in.
 PRICE **18/** per doz. pairs.
 $8\frac{7}{8}$ $1\frac{5}{8}$ $1\frac{1}{8}$ $8\frac{3}{8}$ $1\frac{1}{8}$ 1 in.
 PRICE **18/** per doz. pairs.
 $9\frac{1}{8}$ $1\frac{7}{8}$ 1 $8\frac{3}{8}$ $1\frac{1}{4}$ $\frac{3}{4}$ in.
 PRICE **24/** per doz. pairs.
 $9\frac{1}{2}$ $1\frac{1}{2}$ $1\frac{1}{8}$ $9\frac{1}{8}$ 1 $\frac{7}{8}$ in.
 PRICE **18/** per doz. pairs.
 $10\frac{3}{8}$ $1\frac{3}{8}$ $\frac{3}{4}$ $10\frac{1}{2}$ 1 $\frac{5}{8}$ in.
 PRICE **20/** per doz. pairs.
 $12\frac{3}{8}$ $1\frac{3}{8}$ $\frac{1}{2}$ $12\frac{1}{4}$ 1 $\frac{5}{8}$ in.
 PRICE **24/** per doz. pairs.

No. 15.



SIZES at A A' B C D D' E F
 $6\frac{3}{4}$ $6\frac{1}{4}$ $2\frac{1}{8}$ $1\frac{1}{8}$ $6\frac{3}{8}$ $5\frac{7}{8}$ $1\frac{3}{8}$ $\frac{7}{8}$ in.
 PRICE **16/** per doz. pairs.


Railing Bars and Heads.



Railing Bars any Pattern, $\frac{1}{2}$ $\frac{3}{8}$ $\frac{3}{4}$ $\frac{7}{8}$ 1 $1\frac{1}{8}$ $1\frac{1}{4}$ $1\frac{3}{4}$ ins. diar.
 PRICE **37/4** **28/** **26/** **24/** per cwt.

Railing Bar Heads with Screw Cast in ... No. 75 79 80 81 82 97
 PRICE **2/** **3/** **3/** **1/10** **1/10** **2/4** ea.

Tomb Railings.




No. 15

Standards, 1 ft. 5 1/2 in. high **4/8** each.
 Cast Iron Rods, as shown 5 ft. 0 in. **7/** each length.
 Corner. **7/8** each. 7 ft. 0 in. length. **9/6** each length.

Prices include fitting and painting one coat.

No. 286 C, with Wrot. Iron Rods.
 With or without Coping.




Section of Coping.

For space 7 ft. 0 in. x 3 ft. 0 in. overall, fitted ready for erection and painted one coat. Standards prepared for batting into Stone, **£6 6 0** per set.
 If with Cast Iron Coping 6x4 in., as shown **£15 6 0** "
 Standards only with batts for Stone—Corner, **10/6**; Intermediate, **8/**; End, **7/6** each.

Ornaments for Lower Rod of No. 286 C Railing.

No. 1 Intermediate Ornament.
 For fixing on Lower Rod and Coping.



PRICE, **2/8** each.

No. 104 X

No. 2 Intermediate Ornament.
 For fixing on Lower Rod and Coping.





2/ each.

No. 3 Intermediate Ornament.
 For fixing on Lower Rod.



2/6 each.

No. 103 X




For space 7 ft. 0 in. x 3 ft. 0 in. overall, fitted ready for erection and painted one coat.
 Standards prepared for Iron Coping or for batting into Stone.

No. 104 X, without coping **£5 0 0** per set.
 If with Cast Iron Coping **£3 16 0**


No. 103 X **£4 5 0** per set.
 3 1/2 in. x 2 in. **£4 0 0** per set extra.
 4 1/2 in. x 2 1/4 in.

Tomb Railings.



For Space 7' 0" x 3' 0", overall, fitted ready for erection and painted one coat. } **£2 10 0** per set.
 Standards prepared for batting into Stone }
 If with Cast-iron Coping, **£6 6 0** per set.
 Nos. **43** **44** **45**
 Standards only, **1/8** **2/4** **2/8** each.

No. 34




No. 16 A

For Space 7' 0" x 3' 0", overall, fitted ready for erection and painted one coat. } **£4 0 0** per set.
 Standards prepared for batting into Stone, }
 If with Cast-iron Coping, **£8 0 0** per set.
 Nos. **16** **16A** **17**
 Standards only, **3/2** **1/4** **4/** each.


Tomb Railings.

No. 32




Standards, Corner, ... **8/6** each. Cast Iron Rods, $1\frac{1}{2}$ " square in 7' 0" lengths ... **8/** each length
 Intermediate, ... **6/** " Cast Iron Coping, $4\frac{1}{2}$ " x $2\frac{3}{4}$ " for space 7' 0" x 3' 0", }
 End, ... **5/** " fitted and painted one coat, ... } **£4 0 0** per set

No. 30




Standards, Corner, ... **4/** each. Wrot. Iron Rods, $\frac{7}{8}$ " square in lengths to suit, ... **8d.** per foot.
 Intermediate, ... **4/** " Cast Iron Coping, $3\frac{1}{2}$ " x 2" for space 7' 0" x 3' 0" }
 End, ... **3/6** " fitted, and painted one coat, ... } **£3 16 0** per set

No. 20



Standards, Corner, ... **5/** each. Cast Iron Twisted Rods, in lengths, 4' 0", 4' 6", } **8d.** per foot.
 Intermediate, ... **3/6** " 5' 0" and 6' 0", ... }
 End, ... **3/6** " Cast Iron Coping, $4\frac{1}{2}$ " x $2\frac{3}{4}$ " for space 7' 0" x 3' 0", } **£4 0 0** per set.

No. 31




For space 7' 0" x 3' 0" overall, fitted ready for erection and painted one coat, } **£5 0 0** per set.
 Standards prepared for batting into Stone, ... }
 If with Cast Iron Coping, $4\frac{1}{2}$ " x $2\frac{3}{4}$ ", ... } **£9 0 0** "

Tomb Railings.


For space 7 ft. 0 in. x 3 ft. 0 in. overall, Fitted ready for erection, and painted one coat.
 Standards prepared for Iron Coping, or for batting into Stone.

No. 275LX




Without Cast-iron Coping, **£6 0 0** per set.
 Cast-iron Coping, $3\frac{1}{2}$ " x 2 in., **3 16 0** extra per set.
 " " $4\frac{1}{2}$ " x $2\frac{3}{4}$ " " **4 0 0** " "

No. 49X




Without Cast-iron Coping, **£6 10 0** per set.
 Cast-iron Coping, $3\frac{1}{2}$ " x 2 in., **3 16 0** extra per set.
 " " $4\frac{1}{2}$ " x $2\frac{3}{4}$ " " **4 0 0** " "

No. 50X




Without Cast-iron Coping, **£6 0 0** per set.
 Cast-iron Coping, $3\frac{1}{2}$ " x 2 in., **3 16 0** extra per set.
 " " $4\frac{1}{2}$ " x $2\frac{3}{4}$ " " **4 0 0** " "

No. 120X



Without Cast-iron Coping, **£5 10 0** per set.
 Cast-iron Coping, $3\frac{1}{2}$ " x 2 in., **3 16 0** extra per set.
 " " $4\frac{1}{2}$ " x $2\frac{3}{4}$ " " **4 0 0** " "

No. 9



11/ each.

No. 54



24 ins. high.
7/ each.

No. 50



19 $\frac{3}{4}$ ins. high.
14/ each.

No. 52



25 ins. high.
21/ each.

No. 53



25 ins. high.
20/ each.

Tomb Pillars, Unfitted.

Painted One Coat.

Tomb Railings.


Painted one Coat.

No. 3



Pillars, corner or intermediate, 1' 7" high **10/6** each.
 " " " " 2' 1" high **12/** "
 Chain **8/** per yard.

No. 4



Pillars, corner or intermediate, 2' 1 3/4" high **9/6** each.
 Chain **9/6** per yard.

No. 2




Pillars, corner or intermediate, 2' 0" high **14/** each.
 Chain **8/** per yard.

No. 6




Pillars, corner or intermediate, 2' 2" high **13/6** each.
 Chain **8/** per yard.

No. 22



Pillars, corner or intermediate, 2' 1 1/2" high **20/** each.
 " " " " 2' 11 1/2" high **21/** "
 Chain **9/6** per yard.


No. 23



Pillars, corner or intermediate, 3' 2 1/2" high **12/** each.
 Wrot. Iron Rods, 1 1/2" square **4/** per yard.

Grave Crosses, Shields, &c.

No 108 Grave Cross.




With Figures cast on **4/6** each.
 Without Figures **3/** "

No. 92 Shield.




12 1/4 x 13 1/4 in. **2/6** each.
 Figures or Lettering cast-on charged extra

No. 109 Grave Cross.




With Figures cast on **4/6** each.
 Without Figures **3/** "

No. 105 Grave Cross.




With Figures cast on **5/6** each.
 Without Figures **4/** "

No. 90 Shield.




12 x 12 in. **2/6** each.
 Figures or Lettering cast-on charged extra

No. 93 Shield.




10 1/4 x 9 1/4 in. **2/2** each.
 Figures or Lettering cast-on charged extra

No. 106 Grave Cross.



With Figures cast on **7/6** each.
 Without Figures **6/** "


Park Notice. Loose Prong No. 91 Shield.



8 x 10 in.
2/6 each.




4/6 each.




10 x 12 in.
5/ each.
 Figures or Lettering cast-on charged extra

No. 107 Grave Cross.



With Figures cast on **8/** each.
 Without Figures **6/6** "


Grave Crosses, Memorial Tablets, &c.



TALLIES.


Nos.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	
In quantities of 100	8/	20/6	20/6	19/	19/	17/6	13/8	9/6	8/	7/6	12/	10/	16/6	28/6	15/	14/	9/6	
Up to 500	7/8	20/	20/	18/6	18/6	16/6	13/	9/	7/6	7/	11/6	9/6	16/	27/6	14/6	13/6	9/	
To 1000 and up	7/	19/6	19/6	18/	18/	16/	12/6	8/6	7/	6/6	11/	9/	15/6	27/	14/	13/	8/6	
Nos.	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
In quantities of 100	9/6	11/6	12/	9/6	28/6	16/6	21/	14/	9/	14/	17/	13/6	17/	7/6	9/	13/	12/	16/6
Up to 500	9/	11/	11/6	9/	27/	15/6	20/	13/6	8/6	13/6	16/	12/6	16/	7/	8/6	12/6	11/6	16/
To 1000 and up	8/6	10/6	11/	8/6	26/	15/	19/6	13/	8/	13/	15/6	12/	15/6	6/6	8/	12/	11/	15/6

If without Numbers cast on ... 5 per cent. less.



Lettering cast on, charged extra.

Tallies, with or without Numbers cast on.




For Prices see preceding page.

Stable Fittings.




No. 11 Stall Division.

Consisting of 4½ in. dia. heel post × 5 ft. 0 in. high to ramp with halter ring and root, Ramp comprising C.I. top and mid rails with W.I. vertical panel and moulded collars, sill rail with shifting piece, 9 ft. 6 in. long overall × 7 ft. 0 in. high, for 1½ in. wood.

Heel Post,	52/	each.
Ramp (complete),	80/	"
Sill Rail,	20/	"
Half Heel Post,	36/	"
Half Top Rail,	25/	"
Half Sill Rail,	18/	"
4½ × ⅝ ins. Bolts for fixing posts,	9/	per doz.




Enlarged Sections of Top, Mid, and Sill Rails.



No. 11A Loose Box Division.

Consisting of box post, 4½ in. dia. × 7 ft. 0 in. high over top rail with halter ring and root, vertical W.I. bar panel with moulded collars, C.I. top and mid rails, sill rail with shifting piece, 9 ft. 6 in. long overall × 7 ft. 0 in. high, for 1½ in. wood.

Box Post,	75/	each.
Bar Panel,	96/	"
Sill Rail,	20/	"
Half Post,	45/	"
Half Top Rail,	18/	"
Half Sill Rail,	18/	"
Preparing Post for hanging or locking door,	5/	each extra.
4½ × ⅝ in. Bolts for fixing posts,	9/	per doz.




Prices are exclusive of woodwork.

Stable Fittings.




No. 17 Stall Division.

Consisting of 4½ in. dia. heel post, 5 ft. 0 in. high to ramp, with halter ring and root, ramp comprising C.I. top and centre sheath, with guard bar and including wall plate, W.I. vertical panel with moulded collars having 21 in. blinding plate; sill rail with shifting piece; 9 ft. 6 in. long overall × 7 ft. 0 in. high for 1½ in. wood.

Heel Post	52/	each.
Ramp with Guard Bar and Wall Plate	115/	"
Sill Rail	22/	"
Half Heel Post	36/	"
Half Top Rail	25/	"
Half Sill Rail	18/	"
4½ × ⅝ in. Bolts for fixing Posts	9/	per doz.



Enlarged Sections of Top, Sheath, and Sill Rail.




No. 18 Stall Division.




Extra Strong for Heavy Draught Horses.

Consisting of 5 in. dia. heel post × 7 ft. 6 in. high to under side of cap, with harness bracket and root, ramp comprising C.I. top and mid rails with W.I. vertical panel with 21 in. blinding plate, sill rail with shifting piece; 9 ft. 8½ in. long overall × 7 ft. 0 in. high, for 2 in. wood.

Heel Post without Harness Bracket	80/	each.
Ramp, complete with Blinding Plate	105/	"
Sill Rail	30/	"
Harness Bracket for Heel Post	5/	"
4½ × ⅝ in. Bolts for fixing Posts	9/	per doz.



Enlarged Sections of Top, Mid, and Sill Rails.



Prices are exclusive of woodwork


Stable Fittings.

No. 12 Stall Division.


Consisting of 5 in. dia. heel post × 4 ft. 8 in. to ramp with halter ring and root, C.I. ramp; sill rail with shifting piece, 9 ft. 6 in. long overall × 7 ft. 0 in. high.

	For 1½ in. Wood.	2 in. Wood.
Heel Post,	56/	56/ each.
Ramp Rail,	25/	27/ "
Sill Rail,	20/	22/ "
Half Post,	38/	38/ "
Half Ramp Rail,	25/	25/ "
Half Sill Rail,	18/	18/ "


4½ × ⅝ in. Bolts for Fixing Posts, **9/** per doz.




Enlarged Sections of Top, Mid and Sill Rails.



1½ in. Wood, A 5/8 in, B 1 1/8 in.
2 " " 3/4 " 1 1/2 "



For 1½ or 2 in. Wood.



1½ in. Wood, A 3 1/8 in, B 1 1/4 in.
2 " " 3 3/8 " 1 1/4 "


No. 12A Loose Box Division.

Consisting of 5 in. dia. post, 7 in. high over top rail, with halter ring and root, vertical W.I. bar panel with C.I. top and mid rails; sill rail with shifting piece, 9 ft. 6 in. long overall × 7 ft. 0 in. high.

	For 1½ in. Wood.	2 in. Wood.
Box Post,	80/	80/ each.
Bar Panel,	110/	115/ "
Sill Rail,	20/	22/ "
Half Post,	50/	50/ "
Half Top Rail,	18/	18/ "
Half Sill Rail,	18/	18/ "

4½ × ⅝ in. Bolts for Fixing Posts, **9/** per doz.

Preparing Post for hanging and locking door, **5/** extra.



Prices are exclusive of woodwork.


Stable Fittings.

No. 16 Stall Division.


Consisting of 4½ in. diar. heel post × 4 ft. 8 in. high to ramp, with halter ring and root, C.I. ramp; sill rail with shifting piece, 9 ft. 1 in. long overall × 7 ft. 0 in. high.

	For 1½ in. Wood.	2 in. Wood.
Heel Post	52/	52/ each
Ramp Rail	25/	27/ "
Sill Rail	20/	22/ "
Half Post	38/	38/ "
Half Ramp Rail	25/	25/ "
Half Sill Rail	18/	18/ "


4½ × ⅝ in. Bolts for Fixing Posts, **9/** per doz.




Enlarged Sections of Top, Mid, and Sill Rails.



1½ in. Wood, A 3/4 in, B 1 1/8 in.
2 " " 3/4 " 1 1/2 "



For 1½ or 2 in. Wood.



1½ in. Wood, A 3 1/8 in, B 1 1/4 in.
2 " " 3 3/8 " 1 1/4 "


No. 16A Box Division.

Consisting of 4½ in. diar. post × 7 ft. 0 in. high over top rail with halter ring and root, vertical W.I. bar panel with C.I. top and mid rails; sill rail with shifting piece, 9 ft. 6 in. overall × 7 ft. 0 in. high.

	For 1½ in. Wood.	2 in. Wood.
Box Post	75/	75/ each
Bar Panel	110/	115/ "
Sill Rail	20/	22/ "
Half Post	45/	45/ "
Half Top Rail	18/	18/ "
Half Sill Rail	18/	18/ "

Preparing Post for Hanging or Locking Door, **5/** each extra.

4½ × ⅝ in. Bolts for Fixing Posts, **9/** per doz.



Prices are exclusive of Woodwork.

Stable Fittings.



Loose Box Folding Door.

Comprising C.I. top and centre rails with $\frac{5}{8}$ in. diameter, W.I. vertical bar panel with moulded collars, C.I. bottom rail, door bound in W.I. and lined with pitch pine and varnished, fitted with strong hinges and brass flush latch.

SIZE	36		42 ins wide x 7 ft. high to top rail	
With	1½	2	1½	2 in. wood.
PRICE	180/	190/	190/	205/ each.

Price does not include Posts.

Suitable for any of the divisions illustrated.



No. 20 Loose Box Division.



Consisting of box post $4\frac{1}{2}$ in. diameter x 7 ft. high to top rail, with halter ring and root, C.I. top rail; sill rail with shifting piece; 9 ft. 6 ins. long overall x 7 ft. high.

	For	1½	2 in. wood
Box Post	75/	75/	
Top Rail	20/	22/	
Sill Rail	20/	22/	

$4\frac{1}{2} \times \frac{5}{8}$ in. diameter Bolts } 9/ per doz.
for fixing Posts


Prices are exclusive of woodwork.

Enlarged Sections of Top and Sill Rails.



Stable Fittings.

No. 19 Heel Post.




$4\frac{1}{2}$ and 5 ins. dia. x 10 ft. 0 ins. high with halter ring and grooved for wood

	For 1½" Wood.	2" Wood.
PRICE, $4\frac{1}{2}$ in. dia.	95/	95/ ea.
5 "	100/	100/ "

If with Harness Bracket as shown, 5/ extra.


$4\frac{1}{2} \times \frac{5}{8}$ in. Bolts for fixing Posts, 9/ per doz.

$\frac{3}{4}$ in. Diamond Mesh Gratings



For Windows: $\frac{1}{2}$ in., $\frac{3}{4}$ in. and 1 in. thick. Sizes and different radii of arch top to suit requirements. Prices on application.

Silent Tying Apparatus.




Consisting of cast iron sheath with halter ball leather covered, 36 in. length leather strap with brass ring connection and chain complete with swivel and strong spring hook, and including brass roller bushings to manger. PRICE, 35/ per set.

Pillar Chain.



3 ft. 3 ins. long with two strong spring hooks and swivel.

Japanned Black,	5/6 each.
Bright, ...	7/ "
Galvanized and Polished	7/ "
Nickel Plated, ...	8/ "
All Brass, ...	20/ "




Self Fixing Base.

This Base is used in place of stone blocks, and is specially suitable for fixing in concrete, can be used with any heel post illustrated,

PRICE, 25/ each.

Stable Fittings.

No. 1 Manger Fittings.



Right or Left Hand.


Manger Plate 72 ins. long x 18 ins. deep, front to back with 1 3/8 in. roll edge, having low W.I. Hayrack with opening 19 1/2 ins. x 12 1/2 ins. x 18 ins. deep, Gruel Pot opening 11 1/2 ins. x 12 1/2 ins., Manger Pot opening 21 1/2 ins. x 12 1/2 ins. Pots 8 3/8 and 9 3/8 ins. deep, with 2 Halter Rings.

Plain Painted	84/	per set.
All Galvanized	130/	"
If Pots Porcelain Enamelled inside	135/	"
Pair of Shoes (Painted)	6/6	per pair.
" "	(Galvanized)	10/	"
If with Brass Plug and Seating to Gruel Pot				6/6	extra.

No. 2 Manger Fittings.

Manger Plate 72 ins. long x 18 ins. deep, front to back with 1 3/8 in. roll edge, low W.I. Hayrack with opening 26 x 12 x 18 ins. deep, Manger opening 23 x 12 x 9 3/8 ins. deep with Halter Ring.

Plain Painted	77/	per set.
All Galvanized	120/	"
Inside of Pot Porcelain Enamelled	115/	"
Pair of Shoes (Painted)	6/6	per pair.
" "	(Galvanized)	10/	"




Right or Left Hand.

No. 2A Manger Fittings.

Manger Plate 72 ins. long x 18 ins. deep front to back with 1 3/8 in. roll edge, low W.I. Hayrack, with C.I. Bottom forming seed tray; opening 19 1/2 x 12 1/2 x 18 ins. deep, manger opening 21 1/2 x 12 1/2 x 9 3/8 ins. deep, gruel pot 11 1/2 x 12 1/2 x 8 3/8 ins. deep.

Plain Painted	87/	per set.
All Galvanized	140/	"
If Pots Porcelain Enamd. inside	145/	"
Pair of Shoes (Painted)	6/6	per pair.
" "	(Galvanized)	10/	"
If with brass plug and seating to gruel pot,				6/6	extra.




Right or Left Hand.

No. 22 Manger Fittings.

Manger Plate 72 ins. long x 20 ins. front to back with 3 1/2 ins. barrel roll, W. I. Hayrack with opening 25 1/2 x 12 x 18 ins. deep, manger opening 23 x 12 x 8 1/2 ins. deep.

Plain Painted	115/	per set.
All Galvanized	155/	"
Inside of Manger Pot Porcelain Enamelled	148/	"
Pair of shoes (Painted)	7/	per pair.
" "	(Galvanized)	11/	"




Stable Fittings.

No. 12 Manger Fitting.

Cover plate 72 in. long x 18 in. deep front to back, with 2 in. roll edge on front; Manger opening 34 in. x 12 1/2 in. x 9 in. deep; Gruel Pot opening 11 1/2 in. x 12 1/2 in. x 9 in. deep.

PRICE, Plain Painted	84/	each.
" all Galvanized	130/	"
" Inside of Pot Porcelain Enamelled	150/	"
" Pair of Shoes Painted	6/6	per pair
" " Galvanized	10/	"

If with Brass Plug and Seating to Gruel Pot, 6/6 extra.




No. 10 Manger Fitting.

Cover plate 60 in. long x 20 in. deep front to back, with 2 3/4 in. roll edge on front and returned on ends; Gruel Pot opening, 16 1/2 in. x 12 1/2 in.; Manger opening, 28 in. x 12 1/2 in.; Pots 9 1/2 in. deep inside.

PRICE, Plain Painted	75/	each.
" all Galvanized	120/	"
" if Pots Porcelain Enamelled inside	140/	"

If with Brass Plug and Seating to Gruel Pot, 6/6 extra.




No. 13A Corner Manger Fitting,

With Hay Rack.

Comprising W.I. Hay Rack 30 in. x 15 in. x 27 in. high above Cover Plate; Manger with opening 25 in. x 11 in. x 8 in. deep; overall size, 34 in. x 50 in. with 3 1/2 in. barrel roll.


PRICE, Plain Painted	130/	per set.
" all Galvanized	180/	"
" if Manger Pot Porcelain Enamelled inside	160/	"



No. 13 Corner Manger Fitting.

50 in. x 34 in., with 3 1/2 in. Barrel Roll, consisting of Manger opening 25 in. x 11 in. x 9 3/8 in. deep and W.I. Hay Rack, opening 25 in. x 12 in. x 18 in. deep.

PRICE, Plain Painted	105/	each.
" all Galvanized	150/	"
" if Manger Pot Porcelain Enamelled	135/	"



Stable Fittings.




No. 3 Corner Manger Fitting
(Right or Left Hand).

Consisting of low W.I. Hayrack, with opening, $22\frac{1}{2} \times 13 \times 18$ ins. deep; gruel pot opening, $12\frac{1}{2} \times 13 \times 8\frac{3}{8}$ ins. deep; manger opening, $22\frac{1}{2} \times 13 \times 9\frac{3}{8}$ ins. deep; and furnished with halter ring.

Size, 4 ft. $2\frac{1}{2}$ in. \times 4 ft. 2 in. extreme, with $2\frac{1}{4}$ in. roll edge.

PRICE, Plain Painted	110/	each.
" All Galvanized	155/	"
" Inside of Pots Porcelain Enamelled	155/	"
If with Brass Plug and Seating to Gruel Pot	6/6	extra.




No. 4 Corner Manger Fitting
(Right or Left Hand).

Consisting of low W.I. Hayrack, with opening, $24\frac{1}{2} \times 13 \times 18$ ins. deep; manger opening, $23\frac{1}{2} \times 13 \times 9$ ins. deep; and furnished with halter ring.

Size, 2 ft. $6\frac{1}{2}$ in. \times 4 ft. 1 in., with $2\frac{1}{4}$ in. roll edge.

PRICE, Plain Painted	80/	each.
" All Galvanized	120/	"
" Inside of Pots Porcelain Enamelled	115/	"



No. 7 Manger Fitting.


Consisting of top plate, 72 ins. long \times 18 ins. deep front to back, W.I. Hayrack, with seed grating; manger pot with opening, $21\frac{1}{2} \times 12\frac{1}{2} \times 9\frac{3}{8}$ ins. deep; gruel pot opening, $11\frac{1}{2} \times 12\frac{1}{2} \times 8\frac{3}{8}$ ins. deep; $1\frac{1}{2}$ ins. deep roll edge on front.

PRICE, Plain Painted	110/	each.
" All Galvanized	160/	"
" Inside of Pots Porcelain Enamelled	170/	"
" Pair of Shoes, Painted	6/6	per pr.
" " Galvanized	10/	" "
If with Brass Plug and Seating to Gruel Pot	6/6	extra.



No. 8 Manger Fitting.

Consisting of top plate, 72 ins. long \times 18 ins. deep front to back, with $1\frac{1}{4}$ ins. roll edge on front; W.I. hayrack, with C.I. seed grating and chamber, with cleaning door; manger opening, $21\frac{1}{2} \times 12\frac{1}{2} \times 9\frac{3}{8}$ ins. deep; gruel pot opening, $11\frac{1}{2} \times 12\frac{1}{2} \times 8\frac{3}{8}$ ins. deep.

PRICE, Plain Painted	120/	each.
" All Galvanized	175/	"
" Inside of Pots Porcelain Enamelled	165/	"
" Pair of Shoes, Painted	6/6	per pr.
" " Galvanized	10/	" "
If with Brass Plug and Seating to Gruel Pot	6/6	extra.





Stable Fittings.



No. 20 Manger Fitting, Right or Left Hand.

Manger fitting with top plate 72 in. long \times 20 in. front to back. $3\frac{1}{2}$ in. barrel roll on front—consisting, gruel pot with opening 11 in. \times 11 in., manger opening 25 in. \times 11 in., and low W.I. hayrack opening 22 in. wide \times 14 in. front to back and 18 in. deep, manger and gruel pots $9\frac{3}{8}$ in. deep. The fitting having 2 halter holes for tying apparatus and including fixing shoes.



PRICE, Plain Painted,	125/	each.	PRICE, Inside of Manger and Gruel Pot	170/	each.
All Galvanized,	180/	"	Porcelain Enamelled,	6/6	extra.
If with Brass Plug and Seating to Gruel Pot,



No. 21 Manger Fitting.

Manger plate and trough in one casting 72 in. long overall \times 20 in. back to front having 4 in. barrel roll along front, trough 11 in. deep inside with one partition and two end guard rails and furnished with tying ring.


PRICE, Plain Painted,	85/	each.	PRICE, Pair of Shoes Painted,	7/	per pair.
All Galvanized,	140/	"	" " Galvanized,	11/	"



No. 4A Manger.

Trough manger in one casting 15 ins. deep front to back, with $2\frac{1}{4}$ in. roll edge, 8 ins. deep inside, with food guards at each end. Made in 3 sizes.

SIZES,	36	54	72	ins.
PRICE, Plain Painted,	25/	40/	47/	each.
All Galvanized,	42/	60/	70/	"
Inside of Trough Porcelain Enamelled,	75/	95/	115/	"
Pair of Shoes Painted,	7/	7/	7/	per pair.
Pair of Shoes Galvanized,	11/	11/	11/	"





No. 14 Manger

Manger 72 ins. long overall \times 20 ins. front to back, with $3\frac{1}{2}$ in. barrel roll, perforated food guards at ends, and W.I. partition bar in centre. Trough 9 ins. deep.

PRICE, Plain Painted,	105/	each.	PRICE, Pair of Shoes Painted,	7/	per pair.
All Galvanized,	170/	"	Pair of Shoes Galvanized,	11/	"
Inside of Pot Porcelain Enamelled,	180/	"


Stable Fittings.



No. 5A Corner Manger

2 ft. 10 1/2 in. wide on front x 2 ft. 0 in. on sides, opening 22 in. wide x 12 in. broad x 8 1/2 in. deep.



PRICE, Plain Painted, **21/** each.
All Galvanized, **32/** "
If Inside of Pot Porcelain Enamelled **43/** "



No. 15 Corner Manger

Made in two pieces, cover 3 ft. 9 in. wide on front x 2 ft. 8 in. at sides, with 1 3/4 in. roll edge, opening 22 1/2 in. x 12 3/4 in. x 11 in. deep.

PRICE, Plain Painted, **36/** each.
All Galvanized, **55/** "
If Inside of Pot Porcelain Enamelled **60/** "





No. 16 Corner Manger.

In two sizes with covered lip forming food guard

Wide at Front, ..	1 ft. 10 1/2 in.	2 ft. 1 1/2 in.
Opening	19 1/2 in. x 13 3/4 in.	22 1/2 in. x 16 in.
Deep	8 1/4 in.	10 in.



PRICE, Plain Painted, **20/** **22/** each
All Galvanized, **29/** **32/** "
If Inside of Pot Porcelain Enamelled, **43/** **45/** "



No. 9 Corner Manger with Barrel Front.

33 in. wide on front x 24 in. at sides with opening 16 in. wide x 13 in. broad x 10 in. deep.


PRICE, Plain Painted, **40/** each.
All Galvanized, **57/** "
If Inside of Pot Porcelain Enamelled **70/** "



No. 17 Extra Strong Manger.

For heavy draught horses with 4 in. internal roll acting as food guard, 36 in. wide on front x 25 in. at sides, opening 22 1/2 in. wide x 18 in. broad x 12 in. deep.

PRICE, Plain Painted, **64/** each.
All Galvanized, **90/** "



No. 11 Corner Manger

With curved lip forming food guard 2 ft. 9 in. wide on front x 2 ft. 0 in. at sides, opening 22 in. wide x 15 1/2 in. broad x 14 in. deep.

PRICE, Plain Painted, **48/** each.
All Galvanized, **75/** "


Hay Racks and Stable Windows.

Cast Iron Hay Rack for Flat Wall.




Width Inside, ...	27 1/2	32	34	ins.
Height	14 1/2	15	16 1/2	"
Projection Inside, ...	11	9 1/2	11	"
PRICE,	10/6	13/	15/	each.

Cast Iron Hay Rack for Corner.



Width Inside,	32	ins.
Height	19	"
Projection Inside,	16 1/2	"
PRICE,	13/	each.


No. 5 Corner Hay Rack.



34 ins. wide on front x 24 ins. wide at sides x 33 ins. high overall, rack 24 ins. high above seed box, with C.I. grating bottom and C.I. seed chamber with roll front and removable cover for cleaning.


PRICE, Plain Painted, **90/** each.
All Galvanized, **120/** "

No. 3 C.I. Windows and Frames.




SIZES, ... 19 24 36 42 49 dia. over frame.
PRICE, Plain Ptd., **12/ 14/ 33/ 55/ 80/** ea. unglazed.

No. 2 Stable Window.




SIZE, ... 3 ft. 0 ins. wide x 1 ft. 9 ins. high extreme.
PRICE, Painted, **33/** each unglazed.

No. 1 Stable Window.



SIZE, ... 2 ft. 9 ins. wide x 1 ft. 1 in. high extreme.
PRICE, Painted, **20/** each unglazed.


No. 5 Stable Window.



3 ft. 3 ins. wide x 3 ft. 1 in. high extreme with 4 deep flanges at back 36 ins. wide x 33 ins. high, with balance and chain to opening part.

PRICE, Painted, **80/** each unglazed.

No. 4 Stable Window.



3 ft. 9 ins. wide x 3 ft. 4 1/2 ins. high extreme with 4 deep flanges at back 42 ins. wide x 34 ins. high to spring of arch, x 36 ins. high extreme with balance weight and chain to opening part.

PRICE, Painted, **90/** each unglazed.

Stable Fittings.

No. 1 Brass Head Stall Ring with Shield.



PRICE, 17/ each.

Halter Balls.



PRICES, 1 1/2 2 lbs. 6d. 8d. 10d. each

Bridle Hook.




SIZES, 3 4 5 in. proj. PRICES, 10d. 1/ 1/2 each

No. 2 Brass Head Stall Ring with Shield.




PRICE, 15/ each.

Stable Grate and Frame




SIZES 8 9 10 12 14 16 18 ins. PRICES 2/8 4/ 5/ 6/6 9/ 15/ 21/ each

No. 4 Saddle Bracket




PRICE, 4/4 each.

No. 2 Saddle Bracket.




SIZES, 8 10 12 14 16 18 in. proj. PRICES, 2/ 2/ 2/4 2/4 2/6 2/6 each

Stable Gutter Angle Right or Left Hand.




Sizes 4 in. dia. x 14 in. long, 8/ ea. " 5 in. dia. x 12 " " 12/ "

Stable Gutter.




SIZES, 4 in. dia. in 4 ft. 4 in. and 5 ft. 4 in. lengths PRICES, ... 13/6 15/6 per len. SIZES, 5 in. dia. in 3 ft. 4 ft. 5 ft. 6 ft. lengths PRICES, ... 9/6 16/6 20/ 22/6 per len.

Stable Gutter T Piece




Sizes 4 in. dia. x 26 in. long, 9/ ea. " 5 in. dia. x 24 " " 14/ "

Mare Pot.



SIZES, 9 11 13 15 ins. PRICES, 5/6 9/6 13/ 19/6 each

Section of Mare Pot.



Horse Pot



SIZES, 9 11 13 15 ins. PRICES, 5/6 9/6 13/ 19/6 each

No. 1




No. 2




No. 2A



No. 3



No. 4




Horse Pots showing connections for

Extras for Gutters cast-on,

1	2	3	4 Gutters.
2/	4/	6/	7/

Diagrams showing Angles of Bends, Branches, &c.

For Rain Water and Soil Goods.



In ordering please be careful to specify correct angle.

Convenient Bends and Roof Plate.

Cast-Iron Convenient Bends, with W.I. Nipple Cast in Socket.

No. 1.

2 in. Bore.

Fine Cast, ... **3/6** each.
Glass Enam. Inside, **7/** "

No. 2.

1 1/2 in. Bore.

Fine Cast, ... **4/** each.
Glass Enam. Inside, **8/** "

No. 3.



1 1/4 in. Bore.

Fine Cast, ... **4/6** each.
Glass Enam. Inside, **9/** "

Cast-Iron Holderbat for No. 2 Convenient Bend.



Cast-Iron Roof Plate with Pipe and Cowl.



This Fitting is specially designed to overcome the difficulty usually met with in getting a weather-tight joint on Roof where Smoke Pipe passes through. The Sectional Drawing gives detail of the Fitting.

To suit Pitch at Root,	20°	30°	and 45°
To suit Pipes,	4	4 1/2	5 " 6 ins.
PRICES,	16/	18/	21/ 25/ each,

Rain Water and Stove Pipes and Connections—Round.

Pipe, Eared.

Shoe.

Boot.

Pipe, Double Socket, without Ears.

Pipe, without Ears.

Square Bend.

Obtuse Bend.

Square Bend with Hinged Cleaning Door.

Obtuse Bend with Hinged Cleaning Door.

OBTUSE BENDS—DEGREES.

2 to 4 ins.	95°, 100°, 110°, 112 1/2°, 115°, 120°, 125°, 135°
4 1/2, 5 and 6 ins.,	112 1/2°, 120°, 135°
7 and 8 ins.	112 1/2°, 135°

Anti-Splash Shoe.

Plinth Bend.


Plinth Bend.

Offset or Swanneck.


When ordering specify if required with or without Ears.

Rain Water and Stove Pipe Connections—Round.


T Piece.




Y Piece




Single Branch.



Increasing Piece.
No. 16




Diminishing Piece.
No. 17




DEGREES

2 to 4 ins. 95°, 110°, 112½°, 120°, 135°
4½ to 6 ins. 120°.


Double Branch.




Cowl or Bonnet Top
without Socket. Spike.



Holdfast.




Single Branch, Curved,
with Long Arm.




14"


Cowl or Bonnet Top
with Socket




Ornamental Ear to Clip
Faucet (2 parts)




Holder Bat, fixed with
Brass or Iron Bolts



Ornamental Ear to
fit under Faucet




Union Socket




LOOSE EARS, to suit Square or Round Rain Water Pipes.


No. 2




No. 3




No. 4




No. 5




No. 6




No. 7




No. 8




No. 9




No. 10



No. 11



No. 12



Loose Ears for Round Pipes
SIZES ... 2 2½ 3 3½ 4 4½ 5 6 ins.

For Rectangular Pipes
SIZES, ... 3×2½ 3×3 4×3 4×4 5×3½ 5×4 6×4 ins.

Round Rain Water and Stove Pipe Connections.

X1121X
Phosphor
less 2/6


	1½	2	2½	3	3½	4	4½	5	6	ins.
ROUND RAIN WATER AND STOVE PIPES 6 ft, ... nett,										per yard.
Large Socket ...				1/2		1/2				"
Short Lengths, 2, 3 and 4 ft., ... do.	1/2	1/2	1/2	1/2	1/2	1/2	1/3	1/3	1/3	"
Double Sockets, ... do.	1/2	1/2	1/2	1/2	1/2	1/2	1/3	1/3	1/3	"
Angle Ears, cast-on, ... do.	1/2	1/2	1/2	1/2	1/2	1/2	1/3	1/3	1/3	per socket
Side Ears; cast-on, ... do.	1/2	1/2	1/2	1/2	1/2	1/2	1/3	1/3	1/3	each.
Ears cast-on Bends, Offsets and Branches, ... do.	1/2	1/2	1/2	1/2	1/2	1/2	1/3	1/3	1/3	"
Square Ears, small in place of round do.	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	1/1	"
Heads (flat or angle), ...	1/3	1/3	1/5	1/8	2/7	2/3	3/2	4/7	5/7	"
Shoes, common, ...	1/9	1/9	1/10	1/7	1/4	1/6	2/2	2/8	3/9	"
Do. anti-splash, ...	—	1/6	1/9	2/3	3/7	4/7	—	—	—	"
Boots, 12 ins. long overall, ...	—	1/7	1/2	1/6	1/9	2/2	—	—	—	"
Do. 15 " " " " " "	1/1	1/1	1/3	1/7	1/10	2/3	3/7	3/6	4/9	"
Do. 18 and 20 ins. long overall, ...	1/4	1/4	1/6	1/10	2/1	2/6	3/4	4/7	5/3	"
Do. 24 ins. long overall, ...	—	1/8	1/10	2/2	2/6	3/7	3/9	4/6	5/9	"
Bends, square or obtuse, ...	1/11	1/11	1/1	1/4	1/7	1/11	2/8	3/6	4/6	"
Do. with soot door, ...	—	—	—	2/9	3/7	3/4	4/2	5/7	6/3	"
T Pieces or Y Pieces, ...	1/3	1/3	1/6	2/7	2/4	2/10	4/7	4/6	7/7	"
Branch Pieces, single, ...	1/3	1/3	1/6	2/7	2/4	2/10	4/7	4/6	7/7	"
Do. double, ...	2/7	2/7	2/6	3/7	3/6	4/3	6/7	6/9	10/6	"
Branches, curved arm, 4 x 14 in. proj., ...	—	—	—	—	—	4/10	—	—	—	"
Union Sockets, ...	1/6	1/6	1/7	1/9	1/11	1/1	1/4	1/8	2/7	"
Bonnet Tops or Cowls, with Socket, ...	2/3	2/3	2/7	3/7	3/5	4/2	5/7	6/9	6/9	"
Do. do. without Socket, ...	1/9	1/9	1/9	2/7	2/3	2/6	3/7	3/6	4/9	"
Syphon Traps, ...	1/9	2/3	2/6	2/9	3/6	4/6	6/7	8/7	10/6	"
Do. with door, ...	—	3/9	4/7	4/3	5/7	6/7	7/9	10/7	12/6	"
Do. with Brass Plugs, ...	—	6/7	6/3	6/6	7/6	8/6	10/7	12/7	14/6	"
Diminishing Pieces (large end) ...	—	1/11	1/1	1/4	1/7	1/11	2/8	3/6	4/6	"
Swannecks, 1½, 2½, and 3 in. projection ...	1/7	1/7	1/1	1/4	1/8	2/7	2/6	3/3	4/6	"
Do. 4½ and 6 in. projection ...	1/2	1/2	1/4	1/6	1/10	2/4	3/4	4/7	5/3	"
Do. 9 in. projection, ...	1/6	1/6	1/8	2/7	2/6	3/7	4/7	4/9	6/7	"
Do. 12 do. ...	1/10	1/10	2/1	2/5	3/7	3/6	4/6	5/6	7/3	"
Do. 15 do. ...	—	2/3	2/6	2/10	3/6	4/3	5/3	6/6	8/6	"
Do. 18 do. ...	—	2/6	2/10	3/4	4/7	4/9	6/7	7/6	9/6	"
Do. 21 do. ...	—	3/7	3/3	3/9	4/6	5/6	8/7	9/6	11/6	"
Do. 24 do. ...	—	3/6	4/7	4/4	5/3	6/6	9/7	10/6	12/9	"
Do. 27 do. ...	—	4/7	4/6	5/7	6/7	7/6	—	—	—	"
Do. 30 do. ...	—	4/6	5/7	5/6	6/6	8/6	—	—	—	"
Plinth Bends, 2½ and 3 in. projection, ...	1/1	1/1	1/2	1/6	1/10	2/2	2/9	3/6	4/9	"
Do. 4½ in. do. ...	—	1/3	1/6	1/8	2/7	2/6	3/6	4/3	5/6	"
Do. 6 do. ...	—	1/6	1/9	1/11	2/2	2/8	3/9	4/6	6/7	"
Ornamental Loose Ears Nos. 3, 4, 7, 8 and 11 ...	1/1	1/1	1/2	1/3	1/5	1/6	1/8	1/10	2/7	"
Ornamental Ears Nos. 9, 10 and 12 ...	—	1/3	1/5	1/6	1/9	1/10	2/7	2/3	2/6	"
Ornamental Ear, to fit under faucet— ...	1/1	1/1	1/2	1/3	1/5	1/6	1/8	1/10	2/7	"
2 in. projection, ...	1/2	1/2	1/3	1/4	1/6	1/7	1/10	2/7	2/2	"
2½ do. ...	1/3	1/3	1/4	1/5	1/7	1/8	2/7	2/2	2/4	"
3 do. ...	—	1/5	1/6	1/7	1/8	1/10	—	—	—	"
Orna. Proj. Ears to clip faucet (2 parts) ...	—	1/6	1/7	1/9	1/10	2/7	2/3	2/6	2/9	"
Do. do. or Holderbat, fixed with Brass Pins or Iron Bolts and Nuts, ...	—	1/6	1/7	1/9	1/10	2/7	2/3	2/6	2/9	"
Wrought Iron Holdfasts, ...	1/2	1/2	1/2½	1/2½	1/3	1/4	1/4	1/5	1/6	per dozen
Spikes for Ears, Plain, 3 x 1/16 in. ...	1/6	1/6	1/6	1/6	1/6	1/6	1/6	1/6	1/6	"

Prices for R.W. Pipes and Connections for 7 in. and 8 in. Pipes on application.

Laying down to Plan and Measurement, 5 per cent. extra.

Rain Water Pipes and Connections (Rectangular).

Pipe with Angle Ears, Pipe with Flat Ears Pipe, no Ears
For Corner.



Pipes in 6ft. 0in. lengths.


Union Socket,
With or without Ears.




Ornamental Loose Ear,
No. 11.



Single Branch




Double Branch



Shoe,
Front Projection.




Shoe,
Side Projection.




Shoe,
Corner Projection.



Square Bend,
Front Projection.



Square Bend,
Side Projection.



Square Bend,
Corner Projection.



Obtuse Bend,
Front Projection.




Obtuse Bend,
Side Projection.



Obtuse Bend,
Corner Projection.



Offset,
Front Projection.




Offset,
Side Projection.




Offset,
Corner Projection.




Plinth Bend,
Front Projection.



Plinth Bend,
Side Projection.



Plinth Bend,
Corner Projection.



Square or Rectangular Pipe Connections.

	3 x 2½	3 x 3	4 x 3	4 x 4	5 x 3½	5 x 4	6 x 4	ins.
PIPES, 6 ft.,								per yard.
Do. 2, 3, and 4 ft.,	1/4	1/4	1/4	1/6	1/6	1/6	1/6	"
Angle Ears, cast on,	1/4	1/4	1/4	1/6	1/6	1/6	1/6	per socket.
Shoes	2/6	3/	3/1	4/	4/8	5/	5/9	each.
Bends, Square or Obtuse,	2/6	3/	3/1	4/	4/8	5/	5/9	"
Front Offsets, 2¼ and 3 in. projection,	3/	3/6	3/8	4/10	5/6	6/	7/	"
Do. 4½ and 6 in. do.	3/6	4/	4/1	5/3	6/3	6/6	7/9	"
Do. 9 in. do.	4/3	5/	5/2	6/6	7/9	8/3	9/6	"
Do. 12 in. do.	5/	5/10	6/2	8/	9/3	10/	11/6	"
Do. 15 in. do.	7/6	8/9	9/3	12/	13/9	15/	17/	"
Do. 18 in. do.	10/	11/9	12/3	16/	18/6	20/	22/9	"
Do. 21 in. do.	12/6	14/9	15/3	20/	23/	25/	28/6	"
Do. 24 in. do.	15/	17/9	18/3	24/	27/6	30/	34/3	"
Plinth Bends, 2¼ in. projection,								
Do. 2½ in. do.	3/	3/6	3/8	4/10	5/6	6/	7/	"
Do. 3 in. do.								
Do. 4½ in. do.	3/6	4/	4/1	5/3	6/3	6/6	7/9	"
Do. 6 in. do.								
Branch Pieces, Single,	4/	4/6	4/9	6/3	7/	7/6	8/6	"
Do. Double,	5/	5/9	6/3	8/	9/3	10/	11/6	"
Union Sockets,	1/4	1/6	1/7	2/	2/4	2/6	2/10	"
Side Elbows, Offsets, Shoes and Plinths,	—	—	25%	—	—	—	—	"
Corner Plinths, Shoes, Offsets and Bends	—	—	50%	—	—	—	—	"
ORNAMENTAL LOOSE EARS, see page 162								
Nos. 2, 7, 8, 11	1/4	1/6	1/6	1/7	2/	2/	2/2	"
Nos. 5, 6, 9, 12	1/7	1/9	1/9	1/10	2/3	2/3	2/6	"
Spikes for Ears, 3 in. x 5/16 in.,	—	—	1/6	—	—	—	—	doz.


Laying down to Plan and Measurement, 5 per cent. extra.

Half Round Gutters.



Full Size Sections. Outside Sockets.

Half-Round Gutters and Connections.




HALF-ROUND GUTTER CONNECTIONS.

	3	3½	4	4½	5	6	ins.
HALF-ROUND GUTTERS, 6 ft., ... nett,							per yard.
Do. do. 2, 3, and 4 ft. nett ex.	/1	/1	/1	/1	/2	/2	"
Angles, square or obtuse, 135°, ...	/9	/10	/11	1/1	1/2	1/8	each.
Nozzle Piece, ...	/9	/10	/11	1/1	1/2	1/8	"
T Pieces, ...	/9	/10	/11	1/1	1/2	1/8	"
Drop Ends, ...	/6	/7	/8	/9	/10	1/2	"
Union Clips, ...	/4	/4	/4	4/4	/6	/8	"
Stop Ends and Drops, loose or cast on, ...	/2½	/2½	/2½	/3	/4	/5	"
No. 1 or No. 2 Brackets, cast, ...	/2½	/2½	/2½	/3	4/4	/6	"
Hanging Hook, malleable, ...	/4	/4	4/4	4/4	/5	/6	"
Driving Brackets, " ...	/7	/7	/7	/8	/9	/10	"
Do. do. " with under support, malleable ...	/10	/10	/10	/11	1/	1/1	"
	3	3½	4	4½	5	6	ins.
BEADED H.R. GUTTERS, 6 ft.; nett extra.							per yard.
Do. do. Angles, Nozzles, T Pieces,	/1½	/1½	/1½	/1½	/2	/2	each extra.
					/3	/3	

Bolts and Nuts, ¾ in., 4/3; 1 in., 4/6 per gross.

For full size sections of Beaded Gutters see next page.
 Prices for Gutters and Connections for 7 and 8 in. Gutters on application
 Laying down to Plan and Measurement, 5 per cent. extra


Half Round Beaded Gutters.



Full Size Sections. Outside Sockets.

Prices on application.


Half Round Ordinary and Beaded Gutters $\frac{3}{16}$ -in. Metal.



Full Size Sections. Outside Sockets.

Prices on application.

O.G. Gutters and Connections, Ordinary and Straight Back.




O.G. GUTTER CONNECTIONS.

	2½	3	3½	4	4½	5	6	ins.
O.G. GUTTERS, 6 ft. ; ...								per yard.
Do do. 2, 3, and 4 ft.,	/1	/1	/1	/1	/1	/2	/2	"
Angles (square), external and internal, ...								
Do. (obtuse), 135°, ...	1/	1/	1/	1/1	1/3	1/5	1/9	each.
Nozzle Pieces, ...								
Drop Ends, ...	/9	/9	/9	/10	/11	1/	1/4	"
Union Clips, ...	/6	/6	/6	/6	/8	/8	/10	"
Stop Ends and Drops, loose or cast on, ...	/2½	/2½	/2½	/2½	/3	/4	/5	"
Gutter Brackets, cast, No. 3 or 4, ...	/3	/3	/3	/3	/4	/5½	/7½	"
Return Stop Ends, ...	/6	/6	/6	/7	/8	/9	/11	"
Hanging Hooks, malleable, ...	/5	/5	/5	/5½	/5½	/6½	/7½	"


Laying down to plan and measurement, 5% extra.

O.G. Gutters—Ordinary.



Full Size Sections. Outside Sockets, right or left hand.


Large Socket R.W. Pipes and Connections.



Large Socket Rain Water Pipes and Connections.


	3	4 ins.
Pipes, in 6 ft. lengths	—	— per yard.
" in 2, 3, and 4 ft. lengths	—	— "
Bends, square or obtuse	1/8	2/4 each.
" with heel rest	2/4	3/ "
Offsets, 3 in. projection	1/8	2/4 "
" 4 1/2 and 6 in. projection	1/10	2/9 "
" 9 in. projection	2/4	3/6 "
" 12 in. "	2/10	4/ "
" 15 in. "	3/5	4/11 "
" 18 in. "	3/9	5/6 "
" 21 in. "	—	6/ "
" 24 in. "	—	7/6 "
Branches, single	2/4	3/6 "
Double Branches	3/4	4/10 "
Inverted Branches	2/4	3/6 "
T Pieces	2/4	3/6 "
Increasing Piece, 3 to 4 ins.	—	2/6 "
Shoes	1/4	2/ "
Union Sockets	1/	1/4 "

Medium Soil Pipes and Connections—³/₁₆ in. Metal.




Obtuse Bend Degrees, 2 to 4 ins., 95°, 105°, 112½°, 120°, 135°.

Branch Degrees, 2 to 4 ins., 95°, 105°, 112½°, 120°, 135°.



For Prices see page 177.

Medium Soil Pipes and Connections — $\frac{3}{16}$ in. Metal




Soil Pipe Connections — $\frac{3}{16}$ in. Metal.

SOIL PIPES,	GALVANIZED OR GLASS ENAMELLED.				FINE CAST, PAINTED OR COATED.			
	ins.	per yd. nett.	per yd. nett.	per yd. extra.	ins.	per yd. nett.	per yd. nett.	per yd. extra.
6 ft. lengths,	6	7/3	8/9	11/6	6	7/3	8/9	11/6
2, 3 and 4 ft. lengths,	5	7/3	8/4	9/6	5	7/3	8/4	9/6
Double Socket,	4 1/2	6/3	7/3	8/4	4 1/2	6/3	7/3	8/4
Bends, standard angles,	4	5/2	6/2	7/2	4	5/2	6/2	7/2
Do.	3 1/2	4/2	5/2	6/2	3 1/2	4/2	5/2	6/2
Shoes,	3	3/2	4/2	5/2	3	3/2	4/2	5/2
Swannecks,	2 1/2	2/2	3/2	4/2	2 1/2	2/2	3/2	4/2
Do. 3 in. projection,	2	1/2	2/2	3/2	2	1/2	2/2	3/2
Do. 4 1/2 in. do.	1 1/2	1/2	2/2	3/2	1 1/2	1/2	2/2	3/2
Do. 6 in. do.	1	1/2	2/2	3/2	1	1/2	2/2	3/2
Do. 9 in. do.	3/4	1/2	2/2	3/2	3/4	1/2	2/2	3/2
Do. 12 in. do.	1/2	1/2	2/2	3/2	1/2	1/2	2/2	3/2
Do. 15 in. do.	1/4	1/2	2/2	3/2	1/4	1/2	2/2	3/2
Do. 18 in. do.	1/8	1/2	2/2	3/2	1/8	1/2	2/2	3/2
Do. 21 in. do.	1/4	1/2	2/2	3/2	1/4	1/2	2/2	3/2
Do. 24 in. do.	1/2	1/2	2/2	3/2	1/2	1/2	2/2	3/2
Loose Sockets,	2	2/2	3/2	4/2	2	2/2	3/2	4/2
Single Branchpieces, two sockets,	2 1/2	2/2	3/2	4/2	2 1/2	2/2	3/2	4/2
Do. diminishing,	2	2/2	3/2	4/2	2	2/2	3/2	4/2
Do. inverted, or Anti-syphon,	2 1/2	2/2	3/2	4/2	2 1/2	2/2	3/2	4/2
Y Pieces,	2 1/2	2/2	3/2	4/2	2 1/2	2/2	3/2	4/2
No. 27 Parallel Branches 6" projection at A ,	2 1/2	2/2	3/2	4/2	2 1/2	2/2	3/2	4/2
No. 28 " " 14" " "	2 1/2	2/2	3/2	4/2	2 1/2	2/2	3/2	4/2
No. 28 " " 16" " "	2 1/2	2/2	3/2	4/2	2 1/2	2/2	3/2	4/2
Double Branchpieces, three sockets,	3 1/2	3/2	4/2	5/2	3 1/2	3/2	4/2	5/2
Handhole Pipes, oval door, 2 g.m. screws,	3	3/2	4/2	5/2	3	3/2	4/2	5/2
Roof Syphons,	2 1/2	2/2	3/2	4/2	2 1/2	2/2	3/2	4/2
Syphon Traps,	2	2/2	3/2	4/2	2	2/2	3/2	4/2
Increasing and Diminishing Pieces,	2 1/2	2/2	3/2	4/2	2 1/2	2/2	3/2	4/2
Bellmouths 12 ins. long,	2 1/2	2/2	3/2	4/2	2 1/2	2/2	3/2	4/2
Bellmouth Gratings,	2 1/2	2/2	3/2	4/2	2 1/2	2/2	3/2	4/2
Cleaning Eyes, straight,	2 1/2	2/2	3/2	4/2	2 1/2	2/2	3/2	4/2
Do. obtuse,	2 1/2	2/2	3/2	4/2	2 1/2	2/2	3/2	4/2
Holderbats or Projecting Earbands, with brass pins or iron bolts and nuts,	2 1/2	2/2	3/2	4/2	2 1/2	2/2	3/2	4/2
Do. with two 1/4" brass bolts and nuts,	2 1/2	2/2	3/2	4/2	2 1/2	2/2	3/2	4/2
Do. in two pieces, to clip pipe without pin or bolt,	2 1/2	2/2	3/2	4/2	2 1/2	2/2	3/2	4/2
Bonnet Tops or Cowls, with socket,	2 1/2	2/2	3/2	4/2	2 1/2	2/2	3/2	4/2
Do. without socket,	2 1/2	2/2	3/2	4/2	2 1/2	2/2	3/2	4/2

GENERAL EXTRAS TO ANY FITTING
 Oval Access Door, 2 g.m. screws, ...
 Horn cast on Syphon Trap 1/6.


4 in. Sanitary Connections — $\frac{3}{16}$ in. Metal, with Sockets for Earthenware Pipe

No. 25 **Q** Syphon Trap, with Socket to take 6 in. Locking Grid and with Horn on Top of Bend.




4 in. dia. under Socket and 3 in. dia. Spigot


PLAN.




No. 26 Connecting Piece.



No. 23 Large Radius Bend




No. 22 Obtuse Bend.




Size at **A** 17 in.

No. 24 Large Square Bend




No. 22A Long Tail Square Bend




Size a **A**, 16 in.

No. 20 **S** Junction, Earthenware Socket on Branch



Projection at **A** 6, 9, 12, 15, 18, 21, 24, 27, 30, 33, 36 ins.

No. 21 **P** Junction, Earthenware Socket on Branch




Projection at **A** 6, 9, 12, 15, 18, 21, 24, 27, 30, 33, 36 ins.

4 in. Sanitary Connections ($\frac{3}{16}$ in. Metal) to take Earthenware Pipe.

No. 25 Q Trap with Anti-syphon Branch, and with Hinged Grating,	12/	each.
" " " " " without Hinged Grating,	8/	"
No. 23 Curved Bend	5/6	"
Nos. 22 and 22 A Bends	4/8	"
4 in. diar. ×	6	9	12	15	18	21	24	27	30	33	36	in. proj.				
No. 20 and 21 S and P Branches	6/	6/6	7/	7/6	8/	8/6	9/	10/	11/	12/	13/	each.				
No. 26 Connecting Piece	2/3	2/3	2/6	3/	3/6	4/	4/6	—	—	—	—	"				
Anti-syphon Branch, cast-on	1/6	extra.
No. 24 Square Bends (inside Sizes),	12 × 12	14 × 14	15 × 15	18 × 14	17 × 17	ins.								
	5/	5/6	6/6	7/6	7/6	each.								

L.C.C. Soil Pipes and Connections.


Soil Pipe,
6 ft. 0 in. length.




Shoe.




Square Bend.




Square Bend
with Heel Rest.




Square Bend with
Oval Door on Side.




Square Bend with
Oval Door on Back.




Obtuse Bend




Obtuse Bend
with Heel Rest




Obtuse Bend with
Oval Door on Side



Obtuse Bend with
Oval Door on Back




Offset




Obtuse Bend Degrees, 2 to 4 ins., 95°, 105°, 112½°, 120°, 135°


Anti-syphon
Branch




T Piece




Single Branch



Single Branch with
Oval Door on Side



Single Branch with
Oval Door on Back



Branch Degrees, 2 to 4 ins., 95°, 105°, 112½°, 120°, 135°






Inverted Socket Branch
Diminishing

Inverted Spigot Branch
Diminishing

Y Piece
Diminishing





Y Piece

Section through
Access Door



For Prices see page 181.

L.C.C. Soil Pipes and Connections.




HOLDER BATS.


L.C.C. Soil Pipe Connections.

SOIL PIPES	FINE CAST, PAINTED OR COATED.				GALVANIZED OR GLASS ENAMELLED.			
	2	2½	3	3½	4	4½	5	6
6 ft. lengths	1/2	1/2	2/6	2/6	2/2	2/2	2/2	2/2
2, 3, and 4 ft. lengths	1/8	1/10	2/4	2/4	2/10	2/10	2/10	2/10
Double Socket	2/1	2/4	1/4	1/4	3/6	3/6	3/6	3/6
Bends, standard angles	1/2	1/10	2/8	2/8	2/4	2/4	2/4	2/4
Do. with heel rest	1/6	1/10	2/8	2/8	2/4	2/4	2/4	2/4
Shoes	1/10	2/4	3/2	3/2	3/8	3/8	3/8	3/8
Swannecks, 3 in. projection	2/8	3/8	3/2	3/2	5/8	5/8	5/8	5/8
Do. 4½ in. do.	3/2	4/3	4/3	4/3	5/8	5/8	5/8	5/8
Do. 6 in. do.	4/9	5/9	5/6	5/6	7/8	7/8	7/8	7/8
Do. 9 in. do.	4/9	5/9	5/6	5/6	11/8	11/8	11/8	11/8
Do. 12 in. do.	5/6	6/6	6/6	6/6	13/8	13/8	13/8	13/8
Do. 15 in. do.	6/6	6/6	6/6	6/6	15/8	15/8	15/8	15/8
Do. 18 in. do.	6/6	6/6	6/6	6/6	17/8	17/8	17/8	17/8
Do. 21 in. do.	6/6	6/6	6/6	6/6	19/8	19/8	19/8	19/8
Do. 24 in. do.	6/6	6/6	6/6	6/6	21/8	21/8	21/8	21/8
Loose Sockets	1/11	1/2	3/8	3/8	1/8	1/8	1/8	1/8
Single Branchpieces, two sockets, T Pieces	2/7	3/2	3/8	3/8	3/3	3/3	3/3	3/3
Do. do. inverted, or Anti-Syphon	2/7	3/2	3/8	3/8	3/3	3/3	3/3	3/3
Y Pieces	3/2	3/2	3/8	3/8	4/9	4/9	4/9	4/9
No. 27 Parallel Branches, 6 in. projection at A	3/2	3/2	3/8	3/8	4/9	4/9	4/9	4/9
No. 28 " " " " " "	3/2	3/2	3/8	3/8	4/9	4/9	4/9	4/9
Double Branchpieces, three sockets	3/2	3/2	3/8	3/8	4/9	4/9	4/9	4/9
Inspection Pipes with oval door and 2 g.m. screws	3/6	4/4	4/8	4/8	5/6	5/6	5/6	5/6
Roof Syphons	4/3	4/9	5/3	5/3	5/6	5/6	5/6	5/6
Syphon Traps	1/7	1/8	1/11	1/11	1/6	1/6	1/6	1/6
Increasing and Diminishing Pieces.	3/10	3/10	3/10	3/10	3/10	3/10	3/10	3/10
Bellmouths	1/6	1/7	1/9	1/9	1/6	1/6	1/6	1/6
Bellmouth Gratings	1/8	1/8	1/9	1/9	1/6	1/6	1/6	1/6
Holderbats or Projecting Earbands, with brass pins or iron bolts and nuts, Nos. 13, 14 and 16	1/5	1/6	1/7	1/7	1/6	1/6	1/6	1/6
Do. with two ¼" brass " " "	2/3	2/4	2/8	2/8	2/3	2/3	2/3	2/3
Do. in two pieces, to clip pipe without pin or bolt, No. 15.	1/9	1/9	1/9	1/9	1/9	1/9	1/9	1/9
Bonnet Tops or Cowls, with Socket	1/9	1/9	1/9	1/9	1/9	1/9	1/9	1/9
Do. do. without Socket	1/9	1/9	1/9	1/9	1/9	1/9	1/9	1/9
GENERAL EXTRA TO ANY FITTING								
Oval Access Door, 2 g.m. screws								
Horn cast on Syphon Trap 1/6								


Soil Pipes and Connections — 1/4-in. Metal.



Obtuse Bends, 2 1/2 to 4 in., 95°, 105°, 112 1/2°, 120°, 135°



Branches, 2 1/2 to 4 in., 95°, 105°, 112 1/2°, 120°, 135°




HOLDER BATS.

Soil Pipe Connections — 1/4 in. Metal.

SOIL PIPES	FINE CAST, PAINTED OR COATED.		GALVANIZED OR GLASS ENAMELLED.	
	2 1/2	3	3 1/2	4
6 ft. lengths	2/2	2/2	2/2	2/2
2, 3, and 4 ft. lengths	2/2	2/2	2/2	2/2
Double Socket	2/2	2/2	2/2	2/2
Bends, standard angles	2/2	2/2	2/2	2/2
" " " " with Heel Rest	2/2	2/2	2/2	2/2
Shoes	2/2	2/2	2/2	2/2
Swannecks, 4 1/2 in. in. projection	2/2	2/2	2/2	2/2
" " " " 6 in. in. projection	2/2	2/2	2/2	2/2
" " " " 9 in. in. projection	2/2	2/2	2/2	2/2
" " " " 12 in. in. projection	2/2	2/2	2/2	2/2
" " " " 15 in. in. projection	2/2	2/2	2/2	2/2
" " " " 18 in. in. projection	2/2	2/2	2/2	2/2
" " " " 21 in. in. projection	2/2	2/2	2/2	2/2
" " " " 24 in. in. projection	2/2	2/2	2/2	2/2
Loose Sockets	2/2	2/2	2/2	2/2
Single Branchpieces, two sockets, T Pieces	2/2	2/2	2/2	2/2
Y Pieces	2/2	2/2	2/2	2/2
Double Branchpieces, three sockets	2/2	2/2	2/2	2/2
Handhole Pipes, oval door, 2 g.m. screws	2/2	2/2	2/2	2/2
Holderbats or Projecting Earbands, with brass pins or iron bolts and nuts	2/2	2/2	2/2	2/2
" " " " with two 3/8" brass bolts and nuts	2/2	2/2	2/2	2/2
" " " " in two pieces, to clip pipe without pin or bolt	2/2	2/2	2/2	2/2
GENERAL EXTRA TO ANY FITTING.	2/2	2/2	2/2	2/2
Oval Access Door, 2 g.m. screws	2/2	2/2	2/2	2/2

Ornamental Heads for Rain Water Pipes.

No. 1 Flat and Angle.



Sizes of Flat Head.				To suit Round Pipe.	PRICES.	Sizes of Angle Head.				To suit Round Pipe.	PRICES.
Width	Back to Front	Height	Ins.			Width	Back to Front	Sides	Height		
7 1/2	5 1/2	6	1 1/2	each	9 1/2	7	6 1/2	8 1/2	2	1/3	
9 1/2	6 3/4	8 1/4	2	1/3	10	7 1/2	7	8 3/4	2 1/2	1/5	
10	7	8 3/4	2 1/2	1/5	10 1/2	8 1/4	7 1/2	9	3	1/8	
10 1/2	7 3/4	9	3	1/8	11	9	8	9 1/2	3 1/2	2/	
11	8	9 1/4	3 1/2	2/	11 1/2	9 1/2	8 1/2	10	4	2/3	
11 1/2	8 1/2	10	4	2/3	12 1/2	10 1/4	9	10 1/2	4 1/2	3/2	
12 1/2	9	10 1/2	4 1/2	3/2	13	10 3/4	9	11 1/2	5	4/	
13	10	11 1/2	5	4/	14 1/2	12	10 1/2	11 1/4	6	5/	
14	10 3/4	11 1/4	6	5/							

No. 1 Angle.



No. 2 Flat.



No. 2 Flat and Angle.


Sizes of Flat Head.				To suit Round Pipe.	PRICES.	Sizes of Angle Head.				To suit Round Pipe.	PRICES.
Width	Back to Front	Height	Ins.			Width	Back to Front	Sides	Height		
10 3/4	6 1/4	10 1/2	2 & 2 1/2	3/ & 3/	10 1/2	8 1/4	7 1/2	10 1/2	2 & 2 1/2	3/ & 3/	
12	7 1/4	11 1/2	3 & 3 1/2	3/6 & 4/	12	9 1/2	8 3/4	11 1/2	3 & 3 1/2	3/6 & 4/	
13 1/4	8	12 1/2	4 & 4 1/2	4/6 & 5/	13 1/2	11 1/4	9 3/4	12 1/2	4 & 4 1/2	4/6 & 5/	
15 1/4	10	13	5 & 6	5/6 & 6/	16 1/4	13 1/2	11 3/4	13	5 & 6	5/6 & 6/	

No. 2 Angle.



No. 3 Flat and Angle.


No. 3 Flat.




Size of Head.			To suit Round R.W. Pipes.						
Width, ...	Back to Front, ...	Height, ...	ANGLE ins.	FLAT ins.	ins.	ins.	ins.	ins.	
...	13 1/4	12 1/2	2	2 1/2	3	3 1/2	4
...	13 1/4	9					
...	9 3/8 x 9 1/8						
...	12	12					
...	8/	8/					

Size of Head.			To suit Square or Rect. R.W. Pipes.					
Width, ...	Back to Front, ...	Height, ...	ANGLE ins.	FLAT ins.	ins.	ins.	ins.	ins.
...	13 1/4	12 1/2	3 x 2 1/2	3 x 3	4 x 3	4 x 4
...	13 1/4	9				
...	9 3/8 x 9 1/8					
...	12	12				
...	8/	8/				

No. 3 Angle.



No. 26 Flat.



No. 26 Flat.

Size of Head.			To suit Round R.W. Pipes.								
Width, ...	Back to Front, ...	Height, ...	ins.	ins.	ins.	ins.	ins.	ins.	ins.		
...	17	2	2 1/2	3	3 1/2	4	4 1/2	5	6
...	8 1/4								
...	12								
...		20/	20/	20/	20/	20/	24/	24/	24/

Size of Head.			To suit Square or Rect. R.W. Pipes.						
Width, ...	Back to Front, ...	Height, ...	ins.	ins.	ins.	ins.	ins.	ins.	
...	17	3 x 2 1/2	3 x 3	4 x 3	4 x 4	5 x 3 1/2	6 x 4
...	8 1/4						
...	12						
...		22/6	22/6	22/6	22/6	25/	25/

No. 26 Angle.



No. 26 Angle.

Size of Head		To suit Round R.W. Pipes.					
Width, ...	Back to Front, ...	ins.	ins.	ins.	ins.	ins.	
...	...	12 1/4	2	2 1/2	3	3 1/2	4
...	...	9 3/8					
...	...	8 3/4 x 8 3/4					
...	...	12					
...	...		20/	20/	20/	20/	20/

Ornamental Heads for Rain Water Pipes.

No. 4 Flat and Corner.

No. 4 Flat.



Size of Head—Flat		To suit Square or Rect. R.W. Pipes			Size of Head—Flat		To suit Square or Round R.W. Pipes			
Width, ...	Front to Back, ...	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.
14 3/4	9	5 x 3 1/2	5 x 4	6 x 4	12	3 x 2 1/2	3 x 3	4 x 3	4 x 4	4 x 4
18	18				8 1/2					
PRICE, each,	20/	20/	20/	16 1/2					

Size of Head—Flat		To suit Round R.W. Pipes					Size of Right or Left-hand Corner Head		To suit Square or Rect. R.W. Pipes				
Width, ...	Front to Back, ...	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.
12	8 1/2	2	2 1/2	3	3 1/2	4	13	3 x 2 1/2	3 x 3	4 x 3	4 x 4	5 x 3 1/2	5 x 3 1/2
16 1/2	16 1/2						8 3/4 x 9 3/4						
PRICE, each,	15/	15/	15/	15/	15/	18	20/	20/	20/	20/	20/	20/

Size of Right or Left-hand Corner Head		To suit Round R.W. Pipes				
Width, ...	Front to Back, ...	Ins.	Ins.	Ins.	Ins.	Ins.
13	13	2	2 1/2	3	3 1/2	4
18	18					
PRICE, each,	18/	18/	18/	18/	18/


No. 5 Flat.



No. 5 Flat.

Size of Head—Flat		To suit Sq. or Rect. R.W. Pipes				Size of Head—Flat		To suit Round R.W. Pipes.			
Width, ...	Front to Back, ...	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.
13	9	3 x 2 1/2	3 x 3	4 x 3	4 x 4	13	2	2 1/2	3	3 1/2	4
17	17					17					
PRICE, each,	18/	18/	18/	18/	16/	16/	16/	16/	16/	16/

No. 9 Flat.



No. 9 Flat and Angle.

Size of Head.		Flat To suit Square or Rect. R.W. Pipes.			Size of Head		Flat To suit Round R.W. Pipes.			
Width, ...	Front to Back, ...	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.
14 1/4	9 3/8	5 x 3 1/2	5 x 4	6 x 4	14 1/4					
17	17				9 3/8					
PRICE, each,	20/	20/	20/	17					

Size of Head.		Flat To suit Square or Rect. R.W. Pipes.			Size of Head		Flat To suit Round R.W. Pipes.			
Width, ...	Front to Back, ...	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.
12 3/4	8 3/8	3 x 2 1/2	3 x 3 4 x 3 4 x 4	3 x 4	12 3/4	2	2 1/2	3	3 1/2	4
17	17				8 3/8					
PRICE, each,	15/	15/	15/	15/	15/	15/	15/	15/	15/

Size of Head.		Angle To suit Square or Rect. R.W. Pipes.		Size of Head		Angle To suit Round R.W. Pipes.			
Width, ...	Front to Back, ...	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.
12	12	3 x 2 1/2	3 x 3	12	2	2 1/2	3	3 1/2	
16 1/4	16 1/4			8 1/2 x 8 1/2					
PRICE, each,	18/	18/	16 1/4	18/	18/	18/	18/	18/

No. 8 Flat.



No. 8 Flat.

Size of Head—Flat		To suit Sq. or Rect. R.W. Pipes			Size of Head—Flat		To suit Round R.W. Pipes.			
Width, ...	Front to Back, ...	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.
11 1/4	7 1/4	3 x 2 1/2	3 x 3	4 x 3	11 1/4	2	2 1/2	3	3 1/2	
15	15				7 1/4					
PRICE, each,	20/	20/	20/	15	20/	20/	20/	20/	

Ornamental Heads for Rain Water Pipes.

No. 7 Flat and Angle.

Size of Head		To suit Round R.W. Pipes			Size of Head		To suit Sq. or Rect. R.W. Pipes						
Width, ...	Flat Ins. 12	Ins.	Ins.	Ins.	Width, ...	Flat Ins. 12	Ins.	Ins.	Ins.	Ins.	Ins.		
Front to Back, ...	9	4½	5		Front to Back, ...	8	3 × 2½	3 × 3	4 × 3	4 × 4	5 × 3½		
Height, ...	14½				Height, ...	14½							
PRICE, each	...	20/	20/		PRICE, each	...	20/	20/	20/	20/	20/		
Width, ...	Flat 12	2	2½	3	3½	4	Width, ...	Angle 12½	3 × 2½	3 × 3	4 × 3	4 × 4	5 × 3½
Front to Back, ...	8						Front to Back, ...	12½					
Height, ...	14½						Sides, ...	9½ × 9½					
PRICE, each	...	17/6	17/6	17/6	17/6	17/6	Height, ...	14½	20/	20/	20/	20/	20/
							PRICE, each	...					




No. 6 Flat

Size of Head.		To suit Sq. or Rect. R.W. Pipes					Size of Head		To suit Round R.W. Pipes.						
Width, ...	Flat Ins. 14½	Ins.	Ins.	Ins.	Ins.	Ins.	Width, ...	Flat Ins. 14½	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	
Front to Back	9	3 × 2½	3 × 3	4 × 3	4 × 4	5 × 3½	Front to Back	9	2	2½	3	3½	4	4½	5
Height	16½						Height	16½							
PRICE, each	...	25/	25/	25/	25/	25/	PRICE, each	...	22/6	22/6	22/6	22/6	22/6	22/6	22/6



No. 34 Flat




No. 34 Flat.

Size of Head.		To suit Rect. R.W. Pipes	
Width, ...	Flat Ins. 28	Ins.	Ins.
Front to Back, ...	13½	5 × 4	
Height, ...	41		
PRICE, each	...	95/	


No. 27 Flat and Angle.

Size of Head		To suit Sq. or Rect. R.W. Pipes			Size of Head		To suit Rd. R.W. Pipes			
Width, ...	Flat Ins. 18½	Ins.	Ins.	Ins.	Width, ...	Flat Ins. 18½	Ins.	Ins.	Ins.	Ins.
Front to Back, ...	5½	3 × 2½	3 × 3	4 × 3	Front to Back, ...	5½	2	2½	3	3½
Height, ...	14½				Height, ...	14½				
PRICE, each	...	17/6	17/6	17/6	PRICE, each	...	15/	15/	15/	15/
Width, ...	Angle 16	3 × 2½	3 × 3		Width, ...	Angle 16	2	2½	3	3½
Front to Back, ...	9½				Front to Back, ...	9½				
Sides, ...	11½ × 11½				Sides, ...	11½ × 11½				
Height, ...	13½				Height, ...	13½				
PRICE, each	...	17/6	17/6		PRICE, each	...	15/	15/	15/	15/



Ornamental Heads for Rain Water Pipes.

No. 10 Flat



Size of Head—Flat		To suit Square or Rectangular R.W. Pipes						
Width, ...	Ins. 21	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.
Front to Back, ...	11	3 × 2½	3 × 3	4 × 3	4 × 4	5 × 3½	5 × 4	6 × 4
Height, ...	11½							
PRICE, each,	25/	25/	25/	25/	27/6	27/6	27/6
Size of Head—Flat		To suit Round R.W. Pipes						
Width, ...	Ins. 21	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.
Front to Back, ...	11	2	2½	3	3½	4	4½	5
Height, ...	11½							
PRICE, each,	25/	25/	25/	25/	25/	27/6	27/6

No. 33 Flat

Size of Head—Flat		To suit Square or Rect. R.W. Pipes			Size of Head—Flat		To suit Round R.W. Pipes				
Width, ...	Ins. 24	Ins.	Ins.	Ins.	Width, ...	Ins. 24	Ins.	Ins.	Ins.	Ins.	Ins.
Front to Back, ...	6	3 × 2½	3 × 3	4 × 3	Front to Back, ...	6	2	2½	3	3½	4
Height, ...	15½				Height, ...	15½					
PRICE, each,	22/6	22/6	22/6	PRICE, each,	22/6	22/6	22/6	22/6	22/6
Width, ...	Ins. 24½	Ins.	Ins.	Ins.	Width, ...	Ins. 24½	Ins.	Ins.	Ins.	Ins.	Ins.
Front to Back, ...	7	3 × 2½	3 × 3	4 × 3	Front to Back, ...	7	2	2½	3	3½	4
Height, ...	15½				Height, ...	15½					
PRICE, each,	25/	25/	25/	PRICE, each,	25/	25/	25/	25/	25/




No. 32 Flat



No. 32 Flat

Size of Head—Flat		To suit Sq. or Rect. R.W. Pipes			Size of Head—Flat		To suit Round R.W. Pipes				
Width, ...	Ins. 19½	Ins.	Ins.	Ins.	Width, ...	Ins. 19½	Ins.	Ins.	Ins.	Ins.	Ins.
Front to Back, ...	7½	3 × 2½	3 × 3	4 × 3	Front to Back, ...	7½	2	2½	3	3½	4
Height, ...	17½				Height, ...	17½					
PRICE, each,	20/	20/	20/	PRICE, each,	20/	20/	20/	20/	20/

No. 36 Flat




No. 35 Flat

Size of Head—Flat		To suit Round R.W. Pipes				
Width, ...	Ins. 15	Ins.	Ins.	Ins.	Ins.	Ins.
Front to Back, ...	9½	2	2½	3	3½	4
Height, ...	15½					
PRICE, each	...	15/	15/	15/	15/	15/

No. 36 Flat

Size of Head—Flat		To suit Round R.W. Pipes	
Width, ...	Ins. 20	Ins.	Ins.
Front to Back, ...	12	4	
Height, ...	18		
PRICE, each	...	22/6	

No. 38 Flat




No. 38 Flat.

Size of Head—Flat		To suit Round R.W. Pipes 4 and 6 in.			
Width, ...	Ins. 30½				
Front to Back, ...	10½				
Height, ...	22				
PRICE, each	...	80/			


Ornamental Heads for Rain Water Pipes.

No. 22 Flat




No. 22 Flat
 Width 38 in.
 Front to Back 10 "
 Height 24 1/8 "
 To suit Round R.W. Pipes, 4 in., 6 in.
 To suit Square Pipes,
 4x3, 4x4, 5x3 1/2, 5x4, 6x4 in.
 PRICE **85/** each.

No. 21 Flat




No. 21 Flat
 Width 38 in.
 Front to Back 10 3/4 "
 Height 22 "
 To suit same sized Pipes as No. 22.
 PRICE **85/** each.

No. 23 Flat




No. 23 Flat
 Width 38 1/2 in.
 Front to Back 12 1/8 "
 Height 31 1/2 "
 To suit Round R.W. Pipes, 4 in., 6 in.
 To suit Square Pipes,
 4x3, 4x4, 5x3 1/2, 5x4, 6x4 in.
 PRICE **100/** each.

No. 25 Flat



No. 25 Flat
 Width 48 in.
 Front to Back 15 "
 Height 46 3/8 "
 To suit Square R.W. Pipes,
 4x3, 4x4, 5x3 1/2, 5x4, 6x4 in.
 PRICE **150/** each.

No. 24 Flat




No. 24 Flat
 Width 48 in.
 Front to Back 15 "
 Height 50 1/4 "
 To suit Square R.W. Pipes,
 4x3, 4x4, 5x3 1/2, 5x4, 6x4 in.
 PRICE, **150/** each.

No. 37 Flat




No. 37 Flat
 Width 48 in.
 Front to Back 15 "
 Height 50 1/4 "
 To suit Square R.W. Pipes,
 4x3, 4x4, 5x3 1/2, 5x4, 6x4 in.
 PRICE **150/** each.


Examples of Inside and Outside Sockets, &c.




Drop Cast on Back of Gutter Drop Cast on Sole of Gutter Drop Cast on Heel of Gutter




Plan of Corner Head (Left Hand)



Plan of Corner Head (Right Hand)




Plan as suggestion showing how Gutters should be ordered



Note—All full size sections of Gutters in this List are approximate in thickness

No. 4A and No. 3 Moulded Gutters.




Full Size Sections.

Prices on application.

O.S.R.H. means—Outside Sockets right hand.

I.S.R.H. means—Inside Sockets right hand.

No. 4 Moulded Gutters.




Full Size Sections.

Inside Socket, right hand.


Prices on application.

No. 41 and No. 4 Moulded Gutters.




Full Size Sections.
 Inside Socket, right hand.
Prices on application.

No. 9 Moulded Gutters.




Full Size Sections.
 Inside Socket, right hand.
Prices on application.

No. 9 Moulded Gutters.



Full Size Sections.
Inside Socket, right hand.
Prices on application.

No. 9 Moulded Gutters.



Full Size Sections.
Inside Socket, left hand.
Prices on application.

TELEGRAMS: "GELLING'S FOUNDRY DOUGLAS, MAN."
TELEPHONE NO. 13.

ENGINEERS
MILLWRIGHTS
IRON AND
BRASS FOUNDERS
BLACKSMITHS

GELLING'S FOUNDRY LIMITED,

SOUTH QUAY,
DOUGLAS, ISLE OF MAN.

RANGE AND GRATE
MANUFACTURERS AND
IMPORTERS

MOTOR
ENGINEERS

CUSTOMER'S CARS ARE DRIVEN BY OUR
STAFF AT CUSTOMER'S OWN RISK
AND RESPONSIBILITY.

MOTOR CARS
FOR HIRE

Mar 2 '21

Mr A Ball
Peel

Dear Sir:

We much regret that we have
no stocking of the kind you require. We also
have tried every likely place in Douglas,
but find there is nothing of the description
stocked.

Yours faithfully

P. PRO. GELLING'S FOUNDRY LTD:

J. A. Peterson
MGR

SEGY

No. 9 Moulded Gutters — $\frac{3}{16}$ in. Metal.

Can you supply a length of 6" x 4" gutter
to sketch herewith.

This is a sketch of the
inside stop end


A Ball
Peel

Left hand Inside socket

Full Size Section.
Inside Socket, left hand.


Prices on application.

No. 9 Moulded Gutters.



Full Size Sections.
Inside Socket right hand.
Prices on application.


No. 9 Moulded Gutters — $\frac{3}{16}$ in. Metal.




Section.
left hand.

Prices on application.

No. 9 Moulded Gutters.



No. 9 Moulded Gutters — $\frac{3}{16}$ in. Metal.



Nos. 10 and 11 Moulded Gutters.

N^o 10.

$3\frac{1}{2}'' \times 2\frac{1}{2}''$

$4\frac{1}{2}'' \times 3\frac{1}{2}''$

$6'' \times 4''$

$6'' \times 5''$

N^o 11.

$7'' \times 6''$

Full Size Sections.
Inside Socket, right hand.
Prices on application.

No. 13 Moulded Gutters.

$3\frac{3}{8}'' \times 2\frac{1}{2}''$

$4'' \times 2\frac{7}{8}''$

$4\frac{1}{2}'' \times 3''$


$7'' \times 5\frac{1}{4}''$

$7\frac{1}{2}'' \times 5\frac{1}{2}''$

$7\frac{1}{2}'' \times 4''$


Full Size Sections.
Inside Socket, right hand.
Prices on application.

No. 14 and No. 30 Moulded Gutters.




Full Size Sections.
Inside Socket, right hand.
Prices on application.

No. 27 Moulded Gutters.




Full Size Sections.
Inside Socket right hand.
Prices on application.

No. 23 Box Gutters.



Full Size Section.
Inside Socket, right or left hand.
Prices on application.

No. 23 Box Gutters.



Full Size Section.
Inside Socket, right or left hand.
Prices on application.

No. 1A Valley Gutters. In 6 ft. Lengths. (Sections $\frac{1}{4}$ full size).

$19 \times 5 \times \frac{3}{16}$ in.
Sole, 9 in.
Side, 7 "

$19 \times 5\frac{1}{2} \times \frac{1}{4}$ in.
Sole, $7\frac{1}{4}$ in.
Side, 8 "

$21 \times 5\frac{1}{2} \times \frac{3}{16}$ in.
Sole, $5\frac{1}{4}$ in.
Side, $9\frac{3}{4}$ "

$21 \times 5 \times \frac{3}{16}$ in.
Sole, 6 in.
Side, 9 "

$23 \times 5\frac{1}{2} \times \frac{1}{4}$ in.
Sole, $8\frac{3}{4}$ in.
Side, 9 "

$30\frac{1}{2} \times 6 \times \frac{1}{4}$ in.
Sole, $12\frac{1}{2}$ in.
Side, 11 "

All Outside Sockets. Prices on application

Valley and Boundary Wall Gutters. (Sections $\frac{1}{4}$ full size).

In 6 feet lengths except Nos. 2A and 3A.

No. 1A
 $15\frac{1}{2} \times 4 \times \frac{3}{16}$ in.
Outside Socket
Sole 2 in.
Side $7\frac{3}{4}$ in.

No. 1A
 $11\frac{3}{4} \times 3\frac{1}{2} \times \frac{3}{16}$ in.
Outside Socket
Sole 4 in.
Side 5 in.

No. 1A
 $12\frac{3}{4} \times 4\frac{3}{8} \times \frac{1}{4}$ in.
Outside Socket
Sole 6 in.
Side $5\frac{1}{4}$ in.

No. 1A
 $15\frac{1}{2} \times 4\frac{3}{4} \times \frac{1}{4}$ in.
Outside Socket
Sole $4\frac{3}{4}$ in.
Side 7 in.

No. 48
 $15\frac{3}{4} \times 4\frac{1}{4} \times \frac{1}{4}$ in.
Outside Socket on right
looking from short side
of Gutter.
Sole, $6\frac{1}{2}$ in.
Short Side, $5\frac{1}{4}$ in.
Long Side, $7\frac{1}{2}$ in.

No. 47
 $10\frac{3}{4} \times 3\frac{3}{4} \times \frac{3}{16}$ in.
Outside Socket.
Sole, $5\frac{1}{4}$ in.

No. 1A
 $12 \times 5\frac{1}{4} \times \frac{3}{16}$ in.
Outside Socket
Sole, $6\frac{3}{4}$ in.
Side, 6 in.

No. 1A
 $10\frac{1}{2} \times 5\frac{1}{4} \times \frac{3}{16}$ in.
Outside Socket
Sole, $7\frac{1}{2}$ in.
Side, $5\frac{1}{2}$ in.

No. 3A
 $11\frac{3}{8} \times 5 \times \frac{3}{16}$ in.
Outside Socket on
right hand, look-
ing from short side
of Gutter.
Sole, $6\frac{1}{2}$ in.

No. 2A
 $16 \times 5\frac{3}{4} \times \frac{3}{16}$ in.
Outside Socket.
Sole, $7\frac{1}{4}$ in.

No. 3A in 5 ft. lengths.


No. 2A in 4 ft. lengths.

Prices on application.

Valley and Boundary Wall Gutters—In 6 feet Lengths (Sections $\frac{1}{4}$ full size)


No. 45

$11 \times 4\frac{1}{4} \times \frac{3}{16}$ in.
Inside Socket, left
hand looking from
straight side of
Gutter.
Sole, $5\frac{1}{4}$ in.




No. 45.

$12 \times 5 \times \frac{1}{4}$ in.
Outside Socket, left
hand, looking from
straight side of Gutter
Sole, $5\frac{1}{2}$ in.




No. 1 A

$18 \times 10 \times \frac{1}{4}$ in.
Outside Socket.
Sole, 13 in.
Side, $10\frac{1}{4}$ "




No. 45

$11 \times 5 \times \frac{1}{4}$ in.
Outside Socket, left
hand, looking from
straight side of Gutter
Sole, $7\frac{1}{2}$ in.




No. 48

$27 \times 8 \times \frac{1}{4}$ in.
Outside Socket on right hand
looking from short side of
Gutter.
Sole, $8\frac{3}{4}$ in.
Short Side, $9\frac{1}{2}$ "
Long " 16 "



No. 47


$24 \times 4\frac{3}{4} \times \frac{1}{4}$ in.
Outside Socket.
Sole, $9\frac{1}{4}$ in.




Prices on application.

No. 4A Boundary Wall Gutters—In 6 feet Lengths. (Sections $\frac{1}{4}$ full size).


$13 \times 5 \times \frac{3}{16}$ in.
O.S.L.H.
Sole, $6\frac{1}{4}$ in.




$10 \times 4 \times \frac{1}{4}$ in.
O.S.R.H.
Sole, 4 in.




$13 \times 4\frac{1}{2} \times \frac{3}{16}$ in.
O.S.L.H.
Sole, $6\frac{3}{8}$ in.




$13 \times 5 \times \frac{3}{16}$ in.
O.S.L.H.
Sole, 6 in.



$10\frac{1}{2} \times 4\frac{3}{4} \times \frac{3}{16}$ in.
O.S.L.H.
Sole, $3\frac{3}{4}$ in.




$16 \times 6 \times \frac{1}{4}$ in.
O.S.R.H.
Sole, 9 in.




$10\frac{1}{2} \times 5\frac{5}{8} \times \frac{3}{16}$ in.
O.S.R.H.
Sole, 6 in.




$16 \times 6 \times \frac{3}{16}$ in.
O.S.L.H.
Sole, $6\frac{3}{4}$ in.




$10 \times 5 \times \frac{3}{16}$ in.
O.S.R.H.
Sole, 6 in.




$19 \times 6 \times \frac{3}{16}$ in.
O.S.L.H.
Sole, 9 in.



$9\frac{1}{2} \times 4\frac{1}{2} \times \frac{3}{16}$ in.
O.S.L.H.
Sole, $6\frac{3}{4}$ in.



$19 \times 6 \times \frac{3}{16}$ in.
O.S.L.H.
Sole, 6 in.



O.S.L.H. means Outside Socket on Left Hand looking from straight side of Gutter.
O.S.R.H. " " " Right " " " " " "

Prices on application. Measurement of Sole is Outside.


Pole Finials.

No. 40




If tapped for screwing to pole.
PRICE, 9/ each
Without screwed socket, but
with set bolt for fixing to pole
PRICE, 7/ each.

No. 41



Sizes at				PRICE
A	B	C	D	
20	4 1/2	3 1/2	3 1/2	7/ ea.
19	4 1/2	4 1/2	4 1/2	8/6 ..
22	4 1/2	5 1/2	5 1/2	11/6 ..
23	6	6 1/2	6	13/6 ..

No. 42



Sizes of Spigot over chipping strips.
5 6 7 in. dia.
PRICES, 5/8 8/ 9/ each

No. 43




Sizes at				PRICE
A	B	C	D	
18	4	2 1/2	2 1/2	7/ ea.
20	4 1/2	3 1/2	3 1/2	7/6 ..
19	4 1/2	4 1/2	4 1/2	8 ..
22	4 1/2	5 1/2	5 1/2	11/ ..
23	6	6 1/2	6	14 ..
23	6	7 1/2	6	16 ..

No. 44




PRICE, 3/ each.

No. 46




Sizes at				PRICE
A	B	C	D	
16 1/2	4	4 1/2	4 1/2	13/ ea.

No. 48




Sizes at				PRICE
A	B	C	D	
22 1/2	5	5 1/2	5 1/2	20/6 ea.
22 1/2	5	6 1/2	6 1/2	20/6 ..

No. 45




Sizes at				PRICE
A	B	C	D	
27 1/2	6	4 1/2	3 1/2	8/6 ea.
33	6	4 1/2	4 1/2	9/6 ..
33	6	5 1/2	5 1/2	10/ ..
33	6	6 1/2	6	13/ ..

No. 49




Sizes at				PRICE
A	B	C	D	
25	6	7 1/2	6 1/2	16/ ea.

No. 47



Sizes at				PRICE
A	B	C	D	
24	4	4 1/2	3 1/2	12/ ea.
24	4	5 1/2	4 1/2	12/6 ..

No. 50




Sizes at				PRICE
A	B	C	D	
22 1/2	6	6 1/2	6 in.	15/ ea.

No. 51



Sizes at				PRICE
A	B	C	D	
21 1/2	7 1/2	6 1/2	5 1/2	21/ ea.

C.I. Coronet for Ventilating Pole



Sizes at				PRICE.	Galvanized Wire Guards PRICE.
A	B	C	PRICE.		
12 1/2	7 1/2	6 1/2	10/ each	3/ each extra.	
18	10	9 1/2	17/ ..	4/6 ..	
24	15	12 1/2	50/ ..	6/ ..	


Pole Caps and Collars.

No. 36



PRICE .. 2/ each.

No. 37




PRICE .. 2/8 each

No. 38



PRICE .. 4/6 each

No. 39




PRICE .. 7/6 each

No. 27




Sizes at			PRICE
E	F	G	
3 1/2	3	4 1/2 in.	1/10 ea.
3 3/8	3 1/2	4 1/2 ..	2/ ..
4 1/8	3 3/4	5 1/8 ..	3/2 ..
5 1/8	4	6 1/8 ..	4/ ..

No. 28




Sizes at			PRICE
E	F	G	
6 1/2	4 1/2	6 1/2 in.	4/ ea.
7 1/2	4 3/4	7 1/2 ..	4/6 ..
5	4 1/2	5 1/8 ..	3/ ..
5 1/2	4 3/4	6 1/8 ..	3/6 ..

No. 29




Sizes at			PRICE
E	F	G	
4 1/2	3	5 1/2 in.	1/4 ea.
5 1/2	3	6 1/2 ..	1/8 ..
6 1/2	3	7 1/2 ..	1/10 ..
7 1/2	3	8 1/2 ..	2/ ..
8 1/2	3	9 1/2 ..	2/6 ..

No. 30




Sizes at			PRICE
E	F	G	
5 1/2	4 1/2	6 1/2 in.	4/ ea.
6 1/2	4 1/2	7 1/2 ..	4/6 ..
7 1/2	4 1/2	8 1/2 ..	5/ ..

No. 31




Sizes at			PRICE
E	F	G	
3 3/8	3 1/2	4 1/2 in.	1/4 ea.
4 1/2	3 3/4	4 1/2 ..	2/6 ..
6 1/2	4	7 1/8 ..	4/2 ..
6 1/2	4	7 1/2 ..	4/2 ..
7 1/2	4	8 1/2 ..	5/ ..

No. 32




Sizes at			PRICE
E	F	G	
4	2 1/2	4 1/2 in.	1/8 ea.
8 1/2	4	9 1/2 ..	5/8 ..
9 1/2	4 1/2	10 1/2 ..	5/8 ..

No. 33




Sizes at			PRICE
E	F	G	
4 1/2	6 1/2	5 1/2 in.	4/ ea.
5 1/2	6 1/2	6 1/2 ..	4/8 ..
7 1/2	6 1/2	8 1/8 ..	6/6 ..
8 1/8	6 1/2	9 1/2 ..	8/6 ..

No. 34




Sizes at			PRICE
E	F	G	
4 1/2	5	5 1/2 in.	3/ ea.
5 1/2	5	6 1/2 ..	3/ ..
6 1/2	5	7 1/2 ..	3/6 ..
6 1/2	5	7 1/2 ..	3/6 ..

No. 35



Sizes at			PRICE
E	F	G	
5 1/2	6	6 1/2 in.	4/ ea.
6 1/2	7 1/2	7 1/2 ..	5/4 ..


Cross Piece, 4-way (not Split).



PRICE .. 9/6 each.
If Tapped to take Gas
Tube in each way } 12/6 ..

T Piece for Bracket Arm (not split)


Screwed 1 1/2 in. Gas, and complete with
1/2 in. diam. Set Pin.



PRICE .. 6/ each.

Bracket Arm Clamp (split)


Screwed 2 in. Gas, and complete with
3/8 in. diam. Bolts and Nuts.



PRICE .. 14/ each.


Bracket Arm Clamp for Insulators.

Complete with 3/8 in. diam Bolts and Nuts.



PRICE .. 12/6 each.


Dwarf Bases and Fittings for Poles.




Size at H	I	J	PRICE.
7 ³ / ₈	6	13 ³ / ₄ ins.	5/6 each.
8 ¹ / ₂	6	14 ¹ / ₂ "	5/6 "
9 ¹ / ₂	6	15 ¹ / ₂ "	7/ "

Split Bases in Halves, fitted complete with Bolts and Nuts. Joints not machined.


Size at H	I	J	PRICE.
7 ³ / ₈	6	13 ³ / ₄ ins.	8/ each.
8 ¹ / ₂	6	14 ¹ / ₂ "	8/6 "
9 ¹ / ₂	6	15 ¹ / ₂ "	11/ "




Size at H	I	J	PRICE.
4 ³ / ₈	12	11 ins.	16/ each.
5 ¹ / ₈	12	11 "	16/ "




Size at H	I	J	PRICE.
5 ¹ / ₈	7	14 ins.	11/ each.



Size at H	I	J	PRICE.
6 ³ / ₈	12	13 ins.	12/ each.




Size at H	I	J	PRICE.
7 ³ / ₈	15	18 ins.	17/ each.




Size at H	I	J	PRICE.
8 ¹ / ₈	12 ¹ / ₂	13 ins.	16/ each.

No. 22 A




Size at H	I	J	PRICE.
4 ³ / ₈	24	11 ins.	25/ each.
5 ¹ / ₈	24	11 "	25/ "

No. 19




Size at H	I	J	PRICE.
8	15	12 ¹ / ₂ ins.	16/ each.
9	15	13 ¹ / ₂ "	19/ "
10	15	14 ¹ / ₂ "	27/ "

No. 26




Size at H	I	J	PRICE.
8 ¹ / ₈	21	13 ¹ / ₂ ins.	20/3 each.

C.I. Inlet for Ventilating Poles




Size at A	B	G	H	PRICE.
12	6 ¹ / ₂	6 ¹ / ₂	5 ins.	16/ each.
16	9 ¹ / ₂	9 ¹ / ₂	5 ³ / ₈ "	27/ "
18 ³ / ₈	10	12 ¹ / ₂	6 "	43/ "

C.I. Base Plate




Size at C	D	E	F	PRICE.
4	5 ¹ / ₂	12 sq.	ins.	9/6 each.
4	6 ¹ / ₂	13 ¹ / ₂ "	"	14/ "
4	7 ¹ / ₂	15 "	"	17/ "
4	8 ¹ / ₂	18 "	"	22/ "
6	11 ¹ / ₂	30 "	"	64/ "

C.I. Inlet with Socket for Ventilating Pole




Size at A	B	G	H	I	PRICE.
12	8	6 ¹ / ₂	6 ¹ / ₂	3 ins.	20/ each.

Pole Bases.




Size at H	I	J	PRICE.
10 ³ / ₈	36	14 ¹ / ₂ ins.	55/ each

Doors fitted with Brass Butt Hinges and Brass Turnbuckle Locks.




Size at H	I	J	PRICE.
4 ³ / ₈	42	12 ins.	40/ each

No. 16 can be arranged to take 3¹/₄ to 6 in. dia. pole.



Size at H	I	J	PRICE.
8 ³ / ₈	45	13 ins.	47/ each


Size at H	I	J	PRICE.
Without door.			
6 ³ / ₈	54	14 ins.	63/ each
8	54	14 "	63/ "
With 9 in. x 6 in. door.			
6 ³ / ₈	54	14 ins.	95/ "
8	54	14 "	95/ "



Size at H	I	J	PRICE.
6 ³ / ₈	36	13 ¹ / ₂ ins.	40/ each
8	36	13 ¹ / ₂ "	40/ "
9	36	15 ¹ / ₂ "	45/ "

Split Base in Halves, fitted complete with C.S. Screws. Joints not machined.


Size at H	I	J	PRICE.
7 ³ / ₈	36	13 ¹ / ₂ ins.	77/ each



Size at H	I	J	PRICE.
8 ³ / ₈	54	15 ins.	95/ each
9 ³ / ₈	54	16 "	100/ "

No. 6 Split Base in Halves, and complete with C.S. Screws, and Machined Butt Joints


Pole Bases.



Sizes at	H	I	J	PRICE.
	7 1/2	51	16 1/2 in.	56/ each
	8 1/2	51	16 1/2 ..	56/ ..
	8 3/4	51	17 1/2 ..	63/ ..
	9 1/4	51	17 1/2 ..	63/ ..


Split base in halves fitted complete with C.S. screws. Joints not machined.

10	51	19 1/2 in.	140/ each
11	51	19 1/2 ..	140/ ..




Split base in halves fitted complete with C.S. screws. Joints not machined

Sizes at H	I	J	PRICE.
7 1/2 in.	8 1/2 in.	195/ each	195/ each
7 3/4 ..	9 1/4 ..	195/ each	195/ each



Sizes at	H	I	J	PRICE.
	6 3/4	48	15 in.	57/ each
	7 1/4	48	15 ..	57/ ..
	8 1/4	48	16 ..	70/ ..


No. 4




Split base in halves fitted complete with C.S. screws. Joint not machined

Sizes at H	I	J	PRICE.
6 3/4 in.	48	15 in.	150/
7 1/4 ..	48	15 ..	175/ each
8 1/4 ..	48	16 ..	175/ each
9 1/4 ..	48	16 ..	175/ each


Fitted with 1 door. Fitted with 2 doors



No. 12



Sizes at	H	I	J	PRICE.
	12 1/2	48	18 in.	80/ each.



Sizes at	H	I	J	PRICE.
	7 1/2	45	14 in.	45/ each
	9	45	14 ..	46/ ..
	10	45	15 ..	48/ ..

Doors on Nos. 4 and 5 Bases, fitted with Brass Butt Hinges and Brass Turnbuckle Locks.