

... THE ...
FALKIRK IRON COMPANY LTD

WORKS: FALKIRK.

LONDON: Castle House, 76, Wells Street, W.1.

GLASGOW: 32-34, Bothwell Street.

LIVERPOOL: 22-24, South Castle Street.

EDINBURGH: 22, Picardy Place.

BRISTOL: 45, Queen Square.

And EXCELSIOR FOUNDRY, SANDIACRE, near NOTTINGHAM.

With Compliments



Muttonchop Manuscripts

The Playhouse Gallery
Lombard Street
Petworth
West Sussex GU28 0AG

Tel: 01798 344471

Fax: 01798 344471

TILE MANTEL GRATE



No. 740 TILE MANTEL GRATE, with Double Shelf, Adjustable Cast-iron Canopy, "Hallam" Fire, with Brass or Copper Knobs, Sliding Draught Regulator and N/C Solid Brick Back. Prepared for Tiles.

Size	42 ins. wide × 54 ins. high.
Fire	16 ins. wide.
Shelf	54 ins. long × 7 $\frac{1}{4}$ ins. deep.

For Alternative Fires and Canopies, see pages 53 to 56.

TILE MANTEL GRATE



No. 741 TILE MANTEL GRATE, with Double Shelf and Adjustable Cast-iron Canopy, "Solar" Fallbar Fire, with Brass or Copper Knobs, Slow-combustion Fret and N/C Solid Brick Back. Prepared for Tiles.

Size 42 ins. wide × 54 ins. high.
 Fire 16 ins. wide.
 Shelf 54 ins. long × 7 $\frac{1}{4}$ ins. deep.

For Alternative Fires and Canopies, see pages 53 to 56.

TILE MANTEL GRATE



No. 742 TILE MANTEL GRATE, with Double Shelf, Adjustable Cast-iron Canopy, "Alpha" Fire, with Sliding Draught Regulator, No. 35 Trivet Hob and N/C Solid Brick Back. Prepared for Tiles.

Size 42 ins. wide × 54 ins. high.
 Fire 16 ins. wide.
 Shelf 54 ins. long × 7 $\frac{1}{4}$ ins. deep.

For Alternative Fires and Canopies, see pages 53 to 56.

TILE MANTEL GRATE



No. 818 TILE MANTEL GRATE, with Double Shelf, Adjustable Cast-iron Canopy, "Eclipse" Fallbar Fire, with two Swing Trivets, Sliding Draught Regulator and N/C Solid Brick Back. Prepared for Tiles.

Size	42 ins. wide × 54 ins. high.
Fire	16 ins. wide.
Shelf	54 ins. long × 7 $\frac{1}{4}$ ins. deep.

For Alternative Fires and Canopies, see pages 53 to 56.

TILE MANTEL GRATE



No. 801 TILE MANTEL GRATE, with Double Shelf, Adjustable Cast-iron Canopy, "Vulcan" Fire, with Sliding Draught Regulator, No. 43 Trivet Hob, Brick Back in four pieces. Prepared for Tiles.

Sizes	36 ins. wide × 50 ins. high.	42 ins. wide × 54 ins. high.
Fires	16 ins. wide.	16 ins. wide.
Shelves	48 ins. long × 7 $\frac{1}{4}$ ins. deep.	54 ins. long × 7 $\frac{1}{4}$ ins. deep.

For Alternative Fires and Canopies, see pages 53 to 56.

TILE MANTEL GRATE



No. 816 TILE MANTEL GRATE, with Single Shelf, Adjustable Cast-iron Canopy, "**Beacon**" Fire, with Sliding Draught Regulator, Brick Back in four pieces. Prepared for Tiles.

Size	42 ins. wide × 48 ins. high.
Fire	16 ins. wide.
Shelf	48 ins. long × 7½ ins. deep.

For Alternative Fires and Canopies, see pages 53 to 56.

TILE MANTEL GRATE



No. 805 TILE MANTEL GRATE, with Single Shelf, Adjustable Cast-iron Canopy, "**Vulcan**" Fire, with Sliding Draught Regulator, Brick Back in four pieces. Prepared for Tiles.

Size	36 ins. wide × 48 ins. high.
Fire	16 ins. wide.
Shelf	45½ ins. long × 6½ ins. deep.

For Alternative Fires and Canopies, see pages 53 to 56.

TILE MANTEL GRATE



No. 786 TILE MANTEL GRATE, with Single Shelf, Adjustable Cast-iron Canopy, "Beacon" Fire, with Sliding Draught Regulator, Brick Back in four pieces. Prepared for Tiles.

Size 36 ins. wide × 48 ins. high.
 Fire 16 ins. wide.
 Shelf 45½ ins. long × 6½ ins. deep.

For Alternative Fires and Canopies, see pages 53 to 56.

TILE MANTEL GRATE



No. 793 TILE MANTEL GRATE, with Single Shelf, Adjustable Brass or Copper Canopy, N/C Solid Brick Back, "Edna" Fallbar Fire, with Brass or Copper Ball Knobs and Slow-combustion Fret. Prepared for Tiles.

Size 36 ins. wide × 48 ins. high.
 Fire 16 ins. wide.
 Shelf 45½ ins. long × 6½ ins. deep.

For Alternative Fires and Canopies, see pages 53 to 56.

TILE MANTEL GRATE



No. 790 TILE MANTEL GRATE, with Single Shelf, Adjustable Cast-iron Canopy, "Douglas" Fire, with Sliding Draught Regulator, W/S Solid Brick Back and Vent Damper. Prepared for Tiles.

Size	36 ins. wide × 48 ins. high.
Fire	16 ins. wide.
Shelf	45½ ins. long × 6½ ins. deep.

For Alternative Fires and Canopies, see pages 53 to 56.

TILE MANTEL GRATE



No. 788 TILE MANTEL GRATE, with Single Shelf, Adjustable Cast-iron Canopy, "Alpha" Fire, with Sliding Draught Regulator, and No. 35 Trivet Hob, Brick Back in four pieces. Prepared for Tiles.

Size	36 ins. wide × 48 ins. high.
Fire	16 ins. wide.
Shelf	45½ ins. long × 6½ ins. deep.

For Alternative Fires and Canopies, see pages 53 to 56.

TILE MANTEL GRATE



No. 819 TILE MANTEL GRATE, with Single Shelf, Adjustable Cast-iron Canopy, W/S Solid Brick Back, Vent Damper and “**Carlton**” Fire, with Sliding Draught Regulator. Prepared for Tiles.

Size 36 ins. wide × 48 ins. high.
 Fire 16 ins. wide.
 Shelf 45½ ins. long × 6½ ins. deep.

For Alternative Fires and Canopies, see pages 53 to 56.

TILE MANTEL GRATE



No. 789 TILE MANTEL GRATE, with Single Shelf, Adjustable Cast-iron Canopy, Lift-off Cast Vertical Bars and Slow-combustion Fret, Brick Back in four pieces. Prepared for Tiles.

Size 36 ins. wide × 48 ins. high.
 Fire 16 ins. wide.
 Shelf 45½ ins. long × 6½ ins. deep.

For Alternative Fires and Canopies, see pages 53 to 56.

TILE MANTEL GRATE




No. 794 TILE MANTEL GRATE, with Single Shelf, Adjustable Cast-iron Canopy, "Douglas" Fire, with Sliding Draught Regulator, W/S Solid Brick Back with Vent Damper. Prepared for Tiles.

Size	36 ins. wide × 48 ins. high.
Fire	16 ins. wide.
Shelf	45 ins. long × 6½ ins. deep.

For Alternative Fires and Canopies, see pages 53 to 56.

TILE MANTEL GRATE



ELEVATION

SECTION

No. 794 TILE MANTEL GRATE, with Single Shelf, Adjustable Cast-iron Canopy, Brick Back in four pieces, "M" Patent Cast-iron H.P. Barffed Boiler, with Self-contained Flue and Damper, "Douglas" Fire, with Sliding Draught Regulator. Prepared for Tiles.

Size	36 ins. wide × 48 ins. high.
Fire	16 ins. wide.
Shelf	45 ins. long × 6½ ins. deep.

For Alternative Fires and Canopies, see pages 53 to 56.

TILE MANTEL GRATE




No. 759 TILE MANTEL GRATE, "Adam" design, with Single Shelf, Adjustable Cast-iron Canopy, Cast Spindle Bars, Slow-combustion Fret, Iron Back and Small Brick. Prepared for Tiles.

Size	36 ins. wide × 45 ins. high.
Fire	16 ins. wide.
Shelf	45 ins. long × 6½ ins. deep.

For Alternative Fires and Canopies, see pages 53 to 56.

TILE MANTEL GRATE



No. 626 B TILE MANTEL GRATE, with Single Shelf, Adjustable Cast-iron Canopy, Lift-off Cast Spindle Bars, Brick Back in four pieces, and Slow-combustion Fret. Prepared for Tiles.

Size	36 ins. wide × 44 ins. high.
Fire	16 ins. wide.
Shelf	44 ins. wide × 6 ins. deep.

For Alternative Fires and Canopies, see pages 53 to 56.

TILE MANTEL GRATE



No. E 301 TILE MANTEL GRATE, with Single Cast-iron Shelf, Adjustable Cast-iron Canopy, Barless Fire with Fret, Brick Back in four pieces. Prepared for Tiles.

Size	36 ins. wide × 44 ins. high.
Fire	16 ins. wide.
Shelf	42 ins. long × 6½ ins. deep.

TILE MANTEL GRATE



No. E 300 TILE MANTEL GRATE, Single Cast-iron Shelf, Fixed Cast-iron Canopy, Steel Spindle Bars and Fret, Small Brick in back. Prepared for Tiles.

Size	36 ins. wide × 44 ins. high.
Fire	16 ins. wide.
Shelf	42 ins. long × 6½ ins. deep.

HOB TILE MANTEL GRATE



No. 820 HOB TILE MANTEL GRATE, with Single Shelf, Adjustable Cast-iron Canopy, Low Hobs, Steel Spindle Bars, Hook-on Trivet, Slow-combustion Fret with Sliding Draught Regulator, Brick Back in four pieces. Prepared for Tiles.

Size	36 ins. wide × 48 ins. high.
Fire	16 ins. wide.
Shelf	45½ ins. long × 6½ ins. deep.

For Alternative Canopies, see pages 55 and 56.

HOB MANTEL GRATE



No. 698 HOB MANTEL GRATE, with Single Shelf, Adjustable Cast-iron Canopy, with Iron Covings, Lift-off Horizontal Bars, Brick in Back.

Size	36 ins. wide × 46 ins. high.
Fire	14 ins. wide.
Shelf	48 ins. long × 7 ins. deep.

TILE MANTEL GRATE



No. 745 TILE MANTEL GRATE, with Double Shelf, Adjustable Cast-iron Canopy, "Vulcan" Fire, with Sliding Draught Regulator, Brick Back in four pieces. Prepared for 3 in. Tiles.

Size	32 ins. wide × 54 ins. high.
Fire	14 ins. wide.
Shelf	36 ins. long × 8 ins. deep.

For Alternative Fires and Canopies, see pages 54 and 56.

TILE MANTEL GRATE




No. 807 TILE MANTEL GRATE, with Double Shelf, Adjustable Cast-iron Canopy, "Vulcan" Fire, with Sliding Draught Regulator, Brick Back in four pieces. Prepared for 3 in. Tiles.

Size	32 ins. wide × 51 ins. high.
Fire	14 ins. wide.
Shelf	41 ins. long × 7½ ins. deep.

For Alternative Fires and Canopies, see pages 54 and 56.

TILE MANTEL GRATE



No. 810 TILE MANTEL GRATE, with Single Shelf, Adjustable Cast-iron Canopy, Brick Back in four pieces, "Douglas" Fire, with Sliding Draught Regulator. Prepared for 3 in. Tiles.

Size 30 ins. wide × 50 ins. high.
 Fire 14 ins. wide.
 Shelf 36 ins. long × 6½ ins. deep.

For Alternative Fires and Canopies, see pages 54 and 56.

TILE MANTEL GRATE



No. 841 TILE MANTEL GRATE, with Single Shelf, Adjustable Cast-iron Canopy, Brick Back in four pieces, "Douglas" Fire, with Sliding Draught Regulator. Prepared for 3 in. Tiles.

Size 30 ins. wide × 47 ins. high.
 Fire 14 ins. wide.
 Shelf 36 ins. long × 6½ ins. deep.

For Alternative Fires and Canopies, see pages 54 and 56.

MANTEL GRATE




No. 815 MANTEL GRATE, with Single Shelf, Adjustable Cast-iron Canopy, "Vulcan" Fire, with Sliding Draught Regulator, Brick Back in four pieces.

Size	36 ins. wide × 48 ins. high.
Fire	16 ins. wide.
Shelf	42 ins. long × 6½ ins. deep.

For Alternative Fires and Canopies, see pages 53 to 56.

MANTEL GRATE




No. 748 MANTEL GRATE, with Double Shelf, Adjustable Cast-iron Canopy, "Alpha" Fire with Sliding Draught Regulator and No. 35 Trivet Hob, Brick Back in four pieces.

Size	33 ins. wide × 52 ins. high.
Fire	14 ins. wide.
Shelf	38 ins. long × 7 ins. deep.

For Alternative Fires, see page 54.


MANTEL GRATE



No. 802 MANTEL GRATE, with Single Shelf, "Douglas" Fire, with Sliding Draught Regulator, W/S Solid Brick Back, with Vent Damper.

Size	30 ins. wide × 50 ins. high.
Fire	14 ins. wide.
Shelf	34 ins. long × 7 ins. deep.

MANTEL GRATE



No. 821 MANTEL GRATE, with Double Shelf, "Lorne" Fire, with Sliding Draught Regulator, W/S Solid Brick Back with Vent Damper.

Size	30 ins. wide × 50 ins. high.
Fire	14 ins. wide.
Shelf	35½ ins. long × 5½ ins. deep.

MANTEL GRATE



No. 737 MANTEL GRATE, with Single Shelf, Adjustable Cast-iron Canopy, "Vulcan" Fire, with Sliding Draught Regulator and Brick Back in four pieces.

Size 30 ins. wide × 54 ins. high.
 Fire 14 ins. wide.
 Shelf 38 ins. long × 7 ins. deep.

For Alternative Fires, see page 54.


MANTEL GRATE



No. 755 MANTEL GRATE, with Double Shelf, Adjustable Cast-iron Canopy, W/S Solid Brick Back, Vent Damper and "Vulcan" Fire, with Sliding Draught Regulator.

Size 30 ins. wide × 46 ins. high.
 Fire 14 ins. wide.
 Shelf 34 ins. long × 6 ins. deep.


MANTEL GRATE



No. 812 MANTEL GRATE, with Single Shelf, Adjustable Cast-iron Canopy,
 "Vulcan" Fire, with Sliding Draught Regulator and Brick Back in four pieces.

Size	30 ins. wide × 48 ins. high.
Fire	14 ins. wide.
Shelf	36 ins. long × 6½ ins. deep.


MANTEL GRATE



No. 804 MANTEL GRATE, with Single Shelf, Adjustable Cast-iron Canopy,
 "Douglas" Fire, with Sliding Draught Regulator and Brick Back in four pieces.

Size	30 ins. wide × 48 ins. high.
Fire	14 ins. wide.
Shelf	36 ins. long × 6½ ins. deep.


MANTEL GRATE



No. 799 MANTEL GRATE, with Single Shelf, Cast-on Canopy, "Douglas" Fire, with Sliding Draught Regulator and Brick Back in four pieces.

Sizes	30 ins. wide × 48 ins. high.	30 ins. wide × 50 ins. high.
Fires	14 ins. wide.	14 ins. wide.
Shelves	36 ins. long × 6½ ins. deep.	36 ins. long × 6½ ins. deep.

MANTEL GRATE



No. 806 MANTEL GRATE, with Single Shelf, Cast-on Canopy, Lift-off Cast Vertical Bars and Slow-combustion Fret, Iron Back with Small Brick and Vent Damper.

Sizes	30 ins. wide × 48 ins. high.	30 ins. wide × 50 ins. high.
Fires	14 ins. wide.	14 ins. wide.
Shelves	36 ins. long × 6½ ins. deep.	36 ins. long × 6½ ins. deep.


MANTEL GRATE



No. 803 MANTEL GRATE, with Double Shelf, Adjustable Cast-iron Canopy, "Douglas" Fire, with Sliding Draught Regulator and Brick Back in four pieces.

Size	27 ins. wide × 52½ ins. high.
Fire	12 ins. wide.
Shelf	34 ins. long × 7 ins. deep.


MANTEL GRATE



No. 797 MANTEL GRATE, with Single Shelf, Cast-on Canopy, "Douglas" Fire, with Sliding Draught Regulator and Brick Back in four pieces.

Size	24 ins. wide × 48 ins. high.
Fire	12 ins. wide.
Shelf	30 ins. long × 5 ins. deep.

MANTEL GRATE



No. 808 MANTEL GRATE, with Single Shelf, Cast-iron Canopy, Lift-off Cast Vertical Bars and Slow-combustion Fret, Iron Back with Small Brick and Vent Damper.

Size	24 ins. wide × 48 ins. high.
Fire	12 ins. wide.
Shelf	30 ins. long × 5 ins. deep.

MANTEL GRATE



No. 813 A MANTEL GRATE, with Single Shelf, Cast-on Canopy, "Douglas" Fire, with Sliding Draught Regulator and Brick Back in four pieces.

Sizes	24 30 ins. wide × 44 ins. high.
Fires	12 14 ins. wide.
Shelves	30 × 5 36 ins. long × 6½ ins. deep.

MANTEL GRATE



No. 813 MANTEL GRATE, with Single Shelf, Cast-on Canopy, Cast Vertical Bars and Slow-combustion Fret, Iron Back with Small Brick and Vent Damper.

Sizes	24	30 ins. wide × 44 ins. high.
Fires	12	14 ins. wide.
Shelves	30×5	36 ins. long × 6½ ins. deep.

MANTEL GRATE



No. 839 MANTEL GRATE, with Single Shelf, Cast-on Canopy, "Carrick" Fire, Brick Back in four pieces.

No. 839 A MANTEL GRATE, as illustrated above, but with Adjustable Canopy.

Size	24 ins. wide × 42 ins. high.
Fire,	12 ins. wide.
Shelf	30 ins. long × 5 ins. deep.

MANTEL GRATE



No. 840 MANTEL GRATE, with Single Shelf, Cast-on Canopy, "Vulcan"
Fire, Brick Back in four pieces.

No. 840 A MANTEL GRATE, as illustrated above, but with Adjustable Canopy.

Size	24 ins. wide × 40 ins. high.
Fire	12 ins. wide.
Shelf	30 ins. long × 5 ins. deep.


MANTEL GRATE



No. 689 MANTEL GRATE, with Single Shelf, Adjustable Cast-iron Canopy,
Lift-off Steel Spindle Bars, Slow-combustion Fret and Brick Back in four pieces.

Sizes	...	24×39	30×40	36×42 ins. high.
Fires	...	12	14	16 ins. wide.
Shelves	...	28½×5	34½×5½	40½ ins. long×5½ ins. deep.


MANTEL GRATE



No. 776 MANTEL GRATE, with Single Shelf, Cast-on Canopy, Lift-off Cast Vertical Bars, Slow-combustion Fret, Iron Back with Small Brick and Vent Damper.

Sizes	...	24×39	30×40	36×42 ins. high.
Fires	...	12	14	16 ins. wide.
Shelves	...	28½×5	34½×5½	40½ ins. long×5½ ins. deep.


MANTEL GRATE



No. 822 MANTEL GRATE, with Single Shelf, Cast-on Canopy, Lift-off Cast Vertical Bars, Slow-combustion Fret, Iron Back with Small Brick and Vent Damper.

Sizes	...	24×39	30×40	36×42 ins. high.
Fires	...	12	14	16 ins. wide.
Shelves	...	28½×5	34½×5½	40½ ins. long×5½ ins. deep.


MANTEL GRATE



No. 824 MANTEL GRATE, with Single Shelf, Cast-on Canopy, Lift-off Cast Vertical Bars, Slow-combustion Fret, Iron Back with Small Brick and Vent Damper.

Sizes	24×39	30×40 ins. high.
Fires	12	14 ins. wide.
Shelves	30×5	36 ins. long×6½ ins. deep.

MANTEL GRATE



No. 830 MANTEL GRATE, with Single Shelf, Cast-on Canopy, Iron Back with Small Brick and Vent Damper, Lift-off Cast Vertical Bars and Slow-combustion Fret.

Sizes	...	18×36	24×38	30×40 ins. high.
Fires	...	10	12	14 ins. wide.
Shelves	...	24×5	30×5	36 ins. long×6½ ins. deep.

MANTEL GRATE



No. 687 MANTEL GRATE, with Single Shelf, Cast-on Canopy, Lift-off Horizontal Bars, Iron Back with Small Brick and Vent Damper.

Sizes	...	24×39	30×40	36×42 ins. high.
Fires	...	12	14	16 ins. wide.
Shelves	...	28½×5	34½×5½	40½ ins. long×5½ ins. deep.


MANTEL GRATE



No. 686 MANTEL GRATE, with Single Shelf, Cast-on Canopy, Lift-off Horizontal Bars, Iron Back with Small Brick and Vent Damper.

Sizes	...	24×39	30×40	36×42 ins. high.
Fires	...	12	14	16 ins. wide.
Shelves	...	28½×5	34½×5½	40½ ins. long×5½ ins. deep.


MANTEL GRATE



No. E 345 MANTEL GRATE, with Single Shelf, Cast-on Canopy, Cast Vertical Bars, Iron Back with Small Brick and Vent Damper.

Sizes	18	18	20	24	24	30	ins.
Height	33	36	38	37	38	40	..
Width across Centre	16	16	18	20	20	25	..
Shelves	23×5	23×5	23×5	27½×5	27½×5	34½×6	..
Fires	10	10	11	11	11	14	..


MANTEL GRATE



No. 814 MANTEL GRATE, with Single Shelf, Cast-on Canopy, Lift-off Cast Vertical Bars and Slow-combustion Fret, Iron Back with Small Brick and Vent Damper.

Size	21 ins. wide × 39 ins. high.
Fire	12 ins. wide.
Shelf	26 ins. long × 5 ins. deep.


MANTEL GRATE




No. 800 MANTEL GRATE, with Single Shelf, Cast-on Canopy, Lift-off Horizontal Bars, Iron Back with Small Brick and Vent Damper.

Size	18 ins. wide × 36 ins. high.
Fire	10 ins. wide.
Shelf	22 ins. long × 5 ins. deep.


ALTERNATIVE FIRES FOR MANTEL GRATES.




No. 315




No. 409




No. 476




No. 814



No. 387




"EDNA"




"ECLIPSE"

See next page for particulars.




"SOLAR"


ALTERNATIVE FIRES FOR MANTLE GRATES.




"VULCAN"




"CARLTON"




"DOUGLAS"



"LORNE"



"BEACON"



"ALPHA"


NOTES ON ALTERNATIVE FIRES.

1. Mantel Grates having Sectional or Newcastle Bricks and Fires 16 ins. wide can be fitted with any of the Alternative Fires shown on pages 53 and 54.


2. Mantel Grates having W/S Bricks and Fires 16 ins. wide can be fitted with "Alpha," "Beacon," "Carlton," "Douglas," "Lorne," "Solar," or "Vulcan" Fires.

3. Mantel Grates having Sectional, Newcastle or W/S Bricks and Fires 14 ins. wide can be fitted with "Alpha," "Carlton," "Douglas," "Lorne," or "Vulcan" Fires.


ALTERNATIVE BRASS OR COPPER CANOPIES.




No. 160




No. 236




No. 237




No. 124




No. 143




No. 197




No. 268




No. 269



No. 270



No. 208




No. 159



No. 142


ALTERNATIVE CAST-IRON CANOPIES, 16 in. Fire only.




No. 215




No. 181




No. 217




No. 190




No. 123




No. 206



No. 105




No. 176




No. 135

ALTERNATIVE CAST-IRON CANOPIES, 14 in. Fires only.

NOTE.—The undernoted are suitable for Nos. 745, 807, 810, and 841 Mantel Grates only.



No. 220.



No. 221.

To be inserted at back of No. 539 List.

SCHEDULED.

PRICE LIST No. 1A.

MANTEL
GRATES

ILLUSTRATED IN
No. 539 LIST.



THE FALKIRK IRON CO., LTD.,
FALKIRK.

AUGUST 1st, 1928.

Page 1 No. 740 Tile Mantel Grate, as specified.

Fine Cast	104/3	each.
Tiles in Cheeks, Self-coloured	11/9	extra.
Brass or Copper Canopy	14/3	"
Ashpan	3/	"
Brass Knob to Fret	9d.	"
Mantel Primed and Interior Blacked	3/7	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 4th Finish	12/7	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 3rd Finish	15/7	"
Brick Back in four pieces	1/3	less.

Page 2 No. 741 Tile Mantel Grate, as specified.

Fine Cast	101/3	each.
Tiles in Cheeks, Self-coloured	11/9	extra.
Brass or Copper Canopy	14/3	"
Ashpan	3/	"
Mantel Primed and Interior Blacked	3/7	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 4th Finish	12/7	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 3rd Finish	15/7	"
Brick Back in four pieces	1/3	less.
Without Knobs to Stiles	2/	"
Black Knob to Fret	9d.	"

Page 3 No. 742 Tile Mantel Grate, as specified.

Fine Cast	97/3	each.
Tiles in Cheeks, Self-coloured	11/9	extra.
Brass or Copper Canopy	14/3	"
Ashpan	3/	"
Brass Knobs to Fret	9d.	"
Mantel Primed and Interior Blacked	3/7	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 4th Finish	16/1	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 3rd Finish	20/7	"
Brick Back in four pieces	1/3	less.
	Fine Cast.	4th Finish.	3rd Finish.
If without Trivet Hob	5/	8/6	10/ less.

Page 4 No. 818 Tile Mantel Grate, as specified.

Fine Cast	99/	each.
Tiles in Cheeks, Self-coloured	11/9	extra.
Brass or Copper Canopy	14/3	"
Ashpan	3/	"
Brass Knob to Fret	9d.	"
Mantel Primed and Interior Blacked	3/7	"

Mantel Primed Interior Blacked, Canopy and Fire- parts, 4th Finish	12/7	extra.
Mantel Primed Interior Blacked, Canopy and Fire- parts, 3rd Finish	15/7	"
Brick Back in four pieces	1/3	less.
Without Swing Trivets	5/	"

Page 5 No. 801 Tile Mantel Grate, as specified.

Fine Cast	81/1	36 ins. wide.	96/	42 ins. wide.	each.
Tiles in Cheeks, Self-coloured	11/9	extra.			
Brass or Copper Canopy	14/3	"			
Ashpan	3/	"			
Brass Knob to Fret	9d.	"			
Mantel Primed and Interior Blacked					
Mantel Primed Interior Blacked, Canopy and Fire- parts, 4th Finish	15/4	16/1	"		
Mantel Primed Interior Blacked, Canopy and Fire- parts, 3rd Finish	19/10	20/7	"		
	Fine Cast.	4th Finish.	3rd Finish.			
If without Trivet Hob	5/	8/6	10/	less.		

Page 6 No. 816 Tile Mantel Grate, as specified.

Fine Cast	78/10	each.
Tiles in Cheeks, Self-coloured	11/9	extra.
Brass or Copper Canopy	14/3	"
Ashpan	3/	"
Brass Knob to Fret	9d.	"
Mantel Primed and Interior Blacked	3/1	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 4th Finish	12/1	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 3rd Finish	15/1	"

Page 7 No. 805 Tile Mantel Grate, as specified.

Fine Cast	67/	each.
Tiles in Cheeks, Self-coloured	11/9	extra.
Brass or Copper Canopy	14/3	"
Ashpan	3/	"
Brass Knob to Fret	9d.	"
Mantel Primed and Interior Blacked	2/8	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 4th Finish	11/8	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 3rd Finish	14/8	"

Page 8 No. 786 Tile Mantel Grate, as specified.

Fine Cast	70/9	each.
Tiles in Cheeks, Self-coloured	11/9	extra.

Brass or Copper Canopy	14/3	extra.
Ashpan	3/	"
Brass Knob to Fret	9d.	"
Mantel Primed and Interior Blacked	2/8	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 4th Finish	11/8	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 3rd Finish	14/8	"

Page 9 No. 793 Tile Mantel Grate, as specified.

Fine Cast	87/	each.
Tiles in Cheeks, Self-coloured	11/9	extra.
Ashpan	3/	"
Mantel Primed and Interior Blacked	2/8	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 4th Finish	11/8	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 3rd Finish	14/8	"
Brick Back in four pieces	1/3	less.
Without Knobs to Stiles	2/	"
Cast-iron Canopy	14/3	"
Black Knob to Fret	9d.	"

Page 10 No. 790 Tile Mantel Grate, as specified.

Fine Cast	76/9	each.
Tiles in Cheeks, Self-coloured	11/9	extra.
Brass or Copper Canopy	14/3	"
Ashpan	3/	"
Brass Knob to Fret	9d.	"
Mantel Primed and Interior Blacked	2/8	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 4th Finish	11/8	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 3rd Finish	14/8	"
Brick Back in four pieces	9/9	less.

Page 11 No. 788 Tile Mantel Grate, as specified.

Fine Cast	72/	each.	
Tiles in Cheeks, Self-coloured	11/9	extra.	
Brass or Copper Canopy	14/3	"	
Ashpan	3/	"	
Brass Knob to Fret	9d.	"	
Mantel Primed and Interior Blacked	2/8	"	
Mantel Primed Interior Blacked, Canopy and Fire- parts, 4th Finish	15/2	"	
Mantel Primed Interior Blacked, Canopy and Fire- parts, 3rd Finish	19/8	"	
	Fine Cast.	4th Finish.	3rd Finish.
If without Trivet Hob	5/	8/6	10/ less.

Page 12 No. 819 Tile Mantel Grate, as specified.

Fine Cast	76/9	each.
Tiles in Cheeks, Self-coloured	11/9	extra.
Brass or Copper Canopy	14/3	"
Ashpan	3/	"
Brass Knob to Fret	9d.	"
Mantel Primed and Interior Blacked	2/8	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 4th Finish	11/8	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 3rd Finish	14/8	"
Brick Back in four pieces	9/9	less.

Page 13 No. 789 Tile Mantel Grate, as specified.

Fine Cast	63/9	each.
Tiles in Cheeks, Self-coloured	11/9	extra.
Brass or Copper Canopy	14/3	"
Ashpan	3/	"
Brass Knob to Fret	9d.	"
Mantel Primed and Interior Blacked	2/8	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 4th Finish	11/8	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 3rd Finish	14/8	"

Page 14 No. 794 Tile Mantel Grate, as specified.

Fine Cast	76/9	each.
Tiles in Cheeks, Self-coloured	11/9	extra.
Brass or Copper Canopy	14/3	"
Ashpan	3/	"
Brass Knob to Fret	9d.	"
Mantel Primed and Interior Blacked	2/8	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 4th Finish	11/8	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 3rd Finish	14/8	"
Brick Back in four pieces	9/9	less.

Page 15 No. 794 Tile Mantel Grate, with "M" Patent Boiler, as specified.

Fine Cast	130/6	each.
Tiles in Cheeks, Self-coloured	11/9	extra.
Brass or Copper Canopy	14/3	"
Ashpan	3/	"
Brass Knob to Fret	9d.	"
Mantel Primed and Interior Blacked	2/8	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 4th Finish	11/8	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 3rd Finish	14/8	"

Page 16 No. 759 Tile Mantel Grate, as specified.

Fine Cast	51/	each.
Tiles in Cheeks, Self-coloured	11/9	extra.
Brass or Copper Canopy	14/3	"
Brick Back in four pieces	8/	"
Ashpan	3/	"
Brass Knob to Fret	9d.	"
Mantel Primed and Interior Blacked	2/6	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 4th Finish	11/6	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 3rd Finish	14/6	"

Page 17 No. 626 B Tile Mantel Grate, as specified.

Fine Cast	57/5	each.
Tiles in Cheeks, Self-coloured	11/9	extra.
Brass or Copper Canopy	14/3	"
Ashpan	3/	"
Brass Knob to Fret	9d.	"
Mantel Primed and Interior Blacked	2/5	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 4th Finish	11/5	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 3rd Finish	14/5	"
Iron Back and Small Brick	8/	less.

Page 18 No. E 301 Tile Mantel Grate, as specified.

Fine Cast	64/5	each.
Tiles in Cheeks, Self-coloured	11/9	extra.
Brass or Copper Canopy	14/3	"
Ashpan	3/	"
Brass Knob to Fret	9d.	"
Mantel Primed and Interior Blacked	2/5	"
Iron Back and Small Brick	8/	less.

Page 19 No. E 300 Tile Mantel Grate, as specified.

Fine Cast	48/11	each.
Tiles in Cheeks, Self-coloured	11/9	extra.
Adjustable Canopy	1/9	"
Mantel Primed and Interior Blacked	2/5	"
With Cast Vertical Bars	1/3	less.

Page 20 No. 820 Hob Tile Mantel Grate.

Fine Cast	77/6	each.
Tiles in Cheeks and Hobs, Self-coloured	11/9	extra.
Brass or Copper Canopy	14/3	"
Brass Knob to Fret	9d.	"
Mantel Primed and Interior Blacked	2/8	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 4th Finish	15/8	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 3rd Finish	25/8	"

With Long Rod and Damper for H.P. Boiler	3/6	extra.
With Long Rod and Damper and Self-contained Boiler Flue	15/3	"
With Wrot-iron H.P. Boiler, Screwed for Connections	42/	"
Without Hook-on Trivet	3/	less.

Page 21 No. 698 Hob Mantel Grate.

Fine Cast	96/	each.
Primed and Blacked	4/6	extra.

Page 22 No. 745 Tile Mantel Grate, as specified.

Fine Cast	77/	each.
Tiles in Surround, Self-coloured	9/3	extra.
Ashpan	3/	"
Brass Knob to Fret	9d.	"
Mantel Primed and Interior Blacked	2/11	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 4th Finish	11/11	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 3rd Finish	14/11	"

Page 23 No. 807 Tile Mantel Grate, as specified.

Fine Cast	72/	each.
Tiles in Surround, Self-coloured	9/3	extra.
Ashpan	3/	"
Brass Knob to Fret	9d.	"
Mantel Primed and Interior Blacked	2/8	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 4th Finish	11/8	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 3rd Finish	14/8	"

Page 24 No. 810 Tile Mantel Grate, as specified.

Fine Cast	61/3	each.
Tiles in Surround, Self-coloured	9/3	extra.
Ashpan	3/	"
Brass Knob to Fret	9d.	"
Mantel Primed and Interior Blacked	2/5	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 4th Finish	11/5	"
Mantel Primed Interior Blacked, Canopy and Fire- parts, 3rd Finish	14/5	"
Cast Vertical Bars	3/3	less.
Iron Back and Small Brick	8/	"

Page 25 No. 841 Tile Mantel Grate, as specified.

Fine Cast	56/11	each.
Tiles in Cheeks, Self-coloured	7/6	extra.
Ashpan	3/	"
Brass Knob to Fret	9d.	"
Mantel Primed and Interior Blacked	2/2	"

Mantel Primed Interior Blacked, and Fire-parts, 4th Finish	11/2 extra.
Mantel Primed Interior Blacked, and Fire-parts, 3rd Finish	14/2 "
Cast Vertical Bars	3/3 less.
Iron Back and Small Brick	8/ "

Page 26 No. 815 Mantel Grate, as specified.

Fine Cast	64/7 each.
Ashpan	3/ extra.
Brass Knob to Fret	9d. "
Mantel Primed and Interior Blacked	2/7 "
Cast Bars	3/3 less.
Iron Back and Small Brick	8/ "

Page 27 No. 748 Mantel Grate, as specified.

Fine Cast	79/10 each.
Ashpan	3/ extra.
Brass Knob to Fret	9d. "
Mantel Primed and Interior and Trivet Hob Blacked Without Trivet Hob	2/10 "
	5/ less.

Page 28 No. 802 Mantel Grate, as specified.

Fine Cast	70/4 each.
Ashpan	3/ extra.
Brass Knob to Fret	9d. "
Mantel Primed and Interior Blacked	2/5 "

Page 29 No. 821 Mantel Grate, as specified.

Fine Cast	72/5 each.
Ashpan	3/ extra.
Brass Knob to Fret	9d. "
Mantel Primed and Interior Blacked	2/5 "

Page 30 No. 737 Mantel Grate, as specified.

Fine Cast	69/ each.
Ashpan	3/ extra.
Brass Knob to Fret	9d. "
Mantel Primed and Interior Blacked	2/9 "
Mantel Primed Interior Blacked, Canopy and Fire-parts, 4th Finish	11/9 "
Mantel Primed Interior Blacked, Canopy and Fire-parts, 3rd Finish	14/9 "

Page 31 No. 755 Mantel Grate, as specified.

Fine Cast	69/11 each.
Ashpan	3/ extra.
Brass Knobs to Fret	9d. "
Mantel Primed and Interior Blacked	2/8 "
Brick Back in four pieces	9/9 less.

Page 32 No. 812 Mantel Grate, as specified.

Fine Cast	58/6 each.
Mantel Primed and Interior Blacked	2/3 extra.
Cast Bars and Fret	3/3 less.
Iron Back and Small Brick	8/ "

Page 33 No. 804 Mantel Grate, as specified.

Fine Cast	58/6 each.
Mantel Primed and Interior Blacked	2/3 extra.
Cast Bars and Fret	3/3 less.
Iron Back and Small Brick	8/ "

Page 34 No. 799 Mantel Grate, as specified.

Sizes	30x48	30x50 ins.
Fine Cast	56/9	59/10 each.
Mantel Primed and Interior Blacked	2/3	2/5 extra.
Iron Back and Small Brick	8/	less.

Page 35 No. 806 Mantel Grate, as specified.

Sizes	30x48	30x50 ins.
Fine Cast	45/6	48/7 each.
Brick Back in four pieces	8/	extra.
Mantel Primed and Interior Blacked	2/3	2/5 extra.

Page 36 No. 803 Mantel Grate, as specified.

Fine Cast	68/7 each.
Mantel Primed and Interior Blacked	2/6 extra.

Page 37 No. 797 Mantel Grate, as specified.

Fine Cast	51/4 each.
Mantel Primed and Interior Blacked	2/ extra.
Iron Back and Small Brick	8/ less.

Page 38 No. 808 Mantel Grate, as specified.

Fine Cast	40/1 each.
Brick Back in four pieces	8/ extra.
Mantel Primed and Interior Blacked	2/ "

Page 39 No. 813 A Mantel Grate, as specified.

Sizes	24x44	30x44
Fine Cast	46/4	51/10 each.
Mantel Primed and Interior Blacked	1/9	2/ extra.
Iron Back and Small Brick	8/	less.

Page 40 No. 813 Mantel Grate, as specified.

Sizes	24x44	30x44 ins.
Fine Cast	35/1	40/7 each.

	Sizes,	24×44	30×44 ins.	
	Mantel Primed and Interior Blacked Brick Back in four pieces	1/9	2/ extra.	
	Without Fret		8/ extra. 1/3 less.	
Page 41	No. 839 Mantel Grate, as specified.			
	Fine Cast		39/9 each.	
	Mantel Primed and Interior Blacked Adjustable Canopy (No. 839 A)		1/5 extra. 1/9 "	
	Iron Back and Small Brick		8/ less.	
Page 42	No. 840 Mantel Grate, as specified.			
	Fine Cast		34/3 each.	
	Mantel Primed and Interior Blacked Adjustable Canopy (No. 840 A)		1/2 extra. 1/9 "	
	Iron Back and Small Brick		8/ less.	
Page 43	No. 689 Mantel Grate, as specified.			
	Sizes	24×39	30×40	36×42 ins.
	Fine Cast	33/7	39/9	52/9 each.
	Primed and Blacked	34/8	41/2	54/10 "
	"Vulcan" Barless Fire (Fire 14 and 16 ins. wide)		2/ extra.	
	Cast-iron Bars		1/3 less.	
Page 44	No. 776 Mantel Grate, as specified.			
	Sizes	24×39	30×40	36×42 ins.
	Fine Cast,	22/7	28/9	41/9 each.
	Primed and Blacked		5% extra.	
	No Fret		1/3 each less.	
Page 45	No. 822 Mantel Grate, as specified.			
	Sizes	24×39	30×40	36×42 ins.
	Fine Cast,	22/7	28/9	41/9 each.
	Primed and Blacked		5% extra.	
	No Fret		1/3 each less.	
Page 46	No. 824 Mantel Grate, as specified.			
	Sizes,	24×39	30×40 ins.	
	Fine Cast,	22/7	28/9 each.	
	Priming and Blacking		5% extra.	
	No Fret		1/3 less.	
Page 47	No. 830 Mantel Grate, as specified.			
	Sizes,	18×36	24×38	30×40 ins.
	Fine Cast,	18/3	22/2	28/9 each.
	Priming and Blacking		5% extra.	
	No Fret		1/3 less.	

Page 48	No. 687 Mantel Grate, as specified.						
	Sizes	24×39	30×40	36×42 ins.			
	Fine Cast,	21/4	27/6	40/6 each.			
	Priming and Blacking			5% extra.			
	If with Fret			1/3 each extra.			
Page 49	No. 686 Mantel Grate, as specified.						
	Sizes	24×39	30×40	36×42 ins.			
	Fine Cast	21/4	27/6	40/6 each.			
	Priming and Blacking			5% extra.			
	If with Fret			1/3 each extra.			
Page 50	No. E 345 Mantel Grate, as specified.						
	Sizes	18×33	18×36	20×38	24×37	24×38	30×40 ins.
	Fine Cast	16/	17/	18/11	20/6	20/11	27/6 each.
	Priming and Blacking						5% extra.
Page 51	No. 814 Mantel Grate, as specified.						
	Fine Cast						21/2 each.
	Priming and Blacking						5% extra.
	No Fret						1/3 each less.
Page 52	No. 800 Mantel Grate, as specified.						
	Fine Cast						17/ each.
	Priming and Blacking						5% extra.
	Fret						1/3 extra.
Pages 53 and 54	Alternative Fires.						
	The Fires shown are adaptable to any Mantel Grate, having Fire 16 ins. wide, and fitted with Adjustable Canopy.						
	The Undernoted Prices are extras to basis Prices of Grates, fitted with ordinary Cast-iron Bars and Fret, and Small Brick in Back.						
	Nos. 476 and 387 with Brass or Copper Knobs					6/
	"Edna" with Brass or Copper Knobs to Stiles and Fret						7/9
	"Eclipse" with two Swing Trivets					10/
	"Solar" with Brass or Copper Knobs to Stiles and Fret						10/3
	"Vulcan"					3/3
	"Carlton"					3/3
	"Carrick"					3/3
	"Lorne"					3/3
	"Douglas"					3/3
	"Beacon"					7/
	"Alpha" with brick in front. Fine Cast and Blacked						10/3
	"Alpha" with Grating in front. Do. Do.						8/3